



Government of Kerala



ANNUAL VITAL STATISTICS REPORT 2006

*Department of Economics & Statistics
Thiruvananthapuram
August 2008*

PREFACE

The report presents the Vital Statistics of Kerala for the year 2006 on the basis of data collected under the revamped system of Civil Registration implemented in the State as a part of all India pattern. This is the seventh report based on the revamped system. The data relating to vital events received from the registering authorities are presented and vital rates are estimated.

The report is prepared by the Vital Statistics Division of the Directorate under the guidance of Sri.D.Rajan, Additional Chief Registrar of Births & Deaths and Additional Director. I acknowledge the efforts put in by Smt. S Leelamony, Deputy Director, Smt. K.Shailamma, Assistant Director, Smt.P.K.Neena, Research Assistant, Sri.V.K.Baburaj and Sri.Praveen, Statistical Assistants in the preparation of this report.

I would like to place on record the co-operation and valuable services rendered by Local Registrars, District Registrars, Deputy Directors and staff in the District Statistics Offices to make this venture a success.

I hope that this report is of great help to Planners & Administrators and those engaged in the field of Health and Demography.

Suggestions for the improvement of the publication are always welcome.

Thiruvananthapuram,
14.08.2008

Sd/-
M.R. BALAKRISHNAN
DIRECTOR

CONTENTS

Item	Title	Page No.
I	Introduction and Analysis	4-15
II	Tables	
1	Live Births By Place of Occurrence, Districts (Rural & Urban) and Towns with Population One Lakh and Above	16-17
2	Time Gap in Registration of Live Births (Rural & Urban)	18
3	Live Births by Sex and Month of Occurrence	19-20
4	Live Births by Type of Attention at Delivery (Rural & Urban)	21-22
5	Live Births by Method of Delivery and Type of Institution for Institutional Births (Rural & Urban)	22
6	Live Births by Age of the Mother and Birth Order (Rural & Urban)	23-24
7	Live Birth by Birth Order and Age of Mother for Towns with Population 1 Lakh and above	24
8	Live Births by Age and Level of Education of Mother (Rural & Urban)	25
9	Live Birth by Level of Education of Father and Birth Order (Rural & Urban)	26
10	Live Birth by Level of Education of Mother and Birth Order (Rural & Urban)	27
11-a	Live Birth by Age of Mother and Birth Order for each Level of Education of the Mother (Rural)	28-30
11-b	Live Birth by Age of Mother and Birth Order for each Level of Education of the Mother (Urban)	31-33
12-a	Live Birth by age of Mother, Birth Order and Religion of the Family (Rural)	34-36
12-b	Live Birth by age of Mother, Birth Order and Religion of the Family (Urban)	37-39
13	Live Birth by Occupation of Father and Birth Order (Rural & Urban)	40-41
14	Live Birth by Occupation of Mother and Birth Order (Rural & Urban)	42-43
15	Live Birth by Duration of Marriage of the Mother and Birth Order (Rural & Urban)	44
16	Live Birth by Duration of Marriage and Age of Mother (Rural & Urban)	45
17	Live Birth by Duration of Pregnancy and Birth Weight (Rural & Urban)	46
18	Live Birth by Age of Mother & Birth Weight (Rural & Urban)	46
19	Live Birth by Birth Order & Birth Weight (Rural & Urban)	47
20	Live Births by Method of Delivery and Age of the Mother (Rural & Urban)	48
21	Deaths by Place of Occurrence, Districts (Rural & Urban) and Towns with population One Lakh and above	49-50
22	Time Gap in Registration of Deaths (Rural & Urban)	51

23	Deaths by Sex and Month of Occurrence	52-54
24	Deaths by Type of Attention at Death (Rural & Urban)	55-56
25	Deaths by Age, Sex and Religion of the Deceased (Rural & Urban)	57-58
26-a	Deaths by Age, Occupation and Sex (Rural)	59-60
26-b	Deaths by Age, Occupation and Sex (Urban)	61-62
26-c	Deaths by Age, Occupation and Sex (All Areas)	63-64
27	Deaths by Cause of Death, Age and Sex for all Deaths Medically Certified or Not	65-71
28	Deaths by Cause of Death, Age and Sex for Medically Certified Deaths	72-78
29	Infant Death by Place of Occurrence, Districts (Rural & Urban) and Town with Population 1 Lakh & Above	79-80
30	Infant Deaths by age and Sex (Rural & Urban)	81
31	Pregnancy Related Deaths by Age Group of the deceased and Cause of Death for Medically Certified Deaths (Rural & Urban)	82-84
32	Pregnancy Related Deaths by Age Group of the deceased and Cause of Death for all Deaths Medically Certified or not (Rural & Urban)	85-88
33	Pregnancy Related Deaths by Age and Occupation (Rural & Urban)	89-90
34-a	Deaths by Selected Cause of Death, Age, Sex and Habit (Rural)	91-113
34-b	Deaths by Selected Cause of Death, Age, Sex and Habit (Urban)	114-130
34-c	Deaths by Selected Cause of Death, Age, Sex and Habit (All areas)	131-142
35	Still Birth by Place of Occurrence in District (Rural & Urban)	143
36	Stillbirth by Sex and Age of Mother (Rural & Urban)	144
37	Stillbirth by Sex and Duration of Pregnancy (Rural & Urban)	144
38	Stillbirth by Sex and Type of Medical Attention Received at Delivery (Rural & Urban)	145-146
39	Stillbirths by Cause of stillbirths and Age of Mother (Rural & Urban)	147-148
40	Stillbirths by Duration of Pregnancy and Age of Mother	149

ANNUAL VITAL STATISTICAL REPORT – 2006

Introduction

Civil Registration System is a continuous, permanent and compulsory recording of the occurrence and characteristics of vital events. The registration records are primarily useful for their value as legal documents and secondarily as a source of Vital statistics. The scheme is aimed at providing the key indicators for analysing the health trends of the population in a scientific manner. The size and geographical distribution of births, deaths, infant deaths, maternal deaths etc., are of immense value to the public health planners, administrators, medical professionals, epidemiologists and research workers.

The registration of births and deaths are being done under the legal provisions of Registration of Birth and Death (RBD) Act 1969 came into force in Kerala on 1st April 1970. Director of Panchayaths is the Chief Registrar of Birth and Deaths in Kerala and is the Chief executive authority for implementing the provisions of the Registration of Birth and Death Act. Chief Registrar will be assisted by a Deputy Chief Registrar. The Additional Director of Economics and Statistics is designated as the Additional Chief Registrar' of Births and Deaths . A Deputy Chief Registrar, Deputy Director of Economics and Statistics, assists him. Actual work of the legislation is being done by the local registrars of births and deaths appointed under this act. At the District level, the District Panchayaths Officer, secretaries of municipalities and corporations are empowered as the District Registrar of Births and Deaths.

The Secretaries of Grama Panchayaths, health inspectors and health officers of Municipalities and Corporations and the executive officer of Kannur Cantonment are the local Registrar of the concerned registration units.

This report is prepared on the basis of place of occurrence of events. Here we use the district wise data only not unit wise. Analysing the data in this manner we can find the population trend in geographically.

Conceptual and Empirical Frame Work

As per the R B D Act, births and deaths are to be registered within 21 days after the occurrence of the events at the place of occurrence. The details such as date of event, date of registration, sex and the details of father and mother such as their age, religion, literacy, occupation, order of birth etc of each event are recorded in the registers at the time of registration. These details are carried over to the prescribed birth, death and stillbirth cards and are forwarded to the Deputy Directors of the Districts Offices of Economics and Statistics Department. Soft copy of the same is forwarded to Directorate for further processing.


Limitations of the data

In terms of level of registration Kerala has recorded cent percent registration in births and 99.5 percent in deaths. Even though some of the vital events were seen un registered. This is mainly due to lack of awareness about the need and importance of registration of births and deaths and lack of registration procedure knowledge among the public. This may adversely affect the quality of the statistical data. Efforts are being taken to create mass awareness about the importance and necessity of registration.

Analysis and findings

The data and the vital rates in the reports are arrived on the basis of place of occurrence of the events. The criteria for including an event is the year of registration. By using this method the number of live birth occurred during 2006 is found to be 5.56 lakhs as against 5.59 lakhs registered during 2005. Out of which 2.15 lakhs were reported from rural areas and 3.41 lakhs from urban areas. Of the total live births 51% were male, 48% were females and for the remaining 1% sex were not reported. The number of registered live births decreased from 5.59 lakhs in 2005 to 5.56 lakhs in 2006.

Trend in no of live births registered in the state for the last 10 years is shown below.



The birth rate of the state during 2006 is 16.63. On analysis it is observed that the highest birth rate 21.79 was recorded in Malappuram district followed by Kozhikkode(18.81) and the lowest in Alappuzha district (11.96) followed by Idukki (13.9). These data are furnished in table 1.




Table 2 reveals that out of 556326 live births registered during the year 2006, 68137 were delayed registrations. It is observed that 13423 live births were registered after one year from the date of occurrence.

On analyzing the month wise registration details it is seen that the highest number of live birth was registered during May (9.25%) followed by June (8.83%), March (8.79%) and July (8.68%). These details are given in Table 3.

Table 4 presents the distribution of live birth by type of medical attention received at the time of delivery. It is seen that about 90% of the total live birth were institutional in nature. Another feature observed is that inspite of having enough modern medical facilities across the state, 14336 live births occurred were attended by the un trained persons/relatives.

Distribution of live births by age of mother and type of delivery are furnished in table 5. The data reveals that the highest number of live births occurred were from the mothers belonging to the age group 20-24 (40.03%). Followed by the age group 25-29(36.05%) and there after it declined gradually with age. It is observed that 6.38% of live births occurred were from mothers of age group 15-19. It reveals that proportion of girls getting married before 18 years of age is not negligible. Percentage of live birth is less than 1% in the case of mothers in the age group 40&above. In terms of method of delivery, 63.10% of the cases were natural and 32.45% caesarean. Based on the total delivery cases pertaining to the mother's age group highest percentage of caesarean cases were observed in the age group 40-44 and lowest in below 15.

The percentage distribution of live births by birth order is furnished in table 6. It shows that the highest percentage of live birth is of first order (47%) followed by second order of birth (38%) and there after it gradually declined for higher birth orders.

Birth weight of about 50 % of the live birth pertaining to the mothers in the age group 20-24 was 2-3 Kg and that of 47% was 3-4 Kg. As the highest number of Live Births was reported from the mothers in the age group 20-24, major share of the births falls in the category of the birth weight 2-3 kg.

In terms of the duration of pregnancy period 40 % of the live birth occurred after completing the period of 37-39 weeks. Out of the total births occurred about 46 % were reported from the Hindu religion, 35% from Muslims, 17% from Christians and the remaining from other categories.

The percentage distribution of live births by level of education of father and mother are given in the tables 9 and 10. The tables show that lowest percentage of live births was reported from illiterate fathers and mothers. The percentage of live births was the highest for the fathers and mothers with literacy level “matric but below graduate” and there after decline gradually with increase in levels of education.

The number of registered deaths and crude deaths rates are presented in table 21. Deaths occurred during the year 2006 found as 2.19 lakhs as against 2.04 lakhs registered during the year 2005. The highest number of deaths was reported from Thiruvananthapuram district followed by Thrissur and the lowest from Kasargode district. Pathanamthitta district stood at the first position with death rate 7.96 and Malappuram in the last with 4.35.

Trend in Crude Death Rates in the state for the last 10 years is shown below.




Table 22 reveals that out of 219094 deaths registered during the year 2006, 31738 were delayed registrations. It is observed that 5210 deaths were registered after one year from the date of occurrence.

Deaths by type of medical attention at the time of death are furnished in table 24. Out of the total deaths 57 % occurred in institution.. 18% of deaths were non-institutional but received medical attention at the time of death. 20 % of the total death were not received any medical attention

The age wise and religion wise deaths are furnished in table 25. It reveals that the percentage of death was lowest for both sexes in age group 1-4 years. The highest percentage was seen in the age group 70 and above. Number of male deaths was higher than that of females in all the age groups. About 62, 20 and 17 percentage of deaths were pertaining to the Hindu, Christian and Muslim religion respectively.

Deaths by causes are shown in table 27. On analyzing the data it is observed that heart failure stood in the first place among the causes of deaths.. Asthma was reported as another major cause of death. 104 cases were happened due to AIDS out of which 66 male deaths and 29 female. During the year 2006, 14946 Cancer deaths were reported of which highest number of deaths were from the age group 70and above.

Infant deaths and its mortality rate are given in table 29. At the state level IMR was 8.1. Among the districts higher rate was reported from Kozhikode district (16.45) followed Thiruvananthapuram(15.19) and lowest in Wayanad district (1.62). IMR of the state estimated from SRS data for the year 2006 is 15 which is much higher than that worked out from CRS. This clearly indicates that Registration of Infant death is quite low. Such low registration of infant deaths is matter of concern. From table 30 it is observed that about 68% of infant deaths have occurred to the infants aged below one week.

During the year under report 610 maternal deaths were reported. The data reveals that majority of the maternal deaths, 404, were reported for the age group 45 and above. 3108 stillbirths were reported and its rate is 5.56.

Conclusion

It is worthwhile to mention that CRS is the only source, which can provide vital rates at below state level. Even though cent percentage registration has attained in the case of births, under registration of deaths still exist. Level of registration of maternal deaths and infant deaths are not satisfactory. There is also a need to correctly identify the maternal deaths for estimating the vital indicator MMR. Full coverage of maternal deaths and infant deaths by registration missionary only can help to calculate rates such as IMR, MMR etc, which are essential for health planning. Hence more concentration should be given to the proper implementation and monitoring of Civil Registration System.

DEFINITIONS

	Total population
Head count ratio	= ----- X 100
	Aged population
	Population of above 60 yrs
Aged child ratio	= ----- X 100
	Population of below 15 yrs
	Population of 0-14 ages
Young dependency ratio	= ----- X 100
	Population of 15-64 ages
	Population of above 65 years
Old dependency ratio	= ----- X 100
	Population of 15-64 ages
	(Population of 0-14 years + Population of above 65 years)
Total dependency ratio	= ----- X100
	Population of 15-64 years
	Number of Live birth during the year
Crude birth rate	= ----- X 1000
	Mid-year population
	Number of live births in a year
General fertility rate	= ----- X1000
	Mid-year female population in the age group (15-49) years

	Number of live birth in a particular age group
Age specific fertility rate	= ----- X 1000
	Mid-year female population of the same age group
	$5 \times \sum_{15-19}^{45-49} ASFR$
Total fertility rate	= -----
	1000
	Number of live births in a year
Gross reproduction rate	= -----
	1000
	$5 \times \sum_{15-19}^{45-49} ASFR \text{ for female live births}$
General marital fertility rate	= ----- X1000
	Mid-year marries female population in the age group (15-49) years
	Population of 0-4 age group
Child women ratio	= ----- X 1000
	Female population in the age group 15-49
	Number of deaths during the year
Crude death rate	= ----- X 1000
	Mid-year population
	Number of infant deaths during the year
Infant mortality rate	= ----- X 1000
	Number of live births during the year
	Number of infant deaths < than 29 days during the year
Neo-natal mortality rate	= ----- X 1000
	Number of live births during the year

	Number of infant deaths < than 7 days during the year
Early neo- natal mortality rate	= ----- X 1000 Number of live births during the year
Late neo- natal mortality rate	= Number of infant deaths of 7 days to < than 29 days during the year ----- X 1000 Number of live births during the year
Post neo- natal mortality rate	= Number of infant deaths of 29 days to < than one year during the year ----- X 1000 Number of live births during the year
Peri neo- natal mortality rate	= Number of still births and infant deaths of < than 7 days during the year ----- X 1000 Number of live births and still births during the year
Still birth rate	= Number of still births during the year ----- X 1000 Number of live births and still births during the year

FIGURES AT A GLANCE- KERALA-2006

I Age-sex structure population

1	Sex ratio (females/1000 males)	1070
2	Masculinity proportion (males/1000 popln)	483
3	Head count ratio	909
4	Aged – child ratio	45
5	Age dependency ratio	
	(a) Young dependency ratio	35.69
	(b) Old dependency ratio	11.16
	(c) Total dependency ratio	46.85

II Fertility Indicators

1	Crude birth rate	16.63
2	General fertility rate	58.88
3	Age-specific fertility rate	
	15-19	25.71
	20-24	151.65
	25-29	136.62
	30-34	54.72
	35-39	13.42
	40-44	1.3
	45-49	0.14
4	Total fertility rate	1.92
5	Gross reproduction rate	0.93
6	General marital fertility rate	84.54
7	Child-women ratio	286.51

III Mortality indicators

1	Crude death rate	6.55
2	Sex ratio of deaths (male deaths/1000 female deaths)	1432
3	Percentage of infant death to total death	2.06
4	Infant mortality rate	8.1
(a)	Neo-natal mortality rate	6.68
(b)	Early neo- natal mortality rate	5.48
(c)	Late neo- natal mortality rate	1.2
(d)	Post neo- natal mortality rate	1.4
(e)	Peri neo- natal mortality rate	11
5	Still birth rate	5.56

IV Percentage distribution of birth by type of medical attention at delivery

1	Government hospital	36.65
2	Private hospital	52.96
3	Qualified professional	7.04
4	Untrained functionary and others	3.35

V Percentage distribution of death by type of medical attention before death

1	Institution	57.07
2	Other than medical institution	17.8
3	No medical attention	19.71
4	Not specify	5.42

Vital rates at a Glance

Year	Birth Rate	Death Rate	Infant death rate	Still Birth rate	Maternal Death rate
1992	17.67	5.49	9.84	5.29	0.03
1993	17.67	5.38	10.48	5.05	0.02
1994	17.52	5.38	10.41	5.14	0.06
1995	18.09	5.28	10.15	5.72	0.07
1996	18.76	5.51	9.53	5.14	0.11
1997	19.19	5.25	9.07	5.18	0.13
1998	18.43	5.79	9.00	4.65	0.12
1999	18.32	5.73	8.27	5.25	0.00
2000	18.01	5.42	7.10	6.43	0.02
2001	18.13	5.70	5.43	4.65	0.01
2002	18.05	5.73	5.54	4.90	0.13
2003	17.16	5.97	4.40	4.02	0.24
2004	17.15	6.06	4.25	4.68	0.23
2005	17.34	6.33	7.35	6.27	0.64
2006	16.63	6.55	8.1	5.56	1.1

LIVE BIRTHS, DEATHS, STILL BIRTHS, INFANT DEATHS, AND THEIR RATES – 2006
DISTRICT AT A GLANCE

District	Rural/ Urban	Births		Deaths		Infant deaths		Still Births	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
Thiruvananthapuram	Rural	10273	4.25	11602	4.8	24	2.34	17	1.65
	Urban	42393	42.56	14700	14.76	776	18.3	606	14.09
	Total	52666	15.43	26302	7.71	800	15.19	623	11.69
Kollam	Rural	20855	9.36	13255	5.95	22	1.05	74	3.54
	Urban	17558	37.93	3853	8.32	77	4.39	56	3.18
	Total	38413	14.27	17108	6.36	99	2.58	130	3.37
Pathanamthitta	Rural	9961	8.76	7732	6.8	18	1.81	2	0.20
	Urban	8730	68.51	2339	18.36	55	6.3	41	4.67
	Total	18691	14.78	10071	7.96	73	3.91	43	2.30
Alappuzha	Rural	3497	1.91	10427	5.71	35	10.01	8	2.28
	Urban	22514	64.64	4942	14.19	122	5.42	117	5.17
	Total	26011	11.96	15369	7.07	157	6.04	125	4.78
Kottayam	Rural	22639	12.17	13978	7.52	240	10.6	213	9.32
	Urban	10031	61.11	1755	10.69	53	5.28	35	3.48
	Total	32670	16.14	15733	7.77	293	8.97	248	7.53
Idukki	Rural	11136	9.91	5012	4.46	34	3.05	29	2.60
	Urban	5171	104.39	729	14.72	15	2.9	10	1.93
	Total	16307	13.9	5741	4.89	49	3	39	2.39
Eranakulam	Rural	8894	3.82	11980	5.15	54	6.07	58	6.48
	Urban	41205	44.12	11874	12.71	437	10.61	89	2.16
	Total	50099	15.37	23854	7.32	491	9.8	147	2.93
Thrissur	Rural	13727	7.21	16915	6.63	154	8.36	159	8.56
	Urban	18411	64.1	7696	13.72	349	9.71	45	1.25
	Total	35948	17.46	24611	7.91	503	9.25	204	3.74
Palakkad	Rural	19979	8.03	13734	5.52	59	2.95	54	2.70
	Urban	21419	81.11	2963	11.22	153	7.14	57	2.65
	Total	41398	15.05	16697	6.07	212	5.12	111	2.67
Malappuram	Rural	46154	12.91	13717	3.84	110	2.38	187	4.04
	Urban	39494	111.13	3379	9.51	272	6.89	212	5.34
	Total	85648	21.79	17096	4.35	382	4.46	399	4.64
Kozhikode	Rural	14680	6.05	9698	4	9	0.61	30	2.04
	Urban	42157	70.72	11338	19.02	926	21.97	476	11.17
	Total	56837	18.81	21036	6.96	935	16.45	506	8.82
Wayanad	Rural	10922	13.48	3556	4.39	14	1.28	91	8.26
	Urban	3934	123.03	263	8.22	10	2.54	20	5.06
	Total	14856	17.63	3819	4.53	24	1.62	111	7.42
Kannur	Rural	9115	4.3	10431	4.93	122	13.38	111	12.03
	Urban	37927	95.6	4521	11.4	204	5.38	218	5.72
	Total	47042	18.71	14952	5.95	326	6.93	329	6.95
Kasaragode	Rural	8942	7.76	5377	4.67	92	10.29	18	2.01
	Urban	12387	99.53	1328	10.67	72	5.81	75	6.02
	Total	21329	16.71	6705	5.25	164	7.69	93	4.34
State	Rural	215458	7.68	147414	5.26	987	4.58	1051	4.85
	Urban	340868	62.98	71680	13.24	3521	10.33	2057	6.00
	Total	556326	16.63	219094	6.55	4508	8.1	3108	5.56

CRS 2006

TABLE 1

Live Births By Place of Occurrence, Districts (Rural & Urban) and Towns with Population One Lakh and Above

Births by Place of Occurrence										
SI.No	District		UR	Mid Year Population	M	F	NR	T	Birth Rate	
1	2	3	4	5	6	7	8	9	10	
1	Kasaragode		R	1151759	4424	4185	333	8942	7.76	
			U	124460	6363	6024	0	12387	99.53	
			T	1276219	10787	10209	333	21329	16.71	
2	Kannur		R	2117833	4605	4411	99	9115	4.3	
			U	396733	19375	18542	10	37927	95.6	
			T	2514566	23980	22953	109	47042	18.71	
Town with Population one lakh and above										
3	Wayanad		Thalassery(M)		105951	6416	6188	0	12604	118.96
			R	810510	5628	5286	8	10922	13.48	
			U	31976	2021	1913	0	3934	123.03	
4	Kozhikode		T	842486	7649	7199	8	14856	17.63	
			R	2426317	7451	7190	39	14680	6.05	
			U	596091	21591	20561	5	42157	70.72	
			T	3022408	29042	27751	44	56837	18.81	
Town with Population one lakh and above										
5	Malappuram		Kozhikkodu (C)		445756	20051	19146	5	39202	87.94
			R	3575724	23357	22182	615	46154	12.91	
			U	355399	19952	19542	0	39494	111.13	
6	Palakkad		T	3931123	43309	41724	615	85648	21.79	
			R	2486894	10086	9738	155	19979	8.03	
			U	264086	10938	10481	0	21419	81.11	
			T	2750980	21024	20219	155	41398	15.05	
Town with Population one lakh and above										
7	Thrissur		Palakkad (M)		134940	7010	6717	0	13727	101.73
			R	2552260	9370	8742	299	18411	7.21	
			U	560787	18214	17733	1	35948	64.1	
			T	3113047	27584	26475	300	54359	17.46	
Town with Population one lakh and above										
			Thrissur (C)		332069	9600	9328	1	18929	57

CRS 2006

Births by Place of Occurrence										
Sl.No	District		UR	Mid Year Population	M	F	NR	T	Birth Rate	
1	2	3	4	5	6	7	8	9	10	
8	Ernakulam		R	2326183	4565	4306	23	8894	3.82	
			U	933978	21066	20135	4	41205	44.12	
			T	3260161	25631	24441	27	50099	15.37	
Town with Population one lakh and above										
9	Idukki		Kochi (C)		612799	9811	9243	3	19057	31.1
			R	1123932	5595	5440	101	11136	9.91	
			U	49535	2590	2580	1	5171	104.39	
			T	1173467	8185	8020	102	16307	13.9	
10	Kottayam		R	1859769	11551	10893	195	22639	12.17	
			U	164142	5184	4847	0	10031	61.11	
			T	2023911	16735	15740	195	32670	16.14	
11	Alappuzha		R	1826498	1811	1620	66	3497	1.91	
			U	348315	11557	10954	3	22514	64.64	
			T	2174813	13368	12574	69	26011	11.96	
Town with Population one lakh and above										
12	Pathanamthitta		Alappuzha (M)		178300	5564	5281	3	10848	60.84
			R	1137403	4999	4746	216	9961	8.76	
			U	127427	4487	4241	2	8730	68.51	
			T	1264830	9486	8987	218	18691	14.78	
13	Kollam		R	2228651	10714	9944	197	20855	9.36	
			U	462922	8907	8649	2	17558	37.93	
			T	2691573	19621	18593	199	38413	14.27	
Town with Population one lakh and above										
14	Thiruvananthapuram		Kollam (C)		375711	7121	6879	2	14002	37.27
			R	2416808	5215	4845	213	10273	4.25	
			U	996144	21654	20735	4	42393	42.56	
			T	3412952	26869	25580	217	52666	15.43	
Town with Population one lakh and above										
	State Total		Thiruvananthapuram(C)		784103	19735	18858	4	38597	49.22
			R	28040541	109371	103528	2559	215458	7.68	
			U	5411995	173899	166937	32	340868	62.98	
			T	33452536	283270	270465	2591	556326	16.63	

CRS 2006

TABLE 2
Time Gap in Registration of Live Births (Rural & Urban)

Sl.No	District	Rural												Urban											
		Number of Live Birth Registered:			215458			Number of Live Birth Registered:			340868			Delayed Registration:			28066			Delayed Registration:			40071		
Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year			Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year				
Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
1	Kasaragod	4135	3907	322	93	91	0	64	64	5	132	123	6	5964	5659	0	287	253	0	108	105	0	4	7	0
2	Kannoor	4266	4083	83	88	80	0	64	58	2	187	190	14	16393	15611	10	1385	1334	0	1562	1559	0	35	38	0
3	Wayanad	2822	2663	6	809	739	1	1723	1603	0	274	281	1	1769	1732	0	174	103	0	77	75	0	1	3	0
4	Kozhikode	6628	6424	31	306	269	3	370	344	1	147	153	4	21103	20095	5	318	305	0	145	136	0	25	25	0
5	Malappuram	21644	20491	559	839	819	23	473	498	8	401	374	25	18356	17873	0	1374	1466	0	212	193	0	10	10	0
6	Palakkad	9445	9063	134	199	219	1	102	113	2	340	343	18	9660	9257	0	920	862	0	334	334	0	24	28	0
7	Thrissur	8616	8130	267	229	177	9	172	180	5	353	255	18	17452	16953	1	622	651	0	78	65	0	62	64	0
8	Eranakulam	3667	3386	16	42	40	0	42	41	0	814	839	7	15246	14656	1	2218	2037	1	3498	3371	2	104	71	0
9	Idukki	4132	3997	75	176	189	2	920	848	18	367	406	6	1722	1769	0	794	729	1	71	79	0	3	3	0
10	Kottayam	10197	9348	150	117	120	2	77	81	2	1160	1344	41	4984	4643	0	150	161	0	22	20	0	28	23	0
11	Alappuzha	1426	1271	49	22	16	0	26	22	2	337	311	15	10306	9814	3	1096	994	0	107	93	0	48	53	0
12	Pathanamthitta	4248	4028	165	55	53	1	48	32	6	648	633	44	4240	4004	2	171	167	0	35	40	0	41	30	0
13	Kollam	9333	8754	175	549	503	3	216	207	3	616	480	16	7929	7665	2	536	553	0	399	397	0	43	34	0
14	Thiruvananthapuram	4662	4394	200	128	77	1	46	41	2	379	333	10	18271	17646	1	1469	1391	0	1830	1621	3	84	77	0
State Total		95221	89939	2232	3652	3392	46	4343	4132	56	6155	6065	225	153395	147377	25	11514	11006	2	8478	8088	5	512	466	0

CRS 2006

TABLE 3
Live Births by Sex and Month of Occurrence

Sl.No	District	SEX	Months													Total
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
1	Kasaragod	M	750	754	908	962	925	1153	778	879	899	957	935	887	10787	
		F	675	715	853	886	825	1075	848	817	836	927	885	867	10209	
		NR	224	37	16	5	3	4	7	8	3	7	7	12	333	
		T	1649	1506	1777	1853	1753	2232	1633	1704	1738	1891	1827	1766	21329	
2	Kannoor	M	1472	1950	2050	1931	1984	2206	2017	1986	2044	1975	2232	2133	23980	
		F	1467	1773	1979	1721	1962	2127	1908	1988	1972	1871	2141	2044	22953	
		NR	3	9	10	7	10	12	13	11	7	8	9	10	109	
		T	2942	3732	4039	3659	3956	4345	3938	3985	4023	3854	4382	4187	47042	
3	Wyanad	M	428	457	839	565	486	563	1458	730	385	402	732	604	7649	
		F	414	414	758	517	486	525	1347	690	363	352	712	621	7199	
		NR					1			1	1	4		1	8	
		T	842	871	1597	1082	973	1088	2805	1421	749	758	1444	1226	14856	
4	Kozhikkode	M	2251	2056	2618	2684	2620	2447	2360	2422	2231	2468	2543	2342	29042	
		F	2111	2017	2441	2597	2522	2435	2244	2347	2112	2337	2467	2121	27751	
		NR	3	5	4	5	5	1	4	3	3	5	2	4	44	
		T	4365	4078	5063	5286	5147	4883	4608	4772	4346	4810	5012	4467	56837	
5	Malappuram	M	3141	2892	3817	3677	4230	3954	3613	3732	3277	3236	3827	3913	43309	
		F	3043	2682	3782	3496	3867	3935	3431	3602	3142	3268	3757	3719	41724	
		NR	34	32	28	39	77	114	125	46	38	25	33	24	615	
		T	6218	5606	7627	7212	8174	8003	7169	7380	6457	6529	7617	7656	85648	
6	Palakkad	M	1505	1527	1841	1408	2140	1893	1751	1750	1719	1822	1959	1709	21024	
		F	1492	1477	1764	1391	2046	1818	1716	1594	1663	1775	1874	1609	20219	
		NR	11	17	9	5	15	5	17	38	14	7	9	8	155	
		T	3008	3021	3614	2804	4201	3716	3484	3382	3396	3604	3842	3326	41398	
7	Thrissur	M	2010	1787	2450	2323	2579	2340	2325	2333	2380	2382	2524	2151	27584	
		F	2031	1677	2272	2207	2546	2282	2173	2263	2266	2265	2440	2053	26475	
		NR	12	4	21	60	94	12	13	20	15	21	18	10	300	
		T	4053	3468	4743	4590	5219	4634	4511	4616	4661	4668	4982	4214	54359	
8	Eranakulam	M	1778	1555	2214	2057	2756	1923	2378	2358	2091	2002	2720	1799	25631	
		F	1664	1458	2123	1992	2627	1841	2340	2253	1885	1937	2591	1730	24441	
		NR			2	7	2	3	6	3		3	1		27	

CRS 2006

SI.No	District	SEX	Months													Total
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
		T	3442	3013	4339	4056	5385	3767	4724	4614	3976	3942	5312	3529	50099	
9	Idukki	M	777	564	780	484	743	776	565	589	673	696	765	773	8185	
		F	770	549	795	498	683	727	559	596	660	728	714	741	8020	
		NR	3	1	3	1	6	2	11	20	14	7	24	10	102	
		T	1550	1114	1578	983	1432	1505	1135	1205	1347	1431	1503	1524	16307	
10	Kottayam	M	1242	1234	1467	1439	1458	1302	1545	1467	1207	1547	1468	1359	16735	
		F	1207	1203	1379	1276	1340	1283	1406	1313	1253	1437	1287	1356	15740	
		NR	32	13	20	23	12	22	15	2	4	16	18	18	195	
		T	2481	2450	2866	2738	2810	2607	2966	2782	2464	3000	2773	2733	32670	
11	Alappuzha	M	880	954	1124	889	1369	1128	1126	1117	1120	965	1311	1385	13368	
		F	848	884	1094	856	1259	1079	1022	1014	1139	867	1159	1353	12574	
		NR	2	3	27	4	3	3	5	4	2	3	4	9	69	
		T	1730	1841	2245	1749	2631	2210	2153	2135	2261	1835	2474	2747	26011	
12	Pathanamthitta	M	692	696	811	751	808	930	746	805	815	735	925	772	9486	
		F	656	689	775	738	757	823	709	751	732	714	912	731	8987	
		NR	5	15	31	2	10	5	8	51	71	10	3	7	218	
		T	1353	1400	1617	1491	1575	1758	1463	1607	1618	1459	1840	1510	18691	
13	Kollam	M	1277	1486	1660	1497	1827	1674	1732	1713	1650	1949	1707	1449	19621	
		F	1294	1487	1547	1377	1766	1576	1668	1490	1448	1850	1760	1330	18593	
		NR	2	30	46	15	36	7		3	2	2	44	12	199	
		T	2573	3003	3253	2889	3629	3257	3400	3206	3100	3801	3511	2791	38413	
14	Thiruvananthapuram	M	2233	1978	2322	1842	2330	2605	2228	2397	1962	2573	2243	2156	26869	
		F	2044	1961	2147	1724	2227	2485	2083	2243	1950	2494	2109	2113	25580	
		NR	15	17	79	29		32	4	5	16	8	6	6	217	
		T	4292	3956	4548	3595	4557	5122	4315	4645	3928	5075	4358	4275	52666	
State Total		M	20436	19890	24901	22509	26255	24894	24622	24278	22453	23709	25891	23432	283270	
		F	19716	18986	23709	21276	24913	24011	23454	22961	21421	22822	24808	22388	270465	
		NR	346	183	296	202	274	222	228	215	190	126	178	131	2591	
		T	40498	39059	48906	43987	51442	49127	48304	47454	44064	46657	50877	45951	556326	

M-Male, F-Female, NR-Not Reported, T-Total

CRS 2006

TABLE 4
Live Births by Type of Attention at Delivery (Rural & Urban)

Rural / Urban	Type of Attention Delivery						
	Government Institutions	Private and Non Government	Doctor, Nurses & Midwives	Traditional Birth Attendant	Relatives & Others	Not Stated	Total
1	2	3	4	5	6	7	8
Rural	65168	101310	32576	10378	3387	2639	215458
Urban							
(i) Towns with Population One Lakh and above							
Alappuzha (M)	10829	8	2	9			10848
Kochi (C)	5154	13598	264	31	6	4	19057
Kollam (C)	8270	5709	8	10	4	1	14002
Kozhikkodu (C)	25746	13432	3	13	6	2	39202
Palakkad (M)	5986	7710	7	5	18	1	13727
Thalassery (M)	3767	8436	4	3	2	392	12604
Thrissur (C)	3495	14774	10	19	18	613	18929
Trivandrum (C)	24133	13984	11	43	26	400	38597
Total (i)	87380	77651	309	133	80	1413	166966
(ii) All Others							
Adoor (M)	1763	158	2	2	9		1934
Aluva (M)	1062	3577		4			4643
Angamaly (M)	14	2111	2	21	2		2150
Attingal (M)	2	1331	4	2			1339
Chalakkudy (M)	557	3502	1	8	1		4069
Changanassery (M)	1217	1214	4	7			2442
Chavakkad (M)	935	369	23				1327
Chengannur (M)	295	416		23		1	735
Cherthala (M)	1806	1514	19				3339
Chittoor-Thathamangal (M)	332		6	1	5		344
Guruvayoor (M)	1	371	4		2		378
Iringalakuda (M)	1122	240	3	1	2	1	1369
Kalamassery (M)	3	752		2	1		758
Kalpetta (M)	1379	2552			3		3934
Kanjhagad (M)	1347	2315	6	1			3669
Kannur (M)	34	24	5842		1		5901
Kannur Cantonment (M)	2818	241	289			270	3618
Kasargod (M)	1352	7360		3	2	1	8718
Kayamkulam (M)	31	4716		7			4754
Kodungallur (M)	1873	3621	1	3			5498
Kothamangalam (M)	70	2980	1	15	6		3072
Kottayam (M)	1752	1719	5	11	2		3489
Kunnamkulam (M)	655	3720	2		1		4378
Kuthuparambu (M)	438	1566			1		2005
Malappuram (M)	91	6917		7	3		7018
Manjeri (M)	7887	3802	5	56	6	19	11775

CRS 2006

Rural / Urban	Type of Attention Delivery						
	Government Institutions	Private and Non Government	Doctor, Nurses & Midwives	Traditional Birth Attendant	Relatives & Others	Not Stated	Total
1	2	3	4	5	6	7	8
Mattannur (M)	23	1767	1		2		1793
Mavelikkara (M)	1175	1640	3	20			2838
Moovattupuzha (M)	1454	1798	1	3	1		3257
Nedumangad (M)	703	327	2	1	2		1035
Neyyattinkara (M)	155	226	1	1			383
North Paravur (M)	1507	1916	1	3	1		3428
Ottappalam (M)	108	6333	6	1	4		6452
Pala (M)	1237	1586	4	4	1		2832
Paravoor (M)	2				1		3
Pathanamthitta (M)	988	1599	6	12	4		2609
Payyannur (M)	2118	3712	3	1			5834
Perinthalmanna (M)	1716	8582			1		10299
Perumbavoor (M)	379	1906		6			2291
Ponnani (M)	1726	38	2	3	6		1775
Punalur (M)	1906	1635	1	7	4		3553
Quilandy (M)	136	29	3	1	3		172
Shornur (M)		895			1		896
Thaliparambu (M)	958	5208	1	3	2		6172
Thiruvalla (M)	1129	3040	2	7	9		4187
Thodupuzha (M)	818	4349	2	1	1		5171
Thrippunithura (M)	501	2045		3			2549
Tirur (M)	2263	6358	1		4	1	8627
Vadakara (M)	574	2206			3		2783
Vaikom (M)	905	361	1	1			1268
Varkala (M)	10	1019	1	6	3		
Total (i)	51327	115663	6261	258	100	293	173902
Urban Total	138707	193314	6570	391	180	1706	340868
State Total	203875	294624	39146	10769	3567	4345	556326

TABLE 5
Live Births by Method of Delivery and Type of Institution for Institutional Births (Rural & Urban)

Method of Delivery	Government Hospital			Private and Non-Government			Total		
	R	U	T	R	U	T	R	U	T
1	2	3	4	5	6	7	8	9	10
Normal	47401	85351	132752	66469	110281	176750	113870	195632	309502
Caesarean	15208	48805	64013	29996	73053	103049	45204	121858	167062
Vaccume	2381	4497	6878	4591	9957	14548	6972	14454	21426
Not Stated	178	54	232	254	23	277	432	77	509
State Total	65168	138707	203875	101310	193314	294624	166478	332021	498499

CRS 2006

TABLE 6
Live Births by Age of the Mother and Birth Order (Rural & Urban)

Age of Mother	Birth Order															Not Stated	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	14	15		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
Rural																	
Below 15	1																1
15 - 19	13854	689	78	38	12	15	9	5	7		1					83	14791
20 - 24	48058	29790	5919	749	178	78	44	23	40	4	2	1				362	85248
25 - 29	24455	33895	13944	3063	686	208	97	64	27	4	5	6				250	76704
30 - 34	5059	13520	6566	2768	949	370	186	85	42	22	2	7	1	82		29659	
35 - 39	1038	2497	1759	985	577	323	196	108	94	34	13	4	9	21		7658	
40 - 44	109	144	151	72	67	70	49	49	28	31	12	4	4	8		798	
45 & Above	9	17	15	4	4	16	7	8	6	8		3	1			98	
Age not Stated	67	90	54	21	12	7	7	2	11	1					229	501	
Rural Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458		
Urban																	5
Below 15	5																5
15 - 19	19800	883	38	2	3												20726
20 - 24	89541	41672	5785	426	21	3	1	1	1							137451	
25 - 29	46860	57719	15926	2851	415	73	15	9	2	3						123873	
30 - 34	10227	24866	8306	2486	742	193	47	23	10	4	1					46905	
35 - 39	2287	4804	2195	882	392	173	74	42	21	16	2					10888	
40 - 44	238	286	158	65	39	25	14	10	6	8	2	2				853	
45 & Above	15	13	9	4	3	2			1	2		2	1			52	
Age not Stated	21	15	6	2								1			70	115	
Urban Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868		
All Areas																	6
Below 15	6																6
15 - 19	33654	1572	116	40	15	15	9	5	7		1				83	35517	
20 - 24	137599	71462	11704	1175	199	81	45	24	41	4	2	1			362	222699	
25 - 29	71315	91614	29870	5914	1101	281	112	73	29	7	5	6			250	200577	
30 - 34	15286	38386	14872	5254	1691	563	233	108	52	26	3	7	1	82		76564	

CRS 2006

Age of Mother	Birth Order															Not Stated	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	14	15		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
35 - 39	3325	7301	3954	1867	969	496	270	150	115	50	15	4	9	21	18546		
40 - 44	347	430	309	137	106	95	63	59	34	39	14	6	4	8	1651		
45 & Above	24	30	24	8	7	18	7	8	7	10		5	2		150		
Age not Stated	88	105	60	23	12	7	7	2	11	1		1		299	616		
State Total	261644	210900	60909	14418	4100	1556	746	429	296	137	40	30	16	1105	556326		

TABLE 7
Live Birth by Birth Order and Age of Mother for Towns with Population 1 Lakh and above

Age of Mother	Birth Order															Not Stated	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	14	15		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
Below 15	3																3
15 - 19	7813	293	15	1	3												8125
20 - 24	47802	19496	2021	95	3	1			1								69419
25 - 29	25206	29389	6080	681	67	11	6	1									61441
30 - 34	5666	12555	3286	663	164	40	7	5	2			1					22389
35 - 39	1283	2483	862	279	89	44	16	4	2	2							5064
40 - 44	137	160	56	17	12	6	3	4	2	2		1					400
45 & Above	8	10	7	2	1				1								29
Age not Stated	15	8	3	2								1		67		96	
State Total	87933	64394	12330	1740	339	102	32	15	7	4	1	2	0	67	166966		

CRS 2006

TABLE 8
Live Births by Age and Level of Education of Mother (Rural & Urban)

Age of Mother	Level of Education of Mother						
	Illiterate	Below Primary	Primary but below Matric	Matric but below Graduate	Graduate & Above	Not Stated	Total
	1	2	3	4	5	6	7
Rural Areas							
Below 15	0	0	1	0	0	0	1
15 - 19	79	169	4725	9774	2	42	14791
20 - 24	746	1247	25938	47010	9840	467	85248
25 - 29	638	976	21232	39754	13634	470	76704
30 - 34	315	448	8451	14684	5540	221	29659
35 - 39	219	227	2846	3239	1011	116	7658
40 - 44	23	42	342	280	96	15	798
45 & Above	7	10	49	14	13	5	98
Age not Stated	29	10	113	126	37	186	501
Rural Total	2056	3129	63697	114881	30173	1522	215458
Urban Areas							
Below 15	0	0	4	0	1	0	5
15 - 19	55	863	7016	12372	355	65	20726
20 - 24	486	7426	36688	69227	22821	803	137451
25 - 29	497	7940	27246	56369	30848	973	123873
30 - 34	283	4395	8996	20176	12640	415	46905
35 - 39	163	1795	2252	4201	2365	112	10888
40 - 44	27	197	143	310	161	15	853
45 & Above	3	16	12	9	8	4	52
Age not Stated	2	3	7	22	23	58	115
Urban Total	1516	22635	82364	162686	69222	2445	340868
All Areas							
Below 15	0	0	5	0	1	0	6
15 - 19	134	1032	11741	22146	357	107	35517
20 - 24	1232	8673	62626	116237	32661	1270	222699
25 - 29	1135	8916	48478	96123	44482	1443	200577
30 - 34	598	4843	17447	34860	18180	636	76564
35 - 39	382	2022	5098	7440	3376	228	18546
40 - 44	50	239	485	590	257	30	1651
45 & Above	10	26	61	23	21	9	150
Age not Stated	31	13	120	148	60	244	616
State Total	3572	25764	146061	277567	99395	3967	556326

CRS 2006

TABLE 9
Live Birth by Level of Education of Father and Birth Order (Rural & Urban)

Level of Education of Father	Birth Order															Not Stated	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
Rural																	
Illiterate	625	647	491	194	110	53	37	12	14	7	0	1	0	26	2217		
Below Primary	1289	1535	916	335	131	74	64	42	25	11	4	0	4	26	4456		
Primary but below Matric	30413	29492	13334	4191	1502	673	378	212	141	63	24	20	8	319	80770		
Matric but below Graduate	49492	40961	11813	2618	636	218	81	57	45	17	4	2	2	433	106379		
Graduate & Above	10237	7494	1668	251	48	21	11	6	4	2	0	1	0	84	19827		
Not Stated	594	513	264	111	58	48	24	15	26	4	3	1	1	147	1809		
Rural Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458		
Urban																	
Illiterate	739	757	376	129	52	19	12	4	2	4	1	1	0	0	2096		
Below Primary	16967	17388	7476	2303	695	250	65	48	25	24	3	3	1	1	45249		
Primary but below Matric	44395	36085	10593	2177	494	100	46	22	5	5	0	1	0	1	93924		
Matric but below Graduate	80574	59615	11501	1751	305	82	23	7	3	0	0	0	0	5	153866		
Graduate & Above	24662	15277	2253	301	49	7	4	1	2	0	0	0	0	15	42571		
Not Stated	1657	1136	224	57	20	11	1	3	4	0	1	0	0	48	3162		
Urban Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868		
All Area																	
Illiterate	1364	1404	867	323	162	72	49	16	16	11	1	2	0	26	4313		
Below Primary	18256	18923	8392	2638	826	324	129	90	50	35	7	3	5	27	49705		
Primary but below Matric	74808	65577	23927	6368	1996	773	424	234	146	68	24	21	8	320	174694		
Matric but below Graduate	130066	100576	23314	4369	941	300	104	64	48	17	4	2	2	438	260245		
Graduate & Above	34899	22771	3921	552	97	28	15	7	6	2	0	1	0	99	62398		
Not Stated	2251	1649	488	168	78	59	25	18	30	4	4	1	1	195	4971		
State Total	261644	210900	60909	14418	4100	1556	746	429	296	137	40	30	16	1105	556326		

CRS 2006

TABLE 10
Live Birth by Level of Education of Mother and Birth Order (Rural & Urban)

Level of Education of Mother	Birth Order															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
Rural																
Illiterate	512	583	465	194	126	64	44	18	13	8	0	0	0	29	2056	
Below Primary	900	945	655	269	123	73	60	49	21	12	2	1	5	14	3129	
Primary but below Matric	21959	22955	11581	3970	1451	686	378	217	142	64	26	19	7	242	63697	
Matric but below Graduate	51892	44745	13770	2937	684	203	74	41	43	14	4	3	2	469	114881	
Graduate & Above	16941	10989	1802	228	40	17	7	5	6	2	1	1	0	134	30173	
Not Stated	446	425	213	102	61	44	32	14	30	4	2	1	1	147	1522	
Rural Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458	
Urban																
Illiterate	473	535	285	119	53	29	8	4	3	4	1	2	0	0	1516	
Below Primary	7609	8330	4142	1590	559	216	76	57	23	25	3	3	1	1	22635	
Primary but below Matric	34761	32111	11694	2894	680	146	53	15	5	4	0	0	0	1	82364	
Matric but below Graduate	82188	64688	13531	1893	294	65	12	5	5	0	0	0	0	5	162686	
Graduate & Above	42641	23762	2595	184	19	3	2	0	1	0	0	0	0	15	69222	
Not Stated	1322	832	176	38	10	10	0	4	4	0	1	0	0	48	2445	
Urban Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868	
All Areas																
Illiterate	985	1118	750	313	179	93	52	22	16	12	1	2	0	29	3572	
Below Primary	8509	9275	4797	1859	682	289	136	106	44	37	5	4	6	15	25764	
Primary but below Matric	56720	55066	23275	6864	2131	832	431	232	147	68	26	19	7	243	146061	
Matric but below Graduate	134080	109433	27301	4830	978	268	86	46	48	14	4	3	2	474	277567	
Graduate & Above	59582	34751	4397	412	59	20	9	5	7	2	1	1	0	149	99395	
Not Stated	1768	1257	389	140	71	54	32	18	34	4	3	1	1	195	3967	
State Total	261644	210900	60909	14418	4100	1556	746	429	296	137	40	30	16	1105	556326	

CRS 2006

Table 11-a
Live Birth by Age of Mother and Birth Order for each Level of Education of the Mother (Rural)

Age of Mother	Level of Education of Mother	Birth Order																Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	16	17			
1	2	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			
Below 15	Illiterate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Below Primary	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Primary but below Matric	1															1		
	Matric but below Graduate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Graduate & Above	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Sub Total	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
15 - 19	Illiterate	60	8	6	1					3							1	79	
	Below Primary	140	16	3	3	1	3	3										169	
	Primary but below Matric	4279	337	38	27	9	9	2	1	3	1						19	4725	
	Matric but below Graduate	9340	324	29	7	1	2	1	3	4							63	9774	
	Graduate & Above	1					1										2		
	Not Stated	34	4	2		1			1								42		
	Sub Total	13854	689	78	38	12	15	9	5	7	0	1	0	0	83	14791			
20 - 24	Illiterate	293	261	129	36	11	3	4		3	1						5	746	
	Below Primary	510	456	191	48	20	7	8	1	2							4	1247	
	Primary but below Matric	11893	10612	2723	408	96	47	28	20	16	3	2					90	25938	
	Matric but below Graduate	27001	16817	2689	229	39	12	3	1	11							208	47010	
	Graduate & Above	8152	1489	133	9	4	2		1	1							49	9840	
	Not Stated	209	155	54	19	8	7	1		7		1					6	467	
	Sub Total	48058	29790	5919	749	178	78	44	23	40	4	2	1	0	362	85248			
25 - 29	Illiterate	103	199	200	69	38	16	5	5	2	1							638	
	Below Primary	157	321	304	118	32	18	8	11	1	1						5	976	
	Primary but below Matric	4302	8829	5804	1572	411	123	62	40	13	2	4	5				65	21232	
	Matric but below Graduate	12385	18926	6880	1193	176	41	15	4	8	1	1					124	39754	
	Graduate & Above	7376	5465	660	67	11	1	2	1	1							50	13634	
	Not Stated	132	155	96	44	18	9	5	3	2							6	470	
	Sub Total	24455	33895	13944	3063	686	208	97	64	27	4	5	6	0	250	76704			

CRS 2006

Age of Mother	Level of Education of Mother	Birth Order																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Not Stated	Total	
1	2	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			
30 - 34	Illiterate	35	67	79	55	38	19	12	5	1	1						3	315	
	Below Primary	55	113	116	76	35	22	13	11	3	2						2	448	
	Primary but below Matric	1103	2523	2368	1405	553	243	123	53	34	15	1	6				24	8451	
	Matric but below Graduate	2596	7319	3227	1118	292	62	23	11	3	2	1				1	29	14684	
	Graduate & Above	1230	3436	734	89	15	9	3	1								22	5540	
	Not Stated	40	62	42	25	16	15	12	4	1	2						2	221	
	Sub Total	5059	13520	6566	2768	949	370	186	85	42	22	2	7	1	82	29659			
35 - 39	Illiterate	17	42	46	31	36	18	16	4	6	2						1	219	
	Below Primary	28	34	33	20	32	18	21	18	14	4						4	1	227
	Primary but below Matric	337	591	578	516	330	208	127	66	48	23	10	2	5	5	5	5	2846	
	Matric but below Graduate	500	1249	842	357	158	66	22	15	15	3						10	3239	
	Graduate & Above	145	555	244	51	8	1			2	1	1					3	1011	
	Not Stated	11	26	16	10	13	12	10	5	9	1	2					1	116	
	Sub Total	1038	2497	1759	985	577	323	196	108	94	34	13	4	9	21	7658			
40 - 44	Illiterate	3	2	1	1	3	7	1	2									23	
	Below Primary	5	2	5	3	2	5	7	6	1	3	2	1					42	
	Primary but below Matric	35	34	39	33	45	43	28	33	21	15	8	3	2	3	3	342		
	Matric but below Graduate	44	71	80	25	15	13	8	7	1	8	2				1	5	280	
	Graduate & Above	19	34	24	9	2	2	2	1	2	1							96	
	Not Stated	3	1	2	1			3		3	1							15	
	Sub Total	109	144	151	72	67	70	49	49	28	31	12	4	4	8	798			
45 & Above	Illiterate						1		1									7	
	Below Primary	2	1	1		1			2		2						1	10	
	Primary but below Matric	1	4	6	2	2	12	6	3	5	5							49	
	Matric but below Graduate	4	3	2			2	1			1	1						14	
	Graduate & Above	1	6	2	2		1		1									13	
	Not Stated	1	1	1		1			1									5	
	Sub Total	9	17	15	4	4	16	7	8	6	8	0	3	1	0	0	98		

CRS 2006

Age of Mother	Level of Education of Mother	Birth Order															
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total	
1	2	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Age not Stated	Illiterate	1	2	1	1			3	1	1					19	29	
	Below Primary	3	2	2	1										2	10	
	Primary but below Matric	8	25	25	7	5	1	2	1	2	1				36	113	
	Matric but below Graduate	22	36	21	8	3	5	1							30	126	
	Graduate & Above	17	4	5	1										10	37	
	Not Stated	16	21		3	4	1	1		8					132	186	
	Sub Total	67	90	54	21	12	7	7	2	11	1	0	0	0	229	501	
State Total	Illiterate	512	583	465	194	126	64	44	18	13	8				29	2056	
	Below Primary	900	945	655	269	123	73	60	49	21	12	2	1	5	14	3129	
	Primary but below Matric	21959	22955	11581	3970	1451	686	378	217	142	64	26	19	7	242	63697	
	Matric but below Graduate	51892	44745	13770	2937	684	203	74	41	43	14	4	3	2	469	114881	
	Graduate & Above	16941	10989	1802	228	40	17	7	5	6	2	1	1		134	30173	
	Not Stated	446	425	213	102	61	44	32	14	30	4	2	1	1	147	1522	
	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458		

CRS 2006

Table 11-b
Live Birth by Age of Mother and Birth Order for each Level of Education of the Mother (Urban)

Age of Mother	Level of Education of Mother	Birth Order															Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
Below 15	Illiterate																0
	Below Primary																0
	Primary but below Matric	4															4
	Matric but below Graduate																0
	Graduate & Above	1															1
	Not Stated																0
Sub Total		5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
15 - 19	Illiterate	46	8	1													55
	Below Primary	791	69	3													863
	Primary but below Matric	6575	417	21	1	2											7016
	Matric but below Graduate	11978	381	13													12372
	Graduate & Above	349	6														355
	Not Stated	61	2		1	1											65
Sub Total		19800	883	38	2	3	0	0	0	20726							
20 - 24	Illiterate	228	186	63	8												486
	Below Primary	3656	2874	790	100	4	2										7426
	Primary but below Matric	19330	14486	2660	197	14											36688
	Matric but below Graduate	45560	21398	2151	114	3	1										69227
	Graduate & Above	20197	2530	90	4												22821
	Not Stated	570	198	31	3												803
Sub Total		89541	41672	5785	426	21	3	1	1	1	0	0	0	0	0	0	137451
25 - 29	Illiterate	106	199	113	54	16	7	1									497
	Below Primary	1899	3264	1935	640	152	30	8	8	1							7940
	Primary but below Matric	6778	12816	6157	1288	172	29	5	1								27246
	Matric but below Graduate	19305	29383	6781	822	70	7	1									56369
	Graduate & Above	18256	11693	862	35	2											30848

CRS 2006

Age of Mother	Level of Education of Mother	Birth Order															Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	15	16		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
	Not Stated	516	364	78	12	3											973	
	Sub Total	46860	57719	15926	2851	415	73	15	9	2	3	0	0	0	0	0	123873	
30 - 34	Illiterate	52	90	74	32	19	12	2		1	1						283	
	Below Primary	844	1534	1041	589	246	90	27	15	7	2						4395	
	Primary but below Matric	1600	3600	2335	1050	329	62	14	4	1	1						8996	
	Matric but below Graduate	4300	11352	3651	705	137	25	4	1	1							20176	
	Graduate & Above	3298	8080	1158	96	7	1										12640	
	Not Stated	133	210	47	14	4	3		3			1					415	
	Sub Total	10227	24866	8306	2486	742	193	47	23	10	4	1	0	0	0	0	46905	
35 - 39	Illiterate	30	47	29	20	16	10	5	2	1	3						163	
	Below Primary	371	540	336	245	140	77	34	30	9	11	2					1795	
	Primary but below Matric	432	753	489	337	153	47	28	7	4	2						2252	
	Matric but below Graduate	939	2033	880	234	72	31	6	2	4							4201	
	Graduate & Above	487	1382	445	40	9	1	1									2365	
	Not Stated	28	49	16	6	2	7		1	3							112	
	Sub Total	2287	4804	2195	882	392	173	74	42	21	16	2	0	0	0	0	10888	
40 - 44	Illiterate	9	5	5	3	2			1			1	1				27	
	Below Primary	46	46	35	15	15	15	7	4	5	7	1	1				197	
	Primary but below Matric	36	33	27	20	10	8	5	3		1						143	
	Matric but below Graduate	96	130	50	18	12	1	1	2								310	
	Graduate & Above	47	65	38	8		1	1		1							161	
	Not Stated	4	7	3	1												15	
	Sub Total	238	286	158	65	39	25	14	10	6	8	2	2	0	0	0	853	
45 & Above	Illiterate	1				2											3	
	Below Primary	2	2	1	1	2	2			1	2		2	1			16	
	Primary but below Matric	4	5	3													12	
	Matric but below Graduate	2	4	3													9	

CRS 2006

Age of Mother	Level of Education of Mother	Birth Order															Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	15	16		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
	Graduate & Above	3	1	2	1	1											8	
	Not Stated	3	1														4	
	Sub Total	15	13	9	4	3	2	0	0	1	2	0	2	1	0	52		
Age not Stated	Illiterate	1													1		2	
	Below Primary		1	1												1	3	
	Primary but below Matric	2	1	2	1											1	7	
	Matric but below Graduate	8	7	2												5	22	
	Graduate & Above	3	5													15	23	
	Not Stated	7	1	1	1											48	58	
	Sub Total	21	15	6	2	0	0	0	0	0	0	0	1	0	70	115		
State Total	Illiterate	473	535	285	119	53	29	8	4	3	4	1	2				1516	
	Below Primary	7609	8330	4142	1590	559	216	76	57	23	25	3	3	1	1		22635	
	Primary but below Matric	34761	32111	11694	2894	680	146	53	15	5	4						1	82364
	Matric but below Graduate	82188	64688	13531	1893	294	65	12	5	5						5	162686	
	Graduate & Above	42641	23762	2595	184	19	3	2		1						15	69222	
	Not Stated	1322	832	176	38	10	10		4	4		1				48	2445	
	Sub Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868		

CRS 2006

TABLE 12-a
Live Birth by age of Mother, Birth Order and Religion of the Family (Rural)

Age of Mother	Religion of Family	Birth Order															Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	15	16		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
Below 15	Hindu	1															1	
	Muslim	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Christian	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Sub Total	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
15 - 19	Hindu	3206	185	27	6		1	1		3						15	3444	
	Muslim	10053	458	21	8			2	1	2			1			63	10609	
	Christian	354	29	30	23	12	14	6	4	2						2	476	
	Sikh	14															14	
	Others	8															8	
	Not Stated	219	17		1											3	240	
	Sub Total	13854	689	78	38	12	15	9	5	7	0	1	0	0	83	14791		
20 - 24	Hindu	22751	10597	1594	148	22	13	4	1	21						160	35311	
	Muslim	17597	15692	3290	301	34	13	3		1						140	37071	
	Christian	6832	2963	918	291	120	51	37	22	18	4	2	1			54	11313	
	Sikh	56	32	9	1	1											99	
	Others	19	16	1													36	
	Not Stated	803	490	107	8	1	1									8	1418	
	Sub Total	48058	29790	5919	749	178	78	44	23	40	4	2	1	0	362	85248		
25 - 29	Hindu	12599	15855	3320	449	100	28	15	9	7	1	2	2			114	32501	
	Muslim	2958	9197	8199	2085	367	63	14	5	10						64	22962	
	Christian	8446	8236	2188	449	205	113	67	48	8	3	3	4			62	19832	
	Sikh	36	58	14	6	3		1								1	119	
	Others	17	15	4	6												42	
	Not Stated	399	534	219	68	11	4		2	2						9	1248	

CRS 2006

Age of Mother	Religion of Family	Birth Order																
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
	Sub Total	24455	33895	13944	3063	686	208	97	64	27	4	5	6	0	250	76704		
30 - 34	Hindu	2567	6737	1570	332	92	41	19	9	5	2					42	11416	
	Muslim	539	1548	2911	2010	672	186	66	24	11	8			2	1	17	7995	
	Christian	1851	5016	1964	371	168	137	94	50	25	12	2	5			20	9715	
	Sikh	7	25	10	6	3		2	1								54	
	Others	10	6	6	3												25	
	Not Stated	85	188	105	46	14	6	5	1	1						3	454	
	Sub Total	5059	13520	6566	2768	949	370	186	85	42	22	2	7	1	82	29659		
35 - 39	Hindu	576	1195	430	123	62	34	23	7	6	5					10	2471	
	Muslim	138	277	499	644	412	199	102	48	46	13	6	3	8	6	2401		
	Christian	299	974	794	205	94	87	69	52	41	16	7	1	1	5	2645		
	Sikh	1	5	3	1	2			1							13		
	Others		3	4												7		
	Not Stated	24	43	29	12	7	3	2		1						121		
	Sub Total	1038	2497	1759	985	577	323	196	108	94	34	13	4	9	21	7658		
40 - 44	Hindu	60	60	29	7	9	9	3	1	2	2					3	182	
	Muslim	13	14	24	31	32	29	14	19	8	12	3		1	1	200		
	Christian	32	66	95	33	24	30	31	28	18	17	8	4	3	4	389		
	Sikh					1										2		
	Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Not Stated	4	4	2	1	2	1	1	1			1				17		
	Sub Total	109	144	151	72	67	70	49	49	28	31	12	4	4	8	798		
45 & Above	Hindu	4	6	5			3			1	1					20		
	Muslim	1	5	4	2	1	4	1	2	1	1			1		23		
	Christian	3	6	6	2	3	8	6	6	4	6			2	1	53		
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Not Stated	1					1									2		

CRS 2006

Age of Mother	Religion of Family	Birth Order																
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
	Sub Total	9	17	15	4	4	16	7	8	6	8	0	3	1	0	98		
Age not Stated	Hindu	25	32	9	7	1		2								29	108	
	Muslim	30	40	32	6	4						1				53	166	
	Christian	7	14	13	8	6	7	5	2	2	1				47	112		
	Sikh											1				1		
	Others			1												1		
	Not Stated	5	3			1				4					100	113		
	Sub Total	67	90	54	21	12	7	7	2	11	1	0	0	0	229	501		
State Total	Hindu	41789	34667	6984	1072	286	129	67	27	48	11	2	2		373	85457		
	Muslim	31329	27231	14980	5087	1522	494	202	99	80	34	10	6	10	344	81428		
	Christian	17824	17304	6008	1382	632	447	315	212	118	59	22	17	5	194	44539		
	Sikh	114	120	37	14	9	1	3	2	1					1	302		
	Others	54	41	15	9											119		
	Not Stated	1540	1279	462	136	36	16	8	4	8		1			123	3613		
	Sub Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458		

CRS 2006

TABLE 12-b
Live Birth by age of Mother, Birth Order and Religion of the Family (Urban)

Age of Mother	Religion of Family	Birth Order															Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	16			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
Below 15	Hindu	2															2	
	Muslim	2															2	
	Christian	1															1	
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
	Others	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
	Sub Total	5	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
15 - 19	Hindu	5415	183	12		1											5611	
	Muslim	13754	685	23	1												14463	
	Christian	587	11	3		2											603	
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
	Others	43	4		1												48	
	Not Stated	1															1	
	Sub Total	19800	883	38	2	3	0	0	0	0	0	0	0	0	0	0	20726	
20 - 24	Hindu	49193	17202	1501	74	1	2										67973	
	Muslim	29003	20856	3962	338	18	1										54179	
	Christian	11022	3509	312	14	2		1									14860	
	Sikh	2															2	
	Others	309	100	10													419	
	Not Stated	12	5														18	
	Sub Total	89541	41672	5785	426	21	3	1	1	1	0	0	0	0	0	0	137451	
25 - 29	Hindu	30381	33002	4076	352	41	4	2	2		1						67861	
	Muslim	5011	14339	10342	2403	361	61	10	6	2	2						32537	
	Christian	11244	10186	1477	93	13	8	3	1								23025	
	Sikh	3	1														4	
	Others	213	186	31	2												432	
	Not Stated	8	5		1												14	
	Sub Total	46860	57719	15926	2851	415	73	15	9	2	3	0	0	0	0	0	123873	

CRS 2006

Age of Mother	Religion of Family	Birth Order															Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
30 - 34	Hindu	6977	15754	2296	247	50	12	4	1	1							25342	
	Muslim	916	2790	4198	2091	667	174	41	15	9	3						10904	
	Christian	2282	6213	1794	147	25	7	2	7		1	1					10479	
	Sikh	1															1	
	Others	48	107	16	1												172	
	Not Stated	3	2	2													7	
35 - 39	Sub Total	10227	24866	8306	2486	742	193	47	23	10	4	1	0	0	0	46905		
	Hindu	1578	3034	625	115	29	14	5	2	1	2						5405	
	Muslim	245	465	747	676	339	150	65	40	16	14	2					2759	
	Christian	455	1279	819	91	24	8	4		4							2684	
	Sikh		1														1	
	Others	8	25	4			1										38	
40 - 44	Not Stated	1															1	
	Sub Total	2287	4804	2195	882	392	173	74	42	21	16	2	0	0	0	0	10888	
	Hindu	172	170	49	8	2	1			1	1						404	
	Muslim	21	21	39	30	30	22	13	6	4	7	2	2				197	
	Christian	45	93	70	27	7	2	1	4	1							250	
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
45 & Above	Others	1															1	
	Not Stated	1															1	
	Sub Total	238	286	158	65	39	25	14	10	6	8	2	2	0	0	0	853	
	Hindu	8	9	4	3					1							25	
	Muslim	4	1	1	1	2	2			1		1	1				14	
	Christian	2	3	4		1				1		1	1				12	
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Others	1															1	
	Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Sub Total	15	13	9	4	3	2	0	0	1	2	0	2	1	0	0	52	

CRS 2006

Age of Mother	Religion of Family	Birth Order															Not Stated	Total
		1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	15			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	17			
Age not Stated	Hindu	10	8	3	2									1		15	39	
	Muslim	3	4	2											1	10		
	Christian	5	3	1											7	16		
	Sikh	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Others	3													2	5		
	Not Stated														45	45		
Sub Total		21	15	6	2	0	0	0	0	0	0	0	1	0	70	115		
State Total	Hindu	93736	69362	8566	801	124	33	11	5	4	4			1		15	172662	
	Muslim	48959	39161	19314	5540	1417	410	129	68	31	27	4	3	1	1	1	115065	
	Christian	25643	21297	4480	372	74	25	11	12	5	2	1	1		7	51930		
	Sikh	6	2													8		
	Others	625	423	61	4			1							2	1116		
	Not Stated	25	13	2	1					1					45	87		
Sub Total		168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868		

CRS 2006

TABLE 13
Live Birth by Occupation of Father and Birth Order (Rural & Urban)

Occupation of Father	Birth Order															Total	
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
Rural																	
Professional, Technical and related workers	1606	983	197	33	5	4			2							16	2846
Administrative, Executive and Managerial Workers	1283	713	96	10	3		1									17	2123
Clerical and Related Workers	2087	1509	311	39	17	7	3	3	3							11	3990
Sales Workers	6331	5228	1805	475	130	47	19	8	7	3	3			3	60	14119	
Service Workers	9963	7933	2359	710	286	130	82	36	19	12	2				61	21593	
Farmers, Fishers, Hunters, Loggers & related workers	26271	24714	9445	2527	815	364	204	141	85	44	15	13	4	323	64965		
Production and other related workers, transport & other equipment operators & labours	19066	16837	4834	1061	263	96	25	15	21	6	3	3			212	42442	
Workers whose occupation are not elsewhere classified	21773	18550	7588	2197	609	204	88	47	39	7	4	3	4	94	51207		
Non Workers	2895	3066	1357	490	284	197	137	83	58	27	4	4	4	89	8695		
Not Stated	1375	1109	494	158	73	38	36	11	21	5	4	2			152	3478	
Rural Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458		
Urban																	
Professional, Technical and related workers	1274	759	67	7	1	3	1								5	2117	
Administrative, Executive and Managerial Workers	7933	5275	865	184	56	17	6	4	2		1	1			3	14347	
Clerical and Related Workers	3170	2174	303	39	10	1				1						5698	
Sales Workers	8739	6617	1905	391	81	18	11	3	1	3					7	17776	
Service Workers	3444	2649	366	40	14	2	1									6516	
Farmers, Fishers, Hunters, Loggers & related workers	5888	5294	1529	313	86	18	8	8	2	3						13149	

CRS 2006

Occupation of Father	Birth Order															Not Stated	Total	
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	14	15			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
Production and other related workers, transport & other equipment operators & labours	82927	66774	17794	3720	862	260	76	46	26	21	3	3	1	2	172515			
Workers whose occupation are not elsewhere classified	47671	35574	8658	1843	445	124	41	16	3	5				8	94388			
Non Workers	4329	3102	587	103	44	19	5	7	3	1		1			8201			
Not Stated	3619	2040	349	78	16	7	2	1	3		1			45	6161			
Urban Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868			
All Areas																		
Professional, Technical and related workers	2880	1742	264	40	6	7	1		2						21	4963		
Administrative, Executive and Managerial Workers	9216	5988	961	194	59	17	7	4	2		1	1			20	16470		
Clerical and Related Workers	5257	3683	614	78	27	8	3	3	4						11	9688		
Sales Workers	15070	11845	3710	866	211	65	30	11	8	6	3		3	67	31895			
Service Workers	13407	10582	2725	750	300	132	83	36	19	12	2				61	28109		
Farmers, Fishers, Hunters, Loggers & related workers	32159	30008	10974	2840	901	382	212	149	87	47	15	13	4	323	78114			
Production and other related workers, transport & other equipment operators & labours	101993	83611	22628	4781	1125	356	101	61	47	27	6	6	1	214	214957			
Workers whose occupation are not elsewhere classified	69444	54124	16246	4040	1054	328	129	63	42	12	4	3	4	102	145595			
Non Workers	7224	6168	1944	593	328	216	142	90	61	28	4	5	4	89	16896			
Not Stated	4994	3149	843	236	89	45	38	12	24	5	5	2		197	9639			
State Total	261644	210900	60909	14418	4100	1556	746	429	296	137	40	30	16	1105	556326			

CRS 2006

TABLE 14
Live Birth by Occupation of Mother and Birth Order (Rural & Urban)

Occupation of Mother	Birth Order															
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
Rural																
Professional, Technical and related workers	787	577	96	11	4		1							10	1486	
Administrative, Executive and Managerial Workers	255	170	17	5	1									1	449	
Clerical and Related Workers	451	430	99	4	2	1								3	990	
Sales Workers	92	77	32	4	4		1	1						1	212	
Service Workers	3337	2608	512	103	37	18	9	4	2	1	1			29	6661	
Farmers, Fishers, Hunters, Loggers & related workers	334	352	203	58	27	11	3	4	2	2				8	1004	
Production and other related workers, transport & other equipment operators & labours	342	306	62	13	6	1	3		2						735	
Workers whose occupation are not elsewhere classified	854	711	112	31	4	1	1	2						4	1720	
Non Workers	81329	71313	25534	6915	2224	997	534	318	206	92	31	23	15	794	190325	
Not Stated	4869	4098	1819	556	176	58	43	15	43	9	3	2			185	11876
Rural Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458	
Urban																
Professional, Technical and related workers	3314	2189	274	33	2	1								5	5818	
Administrative, Executive and Managerial Workers	4100	3704	439	48	2	2	1							1	8297	
Clerical and Related Workers	761	746	50	3	1										1561	
Sales Workers	72	75	14												161	
Service Workers	398	228	24	1											651	
Farmers, Fishers, Hunters, Loggers & related workers	33	28	13	1	2										77	

CRS 2006

Occupation of Mother	Birth Order															Not Stated	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	14	15		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
Production and other related workers, transport & other equipment operators & labours	1169	940	195	28	7	2	2			1	1						2345
Workers whose occupation are not elsewhere classified	37711	29517	6923	1600	463	146	50	33	15	17	2	2		6		76485	
Non Workers	111378	85688	21628	4178	907	254	83	38	18	12		3	1	14		224202	
Not Stated	10058	7143	2863	826	231	64	15	14	8	3	2			44		21271	
Urban Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868		
All Areas																	
Professional, Technical and related workers	4101	2766	370	44	6	1	1								15		7304
Administrative, Executive and Managerial Workers	4355	3874	456	53	3	2	1								2		8746
Clerical and Related Workers	1212	1176	149	7	3	1									3		2551
Sales Workers	164	152	46	4	4		1	1							1		373
Service Workers	3735	2836	536	104	37	18	9	4	2	1	1				29		7312
Farmers, Fishers, Hunters, Loggers & related workers	367	380	216	59	29	11	3	4	2	2					8		1081
Production and other related workers, transport & other equipment operators & labours	1511	1246	257	41	13	3	5		2	1	1						3080
Workers whose occupation are not elsewhere classified	38565	30228	7035	1631	467	147	51	35	15	17	2	2		10		78205	
Non Workers	192707	157001	47162	11093	3131	1251	617	356	224	104	31	26	16	808		414527	
Not Stated	14927	11241	4682	1382	407	122	58	29	51	12	5	2		229		33147	
State Total	261644	210900	60909	14418	4100	1556	746	429	296	137	40	30	16	1105	556326		

CRS 2006

TABLE -15

Live Birth by Duration of Marriage of the Mother and Birth Order (Rural & Urban)

Duration of Marriage	Birth Order														Not Stated	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above			
Rural																
0-4	87057	38408	3938	581	168	84	56	30	52	3	2	2			598	130979
5-9	4649	37423	16252	2495	538	180	94	57	21	6	2	2			158	61877
10-14	697	4202	6970	3244	967	362	161	76	39	18	6	4	2	36	16784	
15-19	147	458	1144	1179	620	305	177	101	72	33	7	9	2	12	4266	
20-24	32	55	115	171	172	122	84	61	46	30	14	3	8	2	915	
25-29		1	11	8	6	23	16	16	14	10	4	4	2		115	
30 & Above	1	5	2	1	2	4		1		3		1	1		21	
Not Stated	67	90	54	21	12	7	7	2	11	1				229	501	
Rural Total	92650	80642	28486	7700	2485	1087	595	344	255	104	35	25	15	1035	215458	
Urban																
0-4	159056	59019	3090	112	3	1			1							221282
5-9	8183	62386	18653	2147	205	44	5	3								91626
10-14	1365	7912	8961	3014	729	157	45	20	8	3						22214
15-19	241	794	1528	1225	530	181	59	36	22	9	1					4626
20-24	35	99	165	208	137	78	40	20	8	15	4	2				811
25-29	2	6	9	7	10	7	2	6	2	6		1	1			59
30 & Above	1	1		2		1						1				6
Not Stated	111	41	17	3	1							1			70	244
Urban Total	168994	130258	32423	6718	1615	469	151	85	41	33	5	5	1	70	340868	
All Areas																
0-4	246113	97427	7028	693	171	85	56	30	53	3	2	2			598	352261
5-9	12832	99809	34905	4642	743	224	99	60	21	6	2	2			158	153503
10-14	2062	12114	15931	6258	1696	519	206	96	47	21	6	4	2	36	38998	
15-19	388	1252	2672	2404	1150	486	236	137	94	42	8	9	2	12	8892	
20-24	67	154	280	379	309	200	124	81	54	45	18	5	8	2	1726	
25-29	2	7	20	15	16	30	18	22	16	16	4	5	3		174	
30 & Above	2	6	2	3	2	5		1		3		2	1		27	
Not Stated	178	131	71	24	13	7	7	2	11	1		1			299	745
State Total	261644	210900	60909	14418	4100	1556	746	429	296	137	40	30	16	1105	556326	

CRS 2006

TABLE -16

Live Birth by Duration of Marriage and Age of Mother (Rural & Urban)

Duration of Marriage	Age of Mother									
	Below 15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & Above	Age not Stated	State Total
Rural										
0-4	1	14761	70753	37155	7254	971	81	3		130979
5-9		30	14443	33835	11776	1717	69	7		61877
10-14			52	5694	8839	2046	150	3		16784
15-19				20	1775	2329	137	5		4266
20-24					15	590	291	19		915
25-29						5	70	40		115
30 & Above								21		21
Not Stated									501	501
Rural Total	1	14791	85248	76704	29659	7658	798	98	501	215458
Urban										
0-4	4	20656	118503	66827	13085	2027	172	8		221282
5-9		43	18818	49675	20022	2930	132	6		91626
10-14			90	7283	11568	3092	175	6		22214
15-19				50	2168	2238	166	4		4626
20-24					43	590	170	8		811
25-29						7	38	14		59
30 & Above								6		6
Not Stated	1	27	40	38	19	4			115	244
Urban Total	5	20726	137451	123873	46905	10888	853	52	115	340868
AI Areas										
0-4	5	35417	189256	103982	20339	2998	253	11		352261
5-9		73	33261	83510	31798	4647	201	13		153503
10-14			142	12977	20407	5138	325	9		38998
15-19				70	3943	4567	303	9		8892
20-24					58	1180	461	27		1726
25-29						12	108	54		174
30 & Above								27		27
Not Stated	1	27	40	38	19	4			616	745
State Total	6	35517	222699	200577	76564	18546	1651	150	616	556326

CRS 2006

TABLE 17
Live Birth by Duration of Pregnancy and Birth Weight (Rural & Urban)

Duration of Pregnancy (Weeks)	Birth Weight (in Kgs)																							
	Less than 1.500			1.500- 2.000			2.000 - 3.000			3.000 - 4.000			4.000+			Not Stated			Total					
	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22			
<32	329	884	1213	124	268	392	209	283	492	155	193	348	47	39	86	0	8	8	864	1675	2539			
32 - 36	265	640	905	788	1701	2489	1786	3299	5085	564	906	1470	65	32	97	0	3	3	3468	6581	10049			
37 - 39	330	655	985	1792	3097	4889	46553	69986	116539	37346	60341	97687	1634	1726	3360	0	5	5	87655	135810	223465			
40	172	110	282	493	635	1128	36153	52031	88184	41892	67390	109282	1817	2035	3852	0	0	0	80527	122201	202728			
40+	118	66	184	368	455	823	18879	34698	53577	18233	38203	56436	626	1099	1725	0	0	0	38224	74521	112745			
Not Stated	29	0	29	84	0	84	1686	6	1692	1345	6	1351	1576	0	1576	0	68	68	4720	80	4800			
Total	1243	2355	3598	3649	6156	9805	105266	160303	265569	99535	167039	266574	5765	4931	10696	0	84	84	215458	340868	556326			

TABLE 18
Live Birth by Age of Mother & Birth Weight (Rural & Urban)

Age of Mother	Birth Weight (in Kgs)																								
	Less than 1.500			1.500- 2.000			2.000 - 3.000			3.000 - 4.000			4.000+			Not Stated			Total						
	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	
Below 15	0	0	0	0	1	1	1	3	4	0	1	1	0	0	0	0	0	0	1	5	6				
15 - 19	91	147	238	251	383	634	8113	10883	18996	6085	9152	15237	251	159	410	0	2	2	14791	20726	35517				
20 - 24	452	879	1331	1382	2323	3705	43554	66892	110446	37952	65787	103739	1908	1565	3473	0	5	5	85248	137451	222699				
25 - 29	454	805	1259	1243	2118	3361	35886	56132	92018	37023	62738	99761	2098	2076	4174	0	4	4	76704	123873	200577				
30 - 34	173	376	549	544	993	1537	13563	20858	34421	14452	23781	38233	927	895	1822	0	2	2	29659	46905	76564				
35 - 39	57	135	192	192	297	489	3588	5038	8626	3503	5198	8701	318	219	537	0	1	1	7658	10888	18546				
40 - 44	10	12	22	27	38	65	368	441	809	342	346	688	51	16	67	0	0	0	798	853	1651				
45 & Above	2	0	2	4	2	6	44	28	72	40	21	61	8	1	9	0	0	0	98	52	150				
Age not Stated	4	1	5	6	1	7	149	28	177	138	15	153	204	0	204	0	70	70	501	115	616				
State Total	1243	2355	3598	3649	6156	9805	105266	160303	265569	99535	167039	266574	5765	4931	10696	0	84	84	215458	340868	556326				

CRS 2006

TABLE 19
Live Birth by Birth Order & Birth Weight (Rural & Urban)

Birth Order	Birth Weight (in Kgs)																				
	Less than 1.500			1.500- 2.000			2.000 - 3.000			3.000 - 4.000			4.000+			Not Stated			Total		
	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T	R	U	T
1	545	1161	1706	1650	2951	4601	48042	83391	131433	40793	79425	120218	1620	2056	3676	0	10	10	92650	168994	261644
2	448	853	1301	1207	2200	3407	37942	58737	96679	38996	66385	105381	2049	2081	4130	0	2	2	80642	130258	210900
3	173	255	428	541	753	1294	13066	14343	27409	13610	16473	30083	1096	596	1692	0	3	3	28486	32423	60909
4	42	70	112	138	183	321	3483	2813	6296	3628	3506	7134	409	145	554	0	1	1	7700	6718	14418
5	18	10	28	55	42	97	1174	669	1843	1079	861	1940	159	33	192	0	0	0	2485	1615	4100
6	7	2	9	12	16	28	496	210	706	484	230	714	88	11	99	0	0	0	1087	469	1556
7	0	0	0	9	8	17	301	55	356	239	86	325	46	2	48	0	0	0	595	151	746
8	1	3	4	9	2	11	136	44	180	153	33	186	45	3	48	0	0	0	344	85	429
9	1	0	1	7	0	7	109	17	126	112	23	135	26	1	27	0	0	0	255	41	296
10	0	1	1	1	1	2	44	17	61	43	12	55	16	2	18	0	0	0	104	33	137
11	0	0	0	1	0	1	15	3	18	14	1	15	5	1	6	0	0	0	35	5	40
12	0	0	0	0	0	0	12	1	13	11	4	15	2	0	2	0	0	0	25	5	30
13 & Above	0	0	0	0	0	0	10	1	11	5	0	5	0	0	0	0	0	0	15	1	16
Not Stated	8	0	8	19	0	19	436	2	438	368	0	368	204	0	204	0	68	68	1035	70	1105
Total	1243	2355	3598	3649	6156	9805	105266	160303	265569	99535	167039	266574	5765	4931	10696	0	84	84	215458	340868	556326

CRS 2006

TABLE 20
Live Births by Method of Delivery and Age of the Mother (Rural & Urban)

Method	Age of Mother									
	Below 15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & Above	Age not Stated	State Total
Rural										
Natural	0	11063	61971	51956	19100	4861	554	84	253	149842
Caesarean	1	2562	19246	21669	9606	2574	224	13	67	55962
Forceps										0
Vaccume	0	1086	3608	2750	828	187	15	1	16	8491
Not Stated	0	80	423	329	125	36	5	0	165	1163
Rural Total	1	14791	85248	76704	29659	7658	798	98	501	215458
Urban										
Natural	4	14397	86751	70343	24292	5052	322	27	28	201216
Caesarean	0	4540	43675	48962	21280	5544	512	25	13	124551
Forceps										0
Vaccume	1	1780	6992	4539	1324	288	19	0	3	14946
Not Stated	0	9	33	29	9	4	0	0	71	155
Urban Total	5	20726	137451	123873	46905	10888	853	52	115	340868
All States										
Natural	4	25460	148722	122299	43392	9913	876	111	281	351058
Caesarean	1	7102	62921	70631	30886	8118	736	38	80	180513
Forceps	0	0	0	0	0	0	0	0	0	0
Vaccume	1	2866	10600	7289	2152	475	34	1	19	23437
Not Stated	0	89	456	358	134	40	5	0	236	1318
State Total	6	35517	222699	200577	76564	18546	1651	150	616	556326

TABLE 21

Deaths by Place of Occurrence, Districts (Rural & Urban) and Towns with population One Lakh and above

District		Mid Year Population (0000)	Sex				Death Rate
			Male	Female	Not Reported	Total	
Kasaragod	R	1151759	3163	2047	167	5377	4.67
	U	124460	843	485	0	1328	10.67
	T	1276219	4006	2532	167	6705	5.25
Kannoor	R	2117833	5583	4276	572	10431	4.93
	U	396733	2655	1859	7	4521	11.4
	T	2514566	8238	6135	579	14952	5.95
<i>Town with Population 1 Lakh and Above</i>							
Thalassery(M)		105951	1155	795	0	1950	18.4
Wyanad	R	810510	2210	1340	6	3556	4.39
	U	31976	175	88	0	263	8.22
	T	842486	2385	1428	6	3819	4.53
Kozhikkode	R	2426317	5199	4263	236	9698	4
	U	596091	7051	4280	7	11338	19.02
	T	3022408	12250	8543	243	21036	6.96
<i>Town with Population 1 Lakh and Above</i>							
Kozhikkodu (C)		445756	6190	3651	7	9848	22.09
Malappuram	R	3575724	7726	5222	769	13717	3.84
	U	355399	1981	1398	0	3379	9.51
	T	3931123	9707	6620	769	17096	4.35
Palakkad	R	2486894	7684	5817	233	13734	5.52
	U	264086	1736	1227	0	2963	11.22
	T	2750980	9420	7044	233	16697	6.07
<i>Town with Population 1 Lakh and Above</i>							
Palakkad (M)		134940	1089	758	0	1847	13.69
Thrissur	R	2552260	9168	6995	752	16915	6.63
	U	560787	4653	3041	2	7696	13.72
	T	3113047	13821	10036	754	24611	7.91
<i>Town with Population 1 Lakh and Above</i>							
Thrissur (C)		332069	3197	1912	1	5110	15.39
Eranakulam	R	2326183	6830	5077	73	11980	5.15
	U	933978	7318	4552	4	11874	12.71
	T	3260161	14148	9629	77	23854	7.32
<i>Town with Population 1 Lakh and Above</i>							
Kochi (C)		612799	5043	3066	1	8110	13.23
Idukki	R	1123932	2989	1940	83	5012	4.46
	U	49535	458	270	1	729	14.72
	T	1173467	3447	2210	84	5741	4.89
Kottayam	R	1859769	8162	5499	317	13978	7.52
	U	164142	1047	707	1	1755	10.69
	T	2023911	9209	6206	318	15733	7.77
Alappuzha	R	1826498	5584	4507	336	10427	5.71
	U	348315	2963	1975	4	4942	14.19
	T	2174813	8547	6482	340	15369	7.07
<i>Town with Population 1 Lakh and Above</i>							

CRS-2006

District	Mid Year Population (0000)	Sex			Total	Death Rate
		Male	Female	Not Reported		
Pathanamthitta	Alappuzha (M)	178300	1633	1111	3	2747 15.41
	R	1137403	4324	3061	347	7732 6.8
	U	127427	1447	890	2	2339 18.36
	T	1264830	5771	3951	349	10071 7.96
Kollam	R	2228651	7725	5329	201	13255 5.95
	U	462922	2355	1498	0	3853 8.32
	T	2691573	10080	6827	201	17108 6.36
	<i>Town with Population 1 Lakh and Above</i>					
Thiruvananthapuram	Kollam (C)	375711	1907	1185	0	3092 8.23
	R	2416808	6431	4903	268	11602 4.8
	U	996144	8970	5722	8	14700 14.76
	T	3412952	15401	10625	276	26302 7.71
<i>Town with Population 1 Lakh and Above</i>						
State Total	Thiruvananthapuram(C)	784103	8003	4981	8	12992 16.57
	R	28040541	82778	60276	4360	147414 5.26
	U	5411995	43652	27992	36	71680 13.24
	T	33452536	126430	88268	4396	219094 6.55

TABLE 22
Time Gap in Registration of Deaths (Rural & Urban)

Sl.No	District	Rural												Urban											
		Number of Death Registered:			147414			Number of Death Registered:			71680														
		Delayed Registration:			18467			Delayed Registration:			15271														
		Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year			Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year		
		Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
1	Kasaragod	2739	1795	137	213	135	11	147	83	14	64	34	5	725	397	0	52	34	0	61	50	0	5	4	0
2	Kannoor	5025	3855	494	250	225	39	180	126	24	128	70	15	2101	1377	6	260	201	1	261	251		33	30	
3	Wyanad	1764	1087	6	167	82		190	134		89	37		153	81	0	9	4	0	13	2	0		1	0
4	Kozhikode	4376	3602	187	355	325	19	309	257	22	159	79	8	6487	3831	7	214	168		291	219		59	62	
5	Malappuram	6781	4635	679	462	289	49	356	225	29	127	73	12	1734	1201	0	98	75	0	136	117	0	13	5	0
6	Palakkad	6747	5211	201	440	309	14	296	187	8	201	110	10	1471	1027	0	114	107	0	131	82	0	20	11	0
7	Thrissur	8057	6133	648	480	422	42	382	285	38	249	155	24	4038	2477	2	266	233		277	279		72	52	
8	Eranakulam	5809	4348	64	307	266	7	288	217	1	426	246	1	5708	3218	3	515	409		944	834	1	151	91	
9	Idukki	2556	1697	71	175	108	1	185	103	9	73	32	2	343	181	1	86	56		25	32		4	1	
10	Kottayam	7550	5087	290	239	220	11	192	108	9	181	84	7	844	524	1	82	80		101	93		20	10	
11	Alappuzha	4871	3976	299	305	277	15	218	134	9	190	120	13	2293	1368	4	230	186		398	395		42	26	
12	Pathanamthitta	3918	2791	303	161	131	22	116	78	15	129	61	7	1276	740	2	86	70		72	70		13	10	
13	Kollam	6674	4641	177	432	331	13	317	228	6	302	129	5	1653	970	3	262	224		356	274	4	84	30	1
14	Thiruvananthapuram	5256	4189	221	561	385	22	346	191	13	268	138	12	6324	3838	0	982	677	0	1495	1091	0	169	116	0
State Total		72123	53047	3777	4547	3505	265	3522	2356	197	2586	1368	121	35150	21230	29	3256	2524	1	4561	3789	5	685	449	1

TABLE 23
Deaths by Sex and Month of Occurrence

Sl.No	District	SEX	Months													Total
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
1	Kasaragod	M	359	339	333	277	300	395	361	349	342	307	339	305	4006	
		F	228	208	187	148	192	246	237	251	210	186	223	216	2532	
		NR	14	20	15	10	7	19	11	12	8	24	12	15	167	
		T	601	567	535	435	499	660	609	612	560	517	574	536	6705	
2	Kannoor	M	753	621	630	615	667	793	747	729	723	649	660	651	8238	
		F	507	508	496	459	462	558	584	518	534	553	480	476	6135	
		NR	17	39	46	41	45	51	64	67	55	57	49	48	579	
		T	1277	1168	1172	1115	1174	1402	1395	1314	1312	1259	1189	1175	14952	
3	Wyanad	M	257	233	177	189	192	185	185	192	184	203	202	186	2385	
		F	169	127	105	108	110	125	116	119	98	123	104	124	1428	
		NR	1	0	1	1	2	0	0	0	0	1	0	0	6	
		T	427	360	283	298	304	310	301	311	282	327	306	310	3819	
4	Kozhikode	M	1027	944	985	972	1055	1041	1166	1081	1021	967	972	1019	12250	
		F	705	647	677	596	693	773	769	778	766	704	666	769	8543	
		NR	18	15	14	11	27	19	25	19	31	29	17	18	243	
		T	1750	1606	1676	1579	1775	1833	1960	1878	1818	1700	1655	1806	21036	
5	Malappuram	M	843	798	818	678	852	833	957	878	738	751	793	768	9707	
		F	618	519	512	452	528	596	648	593	538	503	537	576	6620	
		NR	59	38	66	95	54	75	49	73	80	70	51	59	769	
		T	1520	1355	1396	1225	1434	1504	1654	1544	1356	1324	1381	1403	17096	
6	Palakkad	M	809	775	759	671	781	876	835	788	836	794	800	696	9420	
		F	608	526	547	497	537	609	719	673	602	587	611	528	7044	
		NR	28	29	15	20	15	18	14	33	16	22	12	11	233	
		T	1445	1330	1321	1188	1333	1503	1568	1494	1454	1403	1423	1235	16697	
7	Thrissur	M	1249	1058	998	981	1260	1222	1186	1271	1190	1138	1119	1149	13821	
		F	863	732	774	667	851	919	900	963	863	844	818	842	10036	
		NR	65	63	72	50	77	78	63	62	57	61	53	53	754	

CRS-2006

Sl.No	District	SEX	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
		T	2177	1853	1844	1698	2188	2219	2149	2296	2110	2043	1990	2044	24611
8	Eranakulam	M	1242	1112	1069	1070	1278	1243	1242	1265	1158	1156	1145	1168	14148
		F	789	744	711	679	776	870	817	842	860	861	837	843	9629
		NR	6	3	7	4	10	14	8	3	7	4	5	6	77
		T	2037	1859	1787	1753	2064	2127	2067	2110	2025	2021	1987	2017	23854
9	Idukki	M	311	266	241	271	296	307	272	334	267	322	297	263	3447
		F	228	169	187	141	173	202	200	197	187	190	171	165	2210
		NR	2	0	1	1	7	12	17	19	24	0	0	1	84
		T	541	435	429	413	476	521	489	550	478	512	468	429	5741
10	Kottayam	M	766	740	634	658	824	793	797	811	794	803	735	854	9209
		F	543	449	448	436	521	588	525	551	553	535	525	532	6206
		NR	40	45	47	32	22	31	18	16	17	15	14	21	318
		T	1349	1234	1129	1126	1367	1412	1340	1378	1364	1353	1274	1407	15733
11	Alappuzha	M	745	651	567	621	714	755	737	695	799	770	758	735	8547
		F	546	516	453	405	551	579	544	541	626	595	575	551	6482
		NR	24	26	19	18	30	20	41	17	27	42	40	36	340
		T	1315	1193	1039	1044	1295	1354	1322	1253	1452	1407	1373	1322	15369
12	Pathanamthitta	M	489	412	454	438	544	497	527	476	461	486	513	474	5771
		F	321	309	309	258	326	356	357	349	319	341	354	352	3951
		NR	24	11	20	27	22	26	31	36	47	47	28	30	349
		T	834	732	783	723	892	879	915	861	827	874	895	856	10071
13	Kollam	M	847	781	796	725	979	887	884	843	803	805	848	882	10080
		F	582	523	484	491	608	665	639	623	543	560	551	558	6827
		NR	35	14	12	20	14	20	19	14	13	15	11	14	201
		T	1464	1318	1292	1236	1601	1572	1542	1480	1359	1380	1410	1454	17108
14	Thiruvananthapuram	M	1269	1147	1147	1204	1371	1188	1202	1265	1336	1249	1379	1644	15401
		F	961	798	746	755	965	880	842	846	864	892	975	1101	10625
		NR	32	20	14	19	28	48	18	19	18	19	20	21	276
		T	2262	1965	1907	1978	2364	2116	2062	2130	2218	2160	2374	2766	26302

CRS-2006

Sl.No	District	SEX	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
15	State Total	M	10966	9877	9608	9370	11113	11015	11098	10977	10652	10400	10560	10794	126430
		F	7668	6775	6636	6092	7293	7966	7897	7844	7563	7474	7427	7633	88268
		NR	365	323	349	349	360	431	378	390	400	406	312	333	4396
		T	18999	16975	16593	15811	18766	19412	19373	19211	18615	18280	18299	18760	219094

TABLE 24
Deaths by Type of Attention at Death (Rural & Urban)

Rural / Urban		Type of Attention at Death				Total
		Institutions	Medical attention Other than Institution	No Medical Attention	Not Stated	
1	2	3	4	7	8	
Rural	68293	32340	35017	11764	147414	
Urban						
(i) Towns with Population One Lakh and above						
Alappuzha (M)	2133	196	415	3	2747	
Kochi (C)	6488	1006	615	1	8110	
Kollam (C)	1990	319	782	1	3092	
Kozhikkodu (C)	8419	735	681	13	9848	
Palakkad (M)	1416	179	243	9	1847	
Thalassery(M)	1645	153	152		1950	
Thiruvananthapuram(C)	11267	614	1111		12992	
Thrissur (C)	4006	708	395	1	5110	
Total (i)	37364	3910	4394	28	45696	
(ii) All Others						
Adoor (M)	268	44	58	1	371	
Aluva(M)	483	16	69	5	573	
Angamaly (M)	435	27	107		569	
Attingal (M)	71	84	66	23	244	
Chalakkudy (M)	471	53	95	1	620	
Changanassery (M)	221	45	80		346	
Chavakkad (M)	242	57	61	2	362	
Chengannur (M)	145	36	71		252	
Cherthala (M)	607	80	37	2	726	
Chittoor-Thathamangal	92	42	115		249	
Guruvayoor (M)	65	55	45	1	166	
Iringalakuda (M)	173	78	48		299	
Kalamassery (M)	154	41	97		292	
Kalpetta (M)	225	11	27		263	
Kanjhagad (M)	481	58	88		627	
Kannur (M)	598	58	96	1	753	
Kasargod (M)	635	17	47	2	701	
Kayamkulam (M)	379	31	71	1	482	
Knnur Cantonment	219	2	7	32	260	
Kodungallur (M)	376	66	69	2	513	
Kothamangalam (M)	391	12	54	2	459	
Kottayam (M)	538	53	108		699	
Kunnamkulam (M)	393	83	150		626	
Kuthuparambu(M)	156	26	40		222	
Malappuram (M)	302	74	47		423	
Manjeri (M)	701	69	75		845	
Mattannur (M)	89	72	54		215	
Mavelikkara (M)	627	32	76		735	
Moovattupuzha (M)	367	11	42	1	421	
Nedumangad (M)	192	34	132		358	
Neyyattinkara (M)	425	81	130		636	

Rural / Urban	Institutions	Type of Attention at Death				Total
		Medical attention Other than Institution	No Medical Attention	Not Stated		
		1	2	3	4	7
North Parur (M)	395	39	67			501
Ottappalam (M)	415	64	107	2		588
Pala (M)	430	12	24	2		468
Paravoor (M)	78	30	98			206
Pathanamthitta (M)	516	26	39	1		582
Payyannur(M)	461	100	82			643
Perinthalmanna (M)	1027	76	32	1		1136
Perumbavoor (M)	318	31	70			419
Ponnani (M)	196	90	104			390
Punalur (M)	376	33	145	1		555
Quilandy (M)	454	119	159			732
Shornur (M)	99	67	112	1		279
Thaliparambu(M)	351	80	47			478
Thiruvalla (M)	1190	118	77	1		1386
Thodupuzha (M)	646	23	60			729
Thrippunithura (M)	343	99	88			530
Tirur (M)	512	43	30			585
Vadakara (M)	563	162	33			758
Vaikom (M)	163	45	34			242
Varkala (M)	316	44	110			470
Total (i)	19370	2749	3780	85	25984	
Urban Total	56734	6659	8174	113	71680	
State Total	125027	38999	43191	11877	219094	

TABLE 25
Deaths by Age, Sex and Religion of the Deceased (Rural & Urban)

Age	Religion of Deceased																				
	Hindu				Muslims				Christians				Others*				Total				
	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
Rural																					
Below 1 Year	257	218	40	515	136	97	29	262	88	66	12	166	25	15	4	44	506	396	85	987	
1 - 4	212	192	24	428	102	73	10	185	82	52	6	140	12	10	1	23	408	327	41	776	
5 - 14	314	237	17	568	121	96	15	232	85	70	4	159	10	2	0	12	530	405	36	971	
15 - 24	887	545	29	1461	252	121	17	390	215	126	8	349	21	7	3	31	1375	799	57	2231	
25 - 34	1684	772	83	2539	315	197	22	534	427	160	13	600	37	13	2	52	2463	1142	120	3725	
35 - 44	3063	1166	119	4348	639	319	36	994	785	354	22	1161	76	21	1	98	4563	1860	178	6601	
45 - 54	5763	2115	229	8107	1501	660	91	2252	1514	692	54	2260	138	35	7	180	8916	3502	381	12799	
55 - 64	8382	3530	326	12238	2700	1152	152	4004	2425	1061	80	3566	155	69	1	225	13662	5812	559	20033	
65 - 69	5380	3311	229	8920	1954	1174	111	3239	1710	1014	65	2789	73	55	4	132	9117	5554	409	15080	
70 and Above	24538	25221	1345	51104	6321	5650	411	12382	9720	9084	475	19279	311	275	21	607	40890	40230	2252	83372	
Age not stated	205	150	154	509	43	47	41	131	80	47	43	170	20	5	4	29	348	249	242	839	
Total	50685	37457	2595	90737	14084	9586	935	24605	17131	12726	782	30639	878	507	48	1433	82778	60276	4360	147414	
Urban																					
Below 1 Year	948	785	12	1745	661	516	5	1182	224	214	3	441	85	58	10	153	1918	1573	30	3521	
1 - 4	111	104	0	215	65	72	0	137	38	26	0	64	18	5	1	24	232	207	1	440	
5 - 14	162	145	0	307	107	78	0	185	46	37	0	83	5	5	0	10	320	265	0	585	
15 - 24	618	383	0	1001	209	150	0	359	139	98	0	237	9	3	0	12	975	634	0	1609	
25 - 34	1043	523	0	1566	279	173	0	452	258	151	0	409	14	4	0	18	1594	851	0	2445	
35 - 44	1822	780	0	2602	431	258	0	689	442	202	0	644	39	9	0	48	2734	1249	0	3983	
45 - 54	3744	1395	0	5139	1028	468	0	1496	961	385	0	1346	83	13	1	97	5816	2261	1	8078	
55 - 64	5296	2269	2	7567	1726	760	0	2486	1470	621	1	2092	84	24	0	108	8576	3674	3	12253	
65 - 69	3103	1843	0	4946	1107	666	0	1773	937	527	1	1465	56	16	0	72	5203	3052	1	8256	
70 and Above	10137	9110	0	19247	2612	2079	0	4691	3404	2953	0	6357	120	73	0	193	16273	14215	0	30488	
Age not stated	8	5	0	13	2	2	0	4	1	4	0	5	0	0	0	0	11	11	0	22	
Total	26992	17342	14	44348	8227	5222	5	13454	7920	5218	5	13143	513	210	12	735	43652	27992	36	71680	

CRS-2006

Age	Religion of Deceased																				
	Hindu				Muslims				Christians				Others*				Total				
	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	Male	Female	Not Stated	Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
All Areas																					
Below 1 Year	1205	1003	52	2260	797	613	34	1444	312	280	15	607	110	73	14	197	2424	1969	115	4508	
1 - 4	323	296	24	643	167	145	10	322	120	78	6	204	30	15	2	47	640	534	42	1216	
5 - 14	476	382	17	875	228	174	15	417	131	107	4	242	15	7	0	22	850	670	36	1556	
15 - 24	1505	928	29	2462	461	271	17	749	354	224	8	586	30	10	3	43	2350	1433	57	3840	
25 - 34	2727	1295	83	4105	594	370	22	986	685	311	13	1009	51	17	2	70	4057	1993	120	6170	
35 - 44	4885	1946	119	6950	1070	577	36	1683	1227	556	22	1805	115	30	1	146	7297	3109	178	10584	
45 - 54	9507	3510	229	13246	2529	1128	91	3748	2475	1077	54	3606	221	48	8	277	14732	5763	382	20877	
55 - 64	13678	5799	328	19805	4426	1912	152	6490	3895	1682	81	5658	239	93	1	333	22238	9486	562	32286	
65 - 69	8483	5154	229	13866	3061	1840	111	5012	2647	1541	66	4254	129	71	4	204	14320	8606	410	23336	
70 and Above	34675	34331	1345	70351	8933	7729	411	17073	13124	12037	475	25636	431	348	21	800	57163	54445	2252	113860	
Age not stated	213	155	154	522	45	49	41	135	81	51	43	175	20	5	4	29	359	260	242	861	
Total	77677	54799	2609	135085	22311	14808	940	38059	25051	17944	787	43782	1391	717	60	2168	126430	88268	4396	219094	

*Minor religious group may be classified into Others

TABLE 26-a
Deaths by Age, Occupation and Sex (Rural)

Occupation of the Deceased	Sex	Age												
		<10	10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13		
Professional, Technical and related workers	Male				2	13	10	19	36	14	52	2	148	
	Female				1	2	5	7	8		28	1	52	
	Not Reported					1		1			3		5	
	Total	0	0	3	16	15	27	44	14	83	3	205		
Administrative, Executive and Managerial Workers	Male				4	18	39	70	104	59	219	2	515	
	Female				2	3	8	17	25	37	151	3	246	
	Not Reported				1	0		1	1	3	13		19	
	Total	0	0	7	21	47	88	130	99	383	5	780		
Clerical and Related Workers	Male				3	19	28	74	95	50	237		506	
	Female				1		5	8	20	19	20	153	226	
	Not Reported					1	1	1		5	4	10	24	
	Total	0	1	4	25	37	94	119	74	400	2	756		
Sales Workers	Male				26	66	105	240	319	150	404	6	1316	
	Female				5	10	11	10	30	18	100	1	185	
	Not Reported				2	1	4	9	11	10	22	2	61	
	Total	0	0	33	77	120	259	360	178	526	9	1562		
Service Workers	Male				2	82	190	366	675	911	513	1626	15	4380
	Female				33	52	56	107	148	88	352	2	838	
	Not Reported					2	8	10	21	27	8	62	6	144
	Total	0	2	117	250	432	803	1086	609	2040	23	5362		
Farmers, Fishers, Hunters, Loggers & related workers	Male	33	15	275	716	1499	2881	3487	2035	7795	74	18810		
	Female	11	1	48	109	208	390	496	418	2005	10	3696		
	Not Reported	5		4	25	46	73	93	46	252	39	583		
	Total	49	16	327	850	1753	3344	4076	2499	10052	123	23089		
Production and other related workers, transport & other equipment operators & labours	Male	8	1	163	456	675	1071	1103	469	1190	22	5158		
	Female	2		11	43	82	135	150	82	340	2	847		
	Not Reported			8	18	29	44	41	20	59	5	224		
	Total	10	1	182	517	786	1250	1294	571	1589	29	6229		

CRS-2006

Occupation of the Deceased	Sex	Age										
		<10	10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13
Workers whose occupation are not elsewhere classified	Male	9	5	83	286	495	707	807	421	1012	13	3838
	Female	3	3	23	39	64	83	116	61	259	2	653
	Not Reported	1		2	15	14	22	33	15	39	7	148
	Total	13	8	108	340	573	812	956	497	1310	22	4639
Non Workers	Male	881	167	612	553	1056	2621	5770	4667	24664	186	41177
	Female	692	150	569	770	1238	2330	4145	4222	33007	220	47343
	Not Reported	103	14	34	41	63	181	300	281	1636	166	2819
	Total	1676	331	1215	1364	2357	5132	10215	9170	59307	572	91339
Not Stated	Male	283	40	125	146	290	558	1030	739	3681	38	6930
	Female	238	27	107	109	180	403	675	608	3825	18	6190
	Not Reported	39		3	10	11	29	48	22	156	15	333
	Total	560	67	235	265	481	990	1753	1369	7662	71	13453
Total	Male	1214	230	1375	2463	4563	8916	13662	9117	40880	358	82778
	Female	946	182	799	1142	1860	3502	5812	5554	40220	259	60276
	Not Reported	148	14	57	120	178	381	559	409	2252	242	4360
	Total	2308	426	2231	3725	6601	12799	20033	15080	83352	859	147414

TABLE 26-b
Deaths by Age, Occupation and Sex (Urban)

Occupation of the Deceased	Sex	Age											Total
		<10	10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated		
1	2	3	4	5	6	7	8	9	10	11	12	13	
Professional, Technical and related workers	Male		24	86	99	189	379	639	412	1335	2	3165	
	Female		23	57	64	101	185	309	279	1269	1	2288	
	Not Reported						1					1	
	Total	0	47	143	163	290	565	948	691	2604	3	5454	
Administrative, Executive and Managerial Workers	Male			10	40	75	179	184	99	361		948	
	Female			3	21	31	48	52	20	142		317	
	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	13	61	106	227	236	119	503	0	1265	
Clerical and Related Workers	Male			4	10	30	94	66	18	50		272	
	Female			1	4	8	15	3	5	11		47	
	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	5	14	38	109	69	23	61	0	319	
Sales Workers	Male			19	54	86	156	183	121	214		833	
	Female			3	1	4	4	4	4	3		23	
	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	22	55	90	160	187	125	217	0	856	
Service Workers	Male			10	22	52	144	131	62	154		575	
	Female			1	6	6	12	11	4	11		51	
	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	11	28	58	156	142	66	165	0	626	
Farmers, Fishers, Hunters, Loggers & related workers	Male	1		7	36	97	242	415	260	1025	1	2084	
	Female	1		1	4	6	12	17	11	54		106	
	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
	Total	2	0	8	40	103	254	432	271	1079	1	2190	
Production and other related workers, transport & other equipment operators & labours	Male	4		242	643	1090	1811	1890	866	1517	3	8066	
	Female	4		21	48	79	129	170	91	240		782	
	Not Reported							1				1	

CRS-2006

Occupation of the Deceased 1	Sex 2	Age											Total 13
		<10 3	10-14 4	15-24 5	25-34 6	35-44 7	45-54 8	55-64 9	65-69 10	70 & Above 11	Age not Stated 12		
	Total	8	0	263	691	1169	1940	2061	957	1757	3	8849	
Workers whose occupation are not elsewhere classified	Male	89	9	139	330	523	1213	1871	989	3047	2	8212	
	Female	71	7	58	76	119	249	392	299	1403	1	2675	
	Not Reported	0	0	0	0	0	0	0	0	0	0	0	
	Total	160	16	197	406	642	1462	2263	1288	4450	3	10887	
Non Workers	Male	1456	140	458	359	592	1594	3194	2371	8556	3	18723	
	Female	1203	107	487	627	895	1606	2714	2338	11078	9	21064	
	Not Reported	13						1	1			15	
	Total	2672	247	945	986	1487	3200	5909	4710	19634	12	39802	
Not Stated	Male	746	1		1		4	3	5	14		774	
	Female	628	1	2			1	2	1	4		639	
	Not Reported	18						1				19	
	Total	1392	2	2	1	0	5	6	6	18	0	1432	
Total	Male	2296	174	975	1594	2734	5816	8576	5203	16273	11	43652	
	Female	1907	138	634	851	1249	2261	3674	3052	14215	11	27992	
	Not Reported	31					1	3	1			36	
	Total	4234	312	1609	2445	3983	8078	12253	8256	30488	22	71680	

TABLE 26-c
Deaths by Age, Occupation and Sex (All Areas)

Occupation of the Deceased	Sex	Age												
		<10	10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total		
1	2	3	4	5	6	7	8	9	10	11	12	13		
Professional, Technical and related workers	Male			24	88	112	199	398	675	426	1387	4	3313	
	Female			23	58	66	106	192	317	279	1297	2	2340	
	Not Reported					1		2			3		6	
	Total	0	47	146	179	305	592	992	705	2687	6	5659		
Administrative, Executive and Managerial Workers	Male				14	58	114	249	288	158	580	2	1463	
	Female				5	24	39	65	77	57	293	3	563	
	Not Reported				1	0		1	1	3	13		19	
	Total	0	0	20	82	153	315	366	218	886	5	2045		
Clerical and Related Workers	Male				7	29	58	168	161	68	287		778	
	Female				1	1	9	16	35	22	25	164		273
	Not Reported				1	1	1		5	4	10	2	24	
	Total	0	1	9	39	75	203	188	97	461	2	1075		
Sales Workers	Male				45	120	191	396	502	271	618	6	2149	
	Female				8	11	15	14	34	22	103	1	208	
	Not Reported				2	1	4	9	11	10	22	2	61	
	Total	0	0	55	132	210	419	547	303	743	9	2418		
Service Workers	Male				2	92	212	418	819	1042	575	15	4955	
	Female				34	58	62	119	159	92	363	2	889	
	Not Reported				2	8	10	21	27	8	62	6	144	
	Total	0	2	128	278	490	959	1228	675	2205	23	5988		
Farmers, Fishers, Hunters, Loggers & related workers	Male	34	15	282	752	1596	3123	3902	2295	8820	75	20894		
	Female	12	1	49	113	214	402	513	429	2059	10	3802		
	Not Reported	5		4	25	46	73	93	46	252	39	583		
	Total	51	16	335	890	1856	3598	4508	2770	11131	124	25279		
Production and other related workers, transport & other equipment operators & labours	Male	12	1	405	1099	1765	2882	2993	1335	2707	25	13224		
	Female	6		32	91	161	264	320	173	580	2	1629		
	Not Reported			8	18	29	44	42	20	59	5	225		

CRS-2006

Occupation of the Deceased	Sex	Age										
		<10	10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13
	Total	18	1	445	1208	1955	3190	3355	1528	3346	32	15078
Workers whose occupation are not elsewhere classified	Male	98	14	222	616	1018	1920	2678	1410	4059	15	12050
	Female	74	10	81	115	183	332	508	360	1662	3	3328
	Not Reported	1		2	15	14	22	33	15	39	7	148
	Total	173	24	305	746	1215	2274	3219	1785	5760	25	15526
Non Workers	Male	2337	307	1070	912	1648	4215	8964	7038	33220	189	59900
	Female	1895	257	1056	1397	2133	3936	6859	6560	44085	229	68407
	Not Reported	116	14	34	41	63	181	301	282	1636	166	2834
	Total	4348	578	2160	2350	3844	8332	16124	13880	78941	584	131141
Not Stated	Male	1029	41	125	147	290	562	1033	744	3695	38	7704
	Female	866	28	109	109	180	404	677	609	3829	18	6829
	Not Reported	57		3	10	11	29	49	22	156	15	352
	Total	1952	69	237	266	481	995	1759	1375	7680	71	14885
Total	Male	3510	404	2350	4057	7297	14732	22238	14320	57153	369	126430
	Female	2853	320	1433	1993	3109	5763	9486	8606	54435	270	88268
	Not Reported	179	14	57	120	178	382	562	410	2252	242	4396
	Total	6542	738	3840	6170	10584	20877	32286	23336	113840	881	219094

TABLE - 27
Deaths by Cause of Death, Age and Sex for all Deaths Medically Certified or Not

Sl.No	Cause of Death	Sex	Age of Deceased												Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Cholera	Male	1		1			7	6	10	9	38			72
		Female		3	1	1	1	3	6	9	6	33			63
		Not Reported	1							1	1	2	2		7
		Total	2	3	2	1	1	10	12	20	16	73	2		142
2	Typhoid	Male			5	7	13	14	40	58	32	228	1		398
		Female		3	3	6	9	9	13	39	39	306			427
		Not Reported	1				1	2	3	2	2	6	2		19
		Total	1	3	8	13	23	25	56	99	73	540	3		844
3	Food Poisoning	Male		2	1	3	4	4	8	10	4	9			45
		Female				1	1	2	4	1	3	11			23
		Not Reported					1				1				2
		Total	0	2	1	5	5	6	12	11	8	20	0		70
4	Dysentery	Male	2	2		2	4	13	6	14	5	59			107
		Female	1		3	2	1	3	7	6	13	89			125
		Not Reported									1				1
		Total	3	2	3	4	5	16	13	20	18	149	0		233
5	Tuberculosis	Male	1	2	4	9	33	94	183	215	118	290	6		955
		Female		2	1	3	21	26	41	52	47	70	1		264
		Not Reported					6	1	7	1	1	8	2		26
		Total	1	4	5	12	60	121	231	268	166	368	9		1245
6	Leprosy	Male					2	1	1	6	4	4			18
		Female	1		2	1	1	1	1	3	1	3			13
		Not Reported									1				1
		Total	0	1	0	2	3	2	2	9	6	7	0		32
7	Diphtheria	Male	1		3	4	8	8	11	41	33	200			309
		Female			2	2	5	11	7	26	25	254			332

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
8	Whooping cough	Not Reported									1	1	1	3
		Total	1	0	5	6	13	19	18	68	59	455	0	644
		Male					1		2	8	6	37		54
		Female				1				4	3	23		31
9	Tetanus	Not Reported		1	1							1		3
		Total	0	1	1	1	1	0	2	12	9	61	0	88
		Male	1		1	1	1	3	4	11	5	26	2	55
		Female	2			1		2	4	6	6	15	1	37
10	Poliomyelitus	Not Reported	2						2	3	3		4	11
		Total	5	0	1	2	1	5	10	20	11	45	3	103
		Male			1			1		1		8		11
		Female				1			1	2		5		9
11	Measles	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	1	1	0	1	1	3	0	13	0	20
		Male	2	1				3	1	1	1	5		14
		Female			2						2	4		8
12	Rabies	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
		Total	2	1	2	0	0	3	1	1	3	9	0	22
		Male		1	3		2	3	1	5	6	4		25
		Female						2	1	1		1		5
13	Malaria	Not Reported								1			1	2
		Total	0	1	3	0	2	5	3	6	6	6	0	32
		Male			2			1	4	3		4		14
		Female						1			2	2		5
14	Cancer	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	2	0	2	4	3	2	6	0	19
		Male	5	25	61	86	134	471	1381	2363	1453	3054	27	9060
		Female	3	19	40	52	154	468	955	1186	783	1859	21	5540
		Not Reported	1	1	6	2	5	18	51	86	55	107	14	346
		Total	9	45	107	140	293	957	2387	3635	2291	5020	62	14946

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased												Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
15	Diabetes	Male	1	3	3	7	25	67	264	490	373	1494	9	2736	
		Female	4	1	1	6	18	39	188	428	404	1693	7	2789	
		Not Reported						3	8	23	15	56	9	114	
		Total	5	4	4	13	43	109	460	941	792	3243	25	5639	
16	Anaemia's	Male	3	1	1		3	9	10	12	12	42		93	
		Female	5		3	2	2	5	2	8	7	60		94	
		Not Reported				1		1	1	2		4		9	
		Total	8	1	4	3	5	15	13	22	19	106	0	196	
17	Meningitis	Male	11	5	6	1	12	16	36	32	18	61		198	
		Female	7	3	8	5	7	8	16	24	11	72		161	
		Not Reported		1	1				1	3				6	
		Total	18	9	15	6	19	24	53	59	29	133	0	365	
18	Heart Attack	Male	446	98	102	320	681	1894	4837	7933	4665	15074	108	36158	
		Female	340	83	102	221	375	699	1582	2837	2434	11558	54	20285	
		Not Reported	18	8	3	12	17	38	127	181	103	491	66	1064	
		Total	804	189	207	553	1073	2631	6546	10951	7202	27123	228	57507	
19	Pneumonia	Male	57	16	19	24	28	57	108	165	96	398	2	970	
		Female	46	24	12	18	20	24	53	73	52	358	2	682	
		Not Reported	3	1				1	1	2	5	7	3	23	
		Total	106	41	31	42	48	82	162	240	153	763	7	1675	
20	Influenza	Male		2	3	3	4	11	20	24	19	176	2	264	
		Female	1	1	1	3	4	5	6	8	20	225	1	275	
		Not Reported					2				1	5		8	
		Total	1	3	4	6	10	16	26	32	40	406	3	547	
21	Asthma	Male	117	35	32	57	99	239	756	1957	1760	9856	37	14945	
		Female	86	29	37	43	91	160	357	853	937	9675	46	12314	
		Not Reported	7	2	3		4	6	26	56	62	429	26	621	
		Total	210	66	72	100	194	405	1139	2866	2759	19960	109	27880	
22	Jaundis	Male	4	1	1	7	30	57	85	65	33	71	1	355	
		Female	6	1	3	9	10	15	22	21	18	54	1	160	

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
23	Liver Disease	Not Reported			1					1	1	1	6	10
		Total	10	3	4	16	40	72	108	87	52	131	2	525
		Male	28	7	8	7	52	175	479	539	284	572	5	2156
		Female	18	5	9	15	30	33	98	169	99	372	2	850
24	Ulcer	Not Reported	1						5	8	3	15	1	33
		Total	47	12	17	22	82	208	582	716	386	959	8	3039
		Male	3			4	6	22	55	65	44	205		404
		Female				2	8	10	21	19	28	186		274
25	Appendicitis	Not Reported				1				2		8		11
		Total	3	0	0	7	14	32	76	86	72	399	0	689
		Male		1	1		5	5	12	23	10	46		103
		Female		1		2	3	5	4	7	5	41		68
26	Syphilis and Genitourinary	Not Reported										1		1
		Total	0	2	1	2	8	10	16	30	15	88	0	172
		Male	1	1		1		1	3	3	3	19		32
		Female						1	4	4	2	12		23
27	Abortion	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
		Total	1	1	0	1	0	2	7	7	5	31	0	55
		Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female				1	2	1		1				5
28	Pregnancy child birth	Not Reported	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	1	2	1	0	1	0	0	0	5
		Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female	193	6		7	16	1		3	2	7		235
29	Birth injuries	Not Reported	1											1
		Total	194	6	0	7	16	1	0	3	2	7	0	236
		Male	51	3		1			2	3	2	6		68
		Female	50	1		1	1		2	4	3	7	3	72
		Not Reported	4											4
		Total	105	4	0	2	1	0	4	7	5	13	3	144

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
30	Paralysis	Male	9	7	15	21	37	79	192	516	490	2522	14	3902
		Female	4	8	12	21	21	44	117	336	399	3492	15	4469
		Not Reported		2		1	1	2	10	13	14	156	6	205
		Total	13	17	27	43	59	125	319	865	903	6170	35	8576
31	Senility	Male	1	1		1	2	3	24	144	228	2378	3	2785
		Female	1		1			3	20	115	230	3548	2	3920
		Not Reported										5		5
		Total	2	1	1	1	2	6	44	259	458	5931	5	6710
32	Others	Male	844	268	286	463	743	1355	2649	3715	2425	7670	63	20481
		Female	627	233	231	291	431	674	1092	1594	1397	6500	50	13120
		Not Reported	51	22	16	13	23	37	65	76	87	313	62	765
		Total	1522	523	533	767	1197	2066	3806	5385	3909	14483	175	34366
33	Venomous Animals Bites/	Male			6	7	1	7	5	3	3	1		33
		Female		1	1		2	2	5	1		3		15
		Not Reported								2				2
		Total	0	1	1	6	9	3	14	6	3	6	1	50
34	Burns(Accidental)	Male	1	5	6	19	24	27	23	24	5	22		156
		Female		4	10	90	94	58	35	21	13	37		362
		Not Reported			1		1	2		2				6
		Total	1	9	17	109	119	87	58	47	18	59	0	524
35	Drowning,Falls	Male	4	13	41	124	139	182	207	107	56	102	1	976
		Female	1	7	16	27	27	32	32	31	25	95	1	294
		Not Reported			1	2	3	5	7	2		4		24
		Total	5	20	58	153	169	219	246	140	81	201	2	1294
36	Poisoning	Male		4	7	34	59	123	144	103	28	39	1	542
		Female	1	4	7	25	31	28	22	18	8	12		156
		Not Reported				2	2	1	2	1	5	1		14
		Total	1	8	14	59	92	153	167	123	37	56	2	712
37	Accident (Traffic/Vehicles)	Male	6	29	46	312	444	359	354	283	118	183	6	2140
		Female	2	14	32	30	34	57	62	60	38	70	3	402

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
38	Other Accidents	Not Reported			1	6	14	6	6	5	2	4	3	47
		Total	8	43	79	348	492	422	422	348	158	257	12	2589
		Male	7	15	54	154	233	261	271	179	46	143	7	1370
		Female	4	18	19	37	56	40	68	49	33	106	4	434
39	Suicide	Not Reported			2	5	6	10	8	5		10	3	49
		Total	11	33	75	196	295	311	347	233	79	259	14	1853
		Male			28	364	645	880	916	586	217	363	25	4024
		Female			22	316	233	223	196	143	50	134	8	1325
40	Homicide	Not Reported				11	26	32	27	25	7	21	4	153
		Total	0	0	50	691	904	1135	1139	754	274	518	37	5502
		Male			4	4	9	31	31	22	12	3	11	127
		Female			3	5	4	4	9	8	3	2	12	50
41	AIDS	Not Reported					1	1	1					3
		Total	0	7	9	13	36	41	31	15	5	23	0	180
		Male				2		15	29	12	3	3	2	66
		Female			2			9	9	3	2	1	3	29
42	Old Age	Not Reported					1	2	2				4	9
		Total	0	0	4	0	25	40	17	5	4	5	4	104
		Male							36	286	420	6987	18	7747
		Female							29	221	401	8684	28	9363
43	Hysteria	Not Reported							5	18	19	439	21	502
		Total	0	0	0	0	0	0	70	525	840	16110	67	17612
		Male			6	4	8	6	4	5		14	1	48
		Female			2	3	2	4	4	6	3	14		38
44	Premature	Not Reported				2	1	2	1	1			1	8
		Total	0	0	8	9	11	12	9	12	3	29	1	94
		Male	191	5										196
		Female	137	2										139
		Not Reported	6											6
		Total	334	7	0	0	0	0	0	0	0	0	0	341

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
45	Blood Pressure	Male	12	3	4	9	20	54	179	427	329	1627	8	2672
		Female	7	2	6	11	18	58	135	293	387	2234	6	3157
		Not Reported					1	1	2	22	13	87	5	131
		Total	19	5	10	20	39	113	316	742	729	3948	19	5960
46	Kidney Trouble	Male	12	3	9	24	58	115	268	384	212	772	5	1862
		Female	6	4	5	23	48	68	160	217	142	423	3	1099
		Not Reported	2	1	1		4	3	6	11	5	25	3	61
		Total	20	8	15	47	110	186	434	612	359	1220	11	3022
47	Not Stated	Male	602	77	86	260	445	616	1109	1402	742	2338	7	7684
		Female	417	51	71	148	203	266	380	582	525	2078	6	4727
		Not Reported	17	2			1	3	5	8	10	29	5	80
		Total	1036	130	157	408	649	885	1494	1992	1277	4445	18	12491
48	STATE	Male	2424	640	850	2350	4057	7297	14732	22238	14320	57163	359	126430
		Female	1969	534	670	1433	1993	3109	5763	9486	8606	54445	260	88268
		Not Reported	115	42	36	57	120	178	382	562	410	2252	242	4396
		Total	4508	1216	1556	3840	6170	10584	20877	32286	23336	113860	861	219094

TABLE -28
Deaths by Cause of Death, Age and Sex for Medically Certified Deaths

Sl.No	Cause of Death	Sex	Age of Deceased												Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Cholera	Male	1		1			6	5	6	8	22			49
		Female		1		1	1	3	2	7	2	21			38
		Not Stated								1	1		2		4
		Total	1	1	1	1	1	9	7	14	11	43	2	2	91
2	Typhoid	Male			2	3	5	4	14	19	11	73			131
		Female			1	2	1	3	7	10	7	80			111
		Not Stated						1				3			4
		Total	0	0	3	5	6	8	21	29	18	156	0	0	246
3	Food Poisoning	Male	2	1	2	3	4	8	8	8	2	8			38
		Female			1	1	1	3	1	2	2	8			17
		Not Stated									1				1
		Total	0	2	1	3	4	5	11	9	5	16	0	0	56
4	Dysentery	Male	2	2			3	6	3	4	2	16			38
		Female	1			1	1	1	2	2	5	29			42
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total	3	2	0	1	4	7	5	6	7	45	0	0	80
5	Tuberculosis	Male	1	2	4	3	26	47	98	113	56	144	5		499
		Female	1	1	2	13	13	21	23	24	32	1	1		131
		Not Stated				4	1	3			4	1			13
		Total	1	3	5	5	43	61	122	136	80	180	7	7	643
6	Leprosy	Male				1	1			2	3	1			8
		Female				1			1	2	1	1			6
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	2	1	1	4	4	2	0	0	14
7	Diphtheria	Male				1		1		10	4	32			48
		Female			1	1		1	2	4	3	46			58
		Not Stated									1				1
		Total	0	0	1	2	0	2	2	14	8	78	0	0	107

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
8	Whooping cough	Male					1		1	5	5	16		28
		Female				1				1		9		11
		Not Stated	1											1
		Total	0	1	0	1	1	0	1	6	5	25	0	40
9	Tetanus	Male	1		1			3	3	5	2	7		22
		Female	1			1		1	1	4	1	3		12
		Not Stated	1					1	2					4
		Total	3	0	1	1	0	4	5	11	3	10	0	38
10	Poliomyelitus	Male		1				1		1		6		9
		Female				1				2		2		5
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	1	1	0	1	0	3	0	8	0	14
11	Measles	Male	2	1				2				1		6
		Female			1						1	3		5
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	2	1	1	0	0	2	0	0	1	4	0	11
12	Rabies	Male		1	3		2	3	1	4	6	3		23
		Female						2	1	1		1		5
		Not Stated										1		1
		Total	0	1	3	0	2	5	2	5	6	5	0	29
13	Malaria	Male			2				3	2				7
		Female					1				1	1		3
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	2	0	1	3	2	1	1	0	10
14	Cancer	Male	3	19	44	63	86	315	871	1474	883	1798	18	5574
		Female	2	18	35	33	116	313	609	752	451	1001	14	3344
		Not Stated	1		5	2	4	11	30	40	30	60	10	193
		Total	6	37	84	98	206	639	1510	2266	1364	2859	42	9111
15	Diabetes	Male	1	1	1	3	16	31	149	289	205	719	6	1421
		Female	3		1	5	11	19	111	240	216	773	5	1384

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
		Not Stated						2	5	8	5	24	4	48
		Total	4	1	2	8	27	52	265	537	426	1516	15	2853
16	Anaemia's	Male	3		1		3	8	7	10	9	32		73
		Female	5		2	2	2	4	2	5	7	49		78
		Not Stated			1			1		1		3		6
		Total	8	0	3	3	5	13	9	16	16	84	0	157
17		Male	10	3	5		10	13	29	22	14	40		146
	Meningitis	Female	7	3	5	5	7	6	14	20	8	38		113
		Not Stated			1					2				3
		Total	17	7	10	5	17	19	43	44	22	78	0	262
18	Heart Attack	Male	425	88	86	250	468	1196	3109	5184	3149	9951	60	23966
		Female	317	66	88	172	294	525	1135	1984	1732	7487	32	13832
		Not Stated	11	5	1	8	10	15	63	103	53	250	50	569
		Total	753	159	175	430	772	1736	4307	7271	4934	17688	142	38367
19	Pneumonia	Male	52	14	16	22	21	49	91	141	72	281	2	761
		Female	45	23	12	14	18	23	45	64	37	227	2	510
		Not Stated	2	1				1			3	4	3	14
		Total	99	38	28	36	39	73	136	205	112	512	7	1285
20	Influenza	Male		2	2	1	2	10	12	7	5	58		99
		Female	1	1	1	2	3	1	4		6	65	1	85
		Not Stated								1	1			2
		Total	1	3	3	3	5	11	16	7	12	124	1	186
21	Asthma	Male	105	20	12	34	54	141	398	911	776	3632	13	6096
		Female	69	17	20	22	51	80	170	386	385	3188	14	4402
		Not Stated	3	1				1	9	17	22	111	8	172
		Total	177	38	32	56	105	222	577	1314	1183	6931	35	10670
22	Jaundis	Male	3	1		2	17	32	49	39	18	36	1	198
		Female	6		3	5	3	7	12	14	11	25	1	87
		Not Stated			1						2			3
		Total	9	2	3	7	20	39	61	53	29	63	2	288

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
23	Liver Disease	Male	28	6	7	6	40	144	407	444	232	456	5	1775
		Female	18	3	8	13	29	23	84	143	79	273	1	674
		Not Stated							4	5	2	11	1	23
		Total	46	9	15	19	69	167	495	592	313	740	7	2472
24	Ulcer	Male	3			3	3	9	28	37	20	85		188
		Female				1	4	6	10	10	10	62		103
		Not Stated										2		2
		Total	3	0	0	4	7	15	38	47	30	149	0	293
25	Appendicitis	Male	1	1			5	5	8	17	5	35		77
		Female				1	2	5	1	7	4	29		49
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	1	1	1	7	10	9	24	9	64	0	126
26	Syphilis and Genitourinary	Male	1	1		1			1	3	3	3	12	25
		Female							2	3	2	10		17
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	1	1	0	1	0	1	5	6	5	22	0	42
27	Abortion	Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female				1	2	1		1				5
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	1	2	1	0	1	0	0	0	5
28	Pregnancy child birth	Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female	187	6		7	15			2		5		222
		Not Stated	0	0	0	0	0	0	0	0	0	0	0	0
		Total	187	6	0	7	15	0	0	2	0	5	0	222
29	Birth injuries	Male	48	3		1			2	2	2	4		62
		Female	46	1		1	1		2	3	2	5	3	64
		Not Stated	4										4	
		Total	98	4	0	2	1	0	4	5	4	9	3	130
30	Paralysis	Male	6	3	5	11	20	45	108	225	180	894	6	1503
		Female		5	6	9	9	14	56	147	149	1174	7	1576

Sl.No	Cause of Death	Sex	Age of Deceased												
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
		Not Stated		1		1		1	1	1	4	5	48	4	65
		Total	6	9	11	21	29	60	165	376	334	2116	17	3144	
31	Senility	Male	1				1	1	12	54	85	918	2	1074	
		Female			1			1	8	44	76	1385	1	1516	
		Not Stated										1		1	
		Total	1	0	1	0	1	2	20	98	161	2304	3	2591	
32	Others	Male	804	238	239	382	629	1090	2252	3087	1946	5529	38	16234	
		Female	592	198	195	242	359	576	882	1284	1048	4182	31	9589	
		Not Stated	42	16	11	9	16	32	51	54	62	179	51	523	
		Total	1438	452	445	633	1004	1698	3185	4425	3056	9890	120	26346	
33	Venomous Animals Bites/	Male				5	3		5	5	3	1		22	
		Female		1			2	2	4	1		2		12	
		Not Stated						1						1	
		Total	0	1	0	5	5	2	10	6	3	3	0	35	
34	Burns(Accidental)	Male	1	5	6	18	21	26	23	18	5	18		141	
		Female		4	10	86	90	53	35	21	11	34		344	
		Not Stated			1		1	2		1				5	
		Total	1	9	17	104	112	81	58	40	16	52	0	490	
35	Drowning,Falls	Male	4	10	36	116	113	157	182	90	49	82	1	840	
		Female	1	6	14	25	24	30	27	24	21	73		245	
		Not Stated			1	2	2	5	7	2		3		22	
		Total	5	16	51	143	139	192	216	116	70	158	1	1107	
36	Poisoning	Male		4	6	33	50	112	136	96	24	33	1	495	
		Female	1	3	4	23	30	25	22	17	6	9		140	
		Not Stated				2	2	1	2	1	2	1		11	
		Total	1	7	10	56	82	139	159	115	31	44	2	646	
37	Accident(Traffic/Vehicles)	Male	6	29	43	288	398	325	326	255	110	161	6	1947	
		Female	2	13	32	30	31	56	58	57	34	57	1	371	
		Not Stated			1	5	13	6	5	5	2	4	3	44	
		Total	8	42	76	323	442	387	389	317	146	222	10	2362	

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
38	Other Accidents	Male	7	13	41	143	209	231	239	153	40	112	7	1195
		Female	3	18	16	33	48	37	62	41	25	67	4	354
		Not Stated			2	5	6	8	6	5		7	2	41
		Total	10	31	59	181	263	276	307	199	65	186	13	1590
39	Suicide	Male			25	317	575	792	818	535	188	307	23	3580
		Female			19	271	208	194	169	120	42	115	8	1146
		Not Stated			9	24	27	23	24	4	20	4	4	135
		Total	0	0	44	597	807	1013	1010	679	234	442	35	4861
40	Homicide	Male	3	3	6	27	28	20	9	1	7			104
		Female	1	3	3	4	9	8	3	2	9			42
		Not Stated			1	1	1							3
		Total	0	4	6	9	32	38	29	12	3	16	0	149
41	AIDS	Male			2		14	26	11	2	3	1		59
		Female			2		7	8	2	2	1	2		24
		Not Stated			1		2	2					4	9
		Total	0	0	4	0	22	36	15	4	4	3	4	92
42	Old Age	Male							17	106	145	2355	7	2630
		Female							8	71	145	2639	7	2870
		Not Stated							7	6	119	6	138	
		Total	0	0	0	0	0	0	25	184	296	5113	20	5638
43	Hysteria	Male			1	3	2	1	3	2		3		15
		Female			2	1	2	2	3	2	1	4		17
		Not Stated			1									1
		Total	0	0	3	5	4	3	6	4	1	7	0	33
44	Premature	Male	186	3										189
		Female	130	2										132
		Not Stated	5											5
		Total	321	5	0	0	0	0	0	0	0	0	0	326
45	Blood Pressure	Male	10	2	3	8	17	39	119	259	152	730	2	1341
		Female	6	2	4	6	11	41	76	143	183	895	3	1370

CRS-2006

Sl.No	Cause of Death	Sex	Age of Deceased											
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
		Not Stated						1		7	4	25	1	38
		Total	16	4	7	14	28	81	195	409	339	1650	6	2749
46	Kidney Trouble	Male	12	2	7	20	33	83	188	250	133	428	2	1158
		Female	4	3	4	21	33	39	99	148	91	231	3	676
		Not Stated	2	1				2	2	5	2	13	2	29
		Total	18	6	11	41	66	124	289	403	226	672	7	1863
		Male	580	74	78	231	387	525	947	1161	581	1677	3	6244
47	Not Stated	Female	403	48	58	136	184	232	322	481	404	1246	1	3515
		Not Stated	12	1				3	3	4	2	7	3	35
		Total	995	123	136	367	571	760	1272	1646	987	2930	7	9794
		Male	2306	553	683	1978	3265	5513	10705	15066	9137	30725	207	80138
48	Total	Female	1850	444	549	1181	1618	2358	4082	6297	5236	25602	135	49352
		Not Stated	83	29	22	43	84	125	218	299	207	904	160	2174
		Total	4239	1026	1254	3202	4967	7996	15005	21662	14580	57231	502	131664

TABLE - 29
Infant Death by Place of Occurrence, Districts (Rural & Urban) and Town with Population 1 Lakh & Above

District & Town		Deaths by Place of Occurrence				Rate
		M	F	NR	Total	
1	2	3	4	5	6	
Kasaragod		Rural	40	32	20	92 10.29
		Urban	41	31	0	72 5.81
		Total	81	63	20	164 7.69
Kannoor		Rural	59	50	13	122 13.38
		Urban	117	84	3	204 5.38
		Total	176	134	16	326 6.93
Town with Population 1 Lakh & Above						
Wyanad		Thalassery(M)	40	35	0	75 5.95
		Rural	9	5	0	14 1.28
		Urban	3	7	0	10 2.54
Kozhikkode		Total	12	12	0	24 1.62
		Rural	6	3	0	9 0.61
		Urban	533	386	7	926 21.97
		Total	539	389	7	935 16.45
Town with Population 1 Lakh & Above						
Malappuram		Kozhikkodu (C)	515	370	7	892 22.75
		Rural	54	42	14	110 2.38
		Urban	136	136	0	272 6.89
		Total	190	178	14	382 4.46
Palakkad		Rural	35	23	1	59 2.95
		Urban	69	84	0	153 7.14
		Total	104	107	1	212 5.12
Town with Population 1 Lakh & Above						
Thrissur		Palakkad (M)	63	67	0	130 9.47
		Rural	76	62	16	154 8.36
		Urban	201	146	2	349 9.71
		Total	277	208	18	503 9.25
Town with Population 1 Lakh & Above						
Eranakulam		Thrissur (C)	168	112	1	281 14.84
		Rural	34	20	0	54 6.07
		Urban	233	201	3	437 10.61
		Total	267	221	3	491 9.8

CRS-2006

	District & Town 1	Deaths by Place of Occurrence				Rate 6
		M 2	F 3	NR 4	Total 5	
Town with Population 1 Lakh & Above						
Idukki	<i>Kochi (C)</i>		201	173	1	375 19.68
		Rural	15	16	3	34 3.05
		Urban	6	8	1	15 2.9
Kottayam		Total	21	24	4	49 3
		Rural	131	101	8	240 10.6
		Urban	27	25	1	53 5.28
Alappuzha		Total	158	126	9	293 8.97
		Rural	14	17	4	35 10.01
		Urban	66	52	4	122 5.42
	<i>Alappuzha (M)</i>	Total	80	69	8	157 6.04
			49	40	3	92 8.48
		Rural	5	10	3	18 1.81
Pathanamthitta		Urban	26	27	2	55 6.3
		Total	31	37	5	73 3.91
		Rural	14	7	1	22 1.05
Kollam		Urban	37	40	0	77 4.39
		Total	51	47	1	99 2.58
			35	32	0	67 4.79
Thiruvananthapuram	<i>Kollam (C)</i>	Rural	14	8	2	24 2.34
		Urban	423	346	7	776 18.3
		Total	437	354	9	800 15.19
Town with Population 1 Lakh & Above						
State	<i>Thiruvananthapuram(C)</i>		413	342	7	762 19.74
		Rural	506	396	85	987 4.58
		Urban	1918	1573	30	3521 10.33
		Total	2424	1969	115	4508 8.1

TABLE-30
Infant Deaths by age and Sex (Rural & Urban)

SINo	Age	Rural				Urban				All Areas			
		Male	Female	Not Reported	Total	Male	Female	Not Reported	Total	Male	Female	Not Reported	Total
1	7 Days	331	254	59	644	1296	1081	26	2403	1627	1335	85	3047
2	7 - 28 Days	61	56	8	125	307	232	3	542	368	288	11	667
3	28 days - 6 months	84	59	16	159	234	190	1	425	318	249	17	584
4	6 months - 1 year	30	27	2	59	81	70	0	151	111	97	2	210
	Total	506	396	85	987	1918	1573	30	3521	2424	1969	115	4508

TABLE 31

Pregnancy Related Deaths by Age Group of the deceased and Cause of Death for Medically Certified Deaths (Rural & Urban)

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Rural										
Cholera				1			1	6	2	10
Typhoid					1				1	2
Food Poisoning									1	1
Rabies								1		1
Cancer							5	1	6	
Diabetes							3		3	
Anaemia's							1		1	
Heart Attack		1	1	1		1	1	26		31
Pneumonia								2		2
Asthma								6		6
Liver Disease								3		3
Abortion			1			1		1		3
Pregnancy child birth	4	2	1	3	2					12
Birth injuries	14		1					1	3	19
Others	6			1		2	1	7	1	18
Burns(Accidental)							1	1		2
Drowning,Falls			1							1
Poisoning							1			1
Other Accidents	1								1	2
Suicide		1		3		2	1	1		8
Old Age									5	5
Premature	1									1
Kidney Trouble				1				3		4
Rural Total	26	4	5	10	3	7	5	75	7	142
Urban										
Typhoid								1		1
Tuberculosis					1					1
Diphtheria								1		1
Cancer						1		12		13

CRS-2006

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Diabetes								5		5
Anaemia's								1		1
Meningitis					1					1
Heart Attack	2	4	10	3	8	1	2	95	1	126
Pneumonia				1				1		2
Influenza								1		1
Asthma						1		31		32
Jaundis				1						1
Liver Disease				1				4		5
Ulcer			1							1
Appendicitis								3		3
Syphilis and Genitourinary								1		1
Abortion					1					1
Pregnancy child birth			4	6	3			1		14
Birth injuries								2		2
Paralysis								8		8
Senility								22		22
Others	1	3	5	3	3	2		15		32
Burns (Accidental)				3		1	1			5
Drowning, Falls					1					1
Accident(Traffic/Vehicles)							1			1
Other Accidents					1					1
Suicide			1	1			1			3
Blood Pressure						1		6		7
Kidney Trouble				1	1			2		4
Not Stated	1	5	9	7	4	3	4	23		56
Urban Total	4	12	30	27	24	10	9	235	1	352
All Areas										
Cholera				1			1	6	2	10
Typhoid					1			2		3
Food Poisoning								1		1
Tuberculosis					1					1

CRS-2006

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Diphtheria								1		1
Rabies								1		1
Cancer						1		17	1	19
Diabetes								8		8
Anaemia's								2		2
Meningitis					1					1
Heart Attack	2	5	11	4	8	2	3	121	1	157
Pneumonia				1				3		4
Influenza								1		1
Asthma						1		37		38
Jaundis			1							1
Liver Disease				1				7		8
Ulcer			1							1
Appendicitis								3		3
Syphilis and Genitourinary								1		1
Abortion			1		1	1		1		4
Pregnancy child birth	4	2	5	9	5			1		26
Birth injuries	14		1					3	3	21
Paralysis								8		8
Senility								22		22
Others	7	3	5	4	3	4	1	22	1	50
Burns(Accidental)				3		1	2	1		7
Drowning, Falls			1		1					2
Poisoning						1				1
Accident (Traffic/Vehicles)							1			1
Other Accidents	1				1			1		3
Suicide		1	1	4		2	2	1		11
Old Age								5		5
Premature	1									1
Blood Pressure						1		6		7
Kidney Trouble				2	1			5		8
Not Stated	1	5	9	7	4	3	4	23		56
State Total	30	16	35	37	27	17	14	310	8	494

TABLE 32
Pregnancy Related Deaths by Age Group of the deceased and Cause of Death for all Deaths Medically Certified or not (Rural & Urban)

Cause of Death	Age of Deceased										
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total	
1	2	3	4	5	6	7	8	9	10	11	
Rural											
Cholera		1			1			1	8	2	13
Typhoid				1	1				6		8
Food Poisoning									1		1
Tetanus									4		4
Rabies								1			1
Cancer							10	1		11	
Diabetes								3			3
Anaemia's								1			1
Heart Attack		2	1	2	1	1	1	38			46
Pneumonia								2			2
Asthma						2		18	2		22
Liver Disease								3			3
Abortion			1			1		1			3
Pregnancy child birth	5	2	1	4	2			2			16
Birth injuries	17		1					1	3		22
Paralysis								1			1
Senility								1			1
Others	6			1		3	2	12	1		25
Burns(Accidental)							1	1			2
Drowning, Falls			1								1
Poisoning						1					1
Other Accidents	1							1			2
Suicide		1		3		2	1	1			8
Old Age									6		6
Hysteria								1			1
Premature	1										1
Blood Pressure					1			1			1
Kidney Trouble					1			6			7

CRS-2006

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Not Stated									3	3
Rural Total	31	5	5	13	4	10	6	133	9	216
Urban										
Typhoid								1		1
Tuberculosis					1					1
Diphtheria							1			1
Cancer						1		14		15
Diabetes								5		5
Anaemia's								1		1
Meningitis					1					1
Heart Attack	2	4	12	3	8	1	2	104	1	137
Pneumonia					1			1		2
Influenza								1		1
Asthma				1		1		39		41
Jaundis				1						1
Liver Disease				1				4		5
Ulcer			1							1
Appendicitis								3		3
Syphilis and Genitourinary								1		1
Abortion					1					1
Pregnancy child birth			4	6	3	1		1		15
Birth injuries								2		2
Paralysis								9		9
Senility								33		33
Others	1	3	5	3	3	3		17		35
Burns(Accidental)				3		1	1			5
Drowning,Falls					1					1
Accident(Traffic/Vehicles)							1			1
Other Accidents					1					1
Suicide			1	1				1		3
Blood Pressure						1		8		9

CRS-2006

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Kidney Trouble				1	1			2		4
Not Stated	1	5	9	8	4	3	4	24		58
Urban Total	4	12	32	29	24	12	9	271	1	394
All Areas										
Cholera	1			1			1	8	2	13
Typhoid				1	1			7		9
Food Poisoning								1		1
Tuberculosis					1					1
Diphtheria								1		1
Tetanus								4		4
Rabies								1		1
Cancer					1		24		1	26
Diabetes								8		8
Anaemia's								2		2
Meningitis					1					1
Heart Attack	2	6	13	5	9	2	3	142	1	183
Pneumonia				1				3		4
Influenza								1		1
Asthma				1		3		57	2	63
Jaundis				1						1
Liver Disease				1				7		8
Ulcer			1							1
Appendicitis								3		3
Syphilis and Genitourinary								1		1
Abortion			1		1	1		1		4
Pregnancy child birth	5	2	5	10	5	1		3		31
Birth injuries	17		1					3	3	24
Paralysis								10		10
Senility								34		34
Others	7	3	5	4	3	6	2	29	1	60
Burns(Accidental)				3		1	2	1		7

CRS-2006

Cause of Death	Age of Deceased										Total
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS		
1	2	3	4	5	6	7	8	9	10	11	
Drowning,Falls			1		1						2
Poisoning						1					1
Accident(Traffic/Vehicles)								1			1
Other Accidents	1				1			1			3
Suicide		1	1	4		2	2	1			11
Old Age									6		6
Hysteria								1			1
Premature	1										1
Blood Pressure						1		9			10
Kidney Trouble				2	1			8			11
Not Stated	1	5	9	8	4	3	4	27			61
All Areas Total	35	17	37	42	28	22	15	404	10	610	

TABLE 33
Pregnancy Related Deaths by Age and Occupation (Rural & Urban)

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Rural										
Professional, Technical and related workers	0	0	0	0	0	0	0	0	0	0
Administrative, Executive and Managerial Workers						1		2		3
Clerical and Related Workers								2		2
Sales Workers								5		5
Service Workers				4			2	4		10
Farmers, Fishers, Hunters, Loggers & related workers					1	4		9		14
Production and other related workers, transport & other equipment operators & labours					1	2		1		4
Workers whose occupation are not elsewhere classified								1		1
Non Workers	24	4	4	7		4	2	72	8	125
Not Stated	7	1	1	1	1	1	1	38	1	52
Total	31	5	5	13	4	10	6	133	9	216
Urban										
Professional, Technical and related workers		2	5	2	3	2	1	29		44
Administrative, Executive and Managerial Workers				2				3		5
Clerical and Related Workers							1			1
Sales Workers	0	0	0	0	0	0	0	0	0	0
Service Workers	0	0	0	0	0	0	0	0	0	0
Farmers, Fishers, Hunters, Loggers & related workers								1		1
Production and other related workers, transport & other equipment operators & labours			2	1	2	4		2		11

CRS-2006

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
1	2	3	4	5	6	7	8	9	10	11
Workers whose occupation are not elsewhere classified		1	6	1	4	1	1	21		35
Non Workers	3	7	20	22	13	9	6	214	1	295
Not Stated	1							1		2
Total	4	12	32	29	24	12	9	271	1	394
All Areas										
Professional, Technical and related workers		2	5	2	3	2	1	29		44
Administrative, Executive and Managerial Workers				2		1		5		8
Clerical and Related Workers							1	2		3
Sales Workers								5		5
Service Workers				4			2	4		10
Farmers, Fishers, Hunters, Loggers & related workers					1	4		10		15
Production and other related workers, transport & other equipment operators & labours		2	1	3	6		1	2		15
Workers whose occupation are not elsewhere classified		1	6	1	4	1	1	22		36
Non Workers	27	11	24	29	13	13	8	286	9	420
Not Stated	8	1	1	1	1	1	1	39	1	54
Total	35	17	37	42	28	22	15	404	10	610

TABLE 34-a
Deaths by Selected Cause of Death, Age, Sex and Habit (Rural)

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Cholera	Habit not Known	2	3	1	6	1	1	1	1	1	5	3	8	3	6	9	6	7	1	14	8	4	1	13	32	31	2	65	2	2	56	56	7	119							
Cholera	Only Smoking			0		0		0		0		0		0		0	2	1	3		0	3		3		0	5	1	6												
Cholera	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		0	1	2	3	0	1	2	3								
Cholera	Only Drinking Alcohol			0		0		0		0	1	1	0		0		0		0		0		0		0		0	0	1	1						1					
Cholera	Smoking and Drinking Alcohol			0		0		0		0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	4			4								
Cholera	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0	1	1	1	1	1	1	1	1	1	0		0		0	1	1	2												
Cholera	TOTAL	2	3	1	6	1	1	1	1	1	6	3	9	5	6	11	9	9	1	19	9	4	1	14	37	33	2	72	2	2	68	60	7	135							
Typhoid	Habit not Known	5	6	1	12	6	6	12	14	9	23	13	9	2	24	26	11	3	40	48	36	2	86	25	35	2	62	188	289	5	482	2	2	325	401	17	743				
Typhoid	Only Smoking			0		0		0		0		0	4		4	3	1	4	2	1	3	13	2		15		0	22	4	26											
Typhoid	Only Chewing Tobacco			0		0		0		0		0	1		1	1	1	1	1	1	1	1	1	1	1	1	1	18	0	14	8	1	23								
Typhoid	Smoking and Chewing Tobacco			0		0		0		0		0		0		0	1	1	1	1	1	1	1	1	1	1	4	0	4	2	6										
Typhoid	Only Chewing Areca nut			0		0		0		0		0	1		1	0		0	1		1		1		1	0	1	1	0	2	2										
Typhoid	Chewing Tobacco and Areca nut			0		0		0		0		0	2		2	0		0	1	1	2		0	1	1	0	3	1	4												
Typhoid	Smoking, Chewing Tobacco and Areca nut			0		0		0		0		0		0		0		0		0		0		0	1		1	0	1	1						1					
Typhoid	Only Drinking Alcohol			0		0		1	1		0		0		0	2		2		2		0		0	1		1	0	3	1	1	4									
Typhoid	Smoking and Drinking Alcohol			0		0		0	1		1	2	1	3	1		1	1		1	4		4	1		1	10	1	1	11											
Typhoid	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0	1		1	0	1	1		0	1		1						
Typhoid	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0	1		1	1		1	1		1	1	1	1	0	3					3						
Typhoid	All Habits			0		0		0		0		0		0		2		2		2		0		0		0		0	2		2					2					
Typhoid	TOTAL	5	6	1	12	6	6	12	14	9	1	24	14	9	2	25	38	12	3	53	56	38	2	96	32	37	2	71	224	300	6	530	1	2	3	390	417	19	826		

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Food Poisoning	Habit not Known	2		2	2		1	3	1		1	2		2	3	2		5	3	1		4	2	2	1	5	6	9		15		0	21	14	2	37					
Food Poisoning	Only Smoking			0			0	1		1			0	1			1	1			1				0			0	0	3				3							
Food Poisoning	Chewing Tobacco and Arecanut			0			0			0	1	1			0			0			0				0			0	0	1		1			1						
Food Poisoning	Only Drinking Alcohol			0			0	1		1			0				0				0				0		1	1		0	1	1		2							
Food Poisoning	Smoking and Drinking Alcohol			0			0			0			0				0				0	1			1			0	0	1				1							
Food Poisoning	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0			0				0				0				0	1		1		0	1			1							
Food Poisoning	TOTAL	2		2	2	1	3	3		3	2	1	3	4	2		6	4	1		5	3	2	1	6	7	10		17		0	27	16	2	45						
Dysentery	Habit not Known	3	3	2	1	3	4		4	7	3	10	5	5		10	4	4		8	4	11		15	43	75	1	119		0	69	102	1	172							
Dysentery	Only Smoking		0		0		0	1		1		1	1	2			2				0	2			2			0	5	1		6									
Dysentery	Only Chewing Tobacco		0		0		0			0		0		0			0				0	2		2	4	4		8		0	4	6		10							
Dysentery	Smoking and Chewing Tobacco		0		0		0			0		0		0			0				0	1	1		2			0	1	1		2									
Dysentery	Chewing Tobacco and Arecanut		0		0		0			0		0		0			0				0	2		2		0		2		2		2									
Dysentery	Chewing Tobacco and Drinking Alcohol		0		0		0			0		0		0			0	1			1				0			0	1			1									
Dysentery	Smoking, Chewing Tobacco and Drinking Alcohol		0		0		0	1		1			0	1			1				0				0			0	2			2									
Dysentery	Smoking, Chewing Arecanut and Drinking Alcohol		0		0		0			0		0		0			0				0	1			1			0	1			1									
Dysentery	All Habits		0		0		0			0		0		0	1		1	1		1				0	1		1		0	3			3								
Dysentery	TOTAL	3	3	2	1	3	4		4	9	3	12	6	6		12	9	4		13	4	13		17	52	82	1	135		0	86	112	1	199							
Tuberculosis	Habit not Known	4	2	6	8	1	9	20	13	6	39	52	20	1	73	96	31	6	133	115	40	1	156	81	41	1	123	180	62	6	248	5	1	2	8	561	211	23	795		
Tuberculosis	Only Smoking		0		0	1		1	4	2	6	16		16	41	1		42	8		8	29			29		0	99	3		102										
Tuberculosis	Only Chewing Tobacco		0		0		0			0	2	1	3		1		1	3	2		5			0	5	3		8		0	10	7		17							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Tuberculosis	Smoking and Chewing Tobacco			0			0			0			0				0				0	1			1	11			11			0	12				12				
Tuberculosis	Only Chewing Areca nut			0			0	1		1	1		1			1	1			0			0			0			0	2			1	3							
Tuberculosis	Smoking and Chewing Areca nut			0			0			0			0				0				0			0		1			1			0	1			1					
Tuberculosis	Chewing Tobacco and Areca nut			0			0			0			0				0				0	1	1		2			0			0	1	1		2						
Tuberculosis	Smoking, Chewing Tobacco and Areca nut			0			0			0			0				0				0	2		2	1			1			0	3			3						
Tuberculosis	Only Drinking Alcohol			0			0	2		2	3		3	4	1		5	2		2			0	3			3			0	14	1		15							
Tuberculosis	Smoking and Drinking Alcohol			0			0	3		3	9		9	25		25	13		13	5		5	11		1	12			0	66	1	1	67								
Tuberculosis	Chewing Tobacco and Drinking Alcohol			0			0			0	2		2			0			0			0			0			0	2			2									
Tuberculosis	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	1		1	3		3	3		3			0	3			3			0	10			10								
Tuberculosis	Chewing Areca nut and Drinking Alcohol			0			0			0			0		1	1		1	1		0			0			0			0	1	1		1							
Tuberculosis	Smoking, Chewing Areca nut and Drinking Alcohol			0			0			0	1		1	1		1	1		1			0			0			0	3			3									
Tuberculosis	All Habits			0			0	1		1	2		2			0	2		2			0	4		1	5			0	9		1	10								
Tuberculosis	TOTAL	4	2	6	8	1	9	28	13	6	47	77	23	1	101	145	34	7	186	180	43	1	224	98	42	1	141	248	65	8	321	5	1	2	8	793	224	26	1043		
Leprosy	Habit not Known	1	1	2	2	1	1	2	1	1	2	1	1	2	1	1	2	4	3	7	3	1	1	5	3	3	6		0	13	13	1	27								
Leprosy	Only Smoking			0			0			0			0			0			0		1		1			0		0	1			1									
Leprosy	Only Drinking Alcohol			0			0			0			0			0			0	1		1			0			0	1			1									
Leprosy	Smoking and Drinking Alcohol			0			0	1		1			0			0			0			0			0			0	1			1									
Leprosy	TOTAL	1	1	2	2	1	3	1	1	2	1	1	2	1	1	2	5	3	8	4	1	1	6	3	3	6		0	16	13	1	30									
Diphtheria	Habit not Known	4	2	6	4	1	5	7	5	12	7	10	17	8	7	15	30	25	1	56	32	24	56	182	247	1	430		0	274	321	2	597								
Diphtheria	Only Smoking			0			0	1		1			0	1		1	3		3	1		1	8			8		0	14			14									

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total				
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
Diphtheria	Only Chewing Tobacco			0			0			0		1		1				0				0				1		1	3		1		4		0	3	3	6				
Diphtheria	Smoking and Chewing Tobacco			0			0			0		0		0				0				0				0	2		2		0	2			2							
Diphtheria	Only Chewing Arecanut			0			0			0		0		0				0				0				1	1			0		0		1	1							
Diphtheria	Chewing Tobacco and Arecanut			0			0			0		0		0				0				0				0	1		1		1		0	1	1	1						
Diphtheria	Smoking and Drinking Alcohol			0			0			0	1		1	1			1	2			2				0	3		3		0	7			7								
Diphtheria	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0		0		1			1				0				0		0		0	1		1										
Diphtheria	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0		0		0				0	1		1				0		0		0	1		1										
Diphtheria	TOTAL	4	2	6	4	1	5	8	5	13	8	11	19	11	7		18	36	25	1	62	33	25	1	59	198	249	1	448			0	302	325	3	630						
Whooping cough	Habit not Known			2	2		1	1	1	1			0	2			2	6	4		10	6	3		9	29	21	1	51			0	44	29	3	76						
Whooping cough	Only Smoking			0			0			0		0		0			0	2			2				0	4		4		0	6			6								
Whooping cough	Smoking and Chewing Tobacco			0			0			0		0		0			0				0				0	1		1		0	1		1									
Whooping cough	Only Drinking Alcohol			0			0			0		0		0			0				0				0	2		2		0	2		2									
Whooping cough	Smoking and Drinking Alcohol			0			0			0		0		0			0				0				0	1		1		0	1		1									
Whooping cough	TOTAL			2	2	1	1	1	1	1			0	2			2	8	4		12	6	3		9	37	21	1	59			0	54	29	3	86						
Tetanus	Habit not Known	2	1	2	5	1		1	1	1	3	2	5	2	3	2	7	8	5	2	15	5	4		9	24	12	4	40	2	1	3	48	28	10	86						
Tetanus	Only Smoking			0			0			0		0		0			0			1	1			0			0		0		1	1										
Tetanus	Only Chewing Tobacco			0			0			0		0		0	1		1				0				0	1		2		2		0	1	3	4							
Tetanus	Smoking and Chewing Tobacco			0			0			0		0		0			0				0				0	1		1		0	1		1									
Tetanus	Smoking and Drinking Alcohol			0			0			0		0		0	1		1				0				0	1		1		0	2		2									
Tetanus	TOTAL	2	1	2	5	1		1	1	1	3	2	5	4	3	2	9	8	5	3	16	5	5		10	26	14	4	44	2	1	3	52	31	11	94						
Poliomyelitus	Habit not Known	1		1		1		1		0	1		1		1		1				0				0	3	1	4		0	5	3	8									

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Poliomyelitus	Only Smoking			0			0			0			0				0				0				0			0	1			1			0	1			1		
Poliomyelitus	Only Chewing Tobacco			0			0			0			0				0				0		1		1			0	1	1		2		0	1	2		3			
Poliomyelitus	Smoking and Chewing Tobacco			0			0			0			0				0	1			1				0			0			0	1			1						
Poliomyelitus	Smoking and Drinking Alcohol			0			0			0			0				0				0				0	2			2		0	2			2						
Poliomyelitus	TOTAL	1		1		1		1		0	1		1		1		1	1	1		2				0	7	2		9		0	10	5		15						
Measles	Habit not Known	1	1			0			0			0				0	1			1		1		1	5	2		7		0	6	4		10							
Measles	TOTAL	1	1			0			0			0				0	1			1		1		1	5	2		7		0	6	4		10							
Rabies	Habit not Known	4		4		0	1		1	1	1	2			1	1	4	1		5	3			3	3		1	4		0	16	2	2	20							
Rabies	Chewing Tobacco and Arecanut			0			0			0			0				0			0				0		1	1		0		1		1		1						
Rabies	TOTAL	4	4			0	1		1	1	1	2			1	1	4	1		5	3			3	3	1	1	5		0	16	3	2	21							
Malaria	Habit not Known		0			0			0	1		1	1			1	1			1		1		1	3	2		5		0	6	3		9							
Malaria	TOTAL		0			0			0	1		1	1			1	1			1		1		1	3	2		5		0	6	3		9							
Cancer	Habit not Known	50	29	8	87	46	24	2	72	87	108	4	199	276	310	18	604	743	720	41	1504	1356	859	70	2285	850	585	39	1474	1902	1402	84	3388	21	19	11	51	5331	4056	277	9664
Cancer	Only Smoking			0			0	3		3	32	1	33	144	7	5	156	248	9	9	266	160	4	7	171	311	7	13	331	4	2	6	902	28	36	966					
Cancer	Only Chewing Tobacco	1		1		0	1		1	2	2	4	7	12	2	21	24	38		62	22	39	2	63	83	97	4	184		0	139	189	8	336							
Cancer	Smoking and Chewing Tobacco			0			0	1	1	2	3	3	7		7	14			14	14	1		15	40	2	3	45		0	79	4	3	86								
Cancer	Only Chewing Areca nut			0			0			0	1		1	1		1	4	4	1	9	4	2	1	7	6	10		16		0	16	16	2	34							
Cancer	Smoking and Chewing Areca nut			0			0			0	1		1			1			0				0	1			1		0	2			2								
Cancer	Chewing Tobacco and Areca nut			0			0			0	1	1	2	1		3	2	4		6	2	2		4	2	4	6		0	8	12		20								
Cancer	Smoking, Chewing Tobacco and Areca nut			0			0			0			0			0	1			1	1			1	3		3		0	5			5								
Cancer	Only Drinking Alcohol			0			0			0	7		7	18	1	1	19	23		23	16	1		17	22		1	23	1		1	87	2	1	90						
Cancer	Smoking and Drinking Alcohol			0			0			0	2		2	22		22	100	4	3	107	139	3	6	148	72	1	4	77	110	3	2	115	1	1	2	446	11	16	473		

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Cancer	Chewing Tobacco and Drinking Alcohol			0			0			0	1		1	4			4	7			7	6			1	7	8			8		0	26		1	27					
Cancer	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			1	1	4		4	9			9	20			20	17			1	18	30	1		31		0	80	1	2	83				
Cancer	Chewing Areca nut and Drinking Alcohol			0			0			0			0			0		1		1	1			1	4			4			0	5	1		6						
Cancer	Smoking, Chewing Areca nut and Drinking Alcohol			0			0			0			0	1		1			0	1			1	1			1			0	3			3							
Cancer	Drinking, Chewing Tobacco and Areca nut			0			0			0			0	2		2		1		1	2			2	2			2			0	6	1		7						
Cancer	All Habits			0			0			0	2		2	7			7	5			5	1			1	3			3			0	18			18					
Cancer	TOTAL	51	29	8	88	46	24	2	72	93	110	5	208	350	314	18	682	1046	745	51	1842	1843	919	86	2848	1169	635	55	1859	2528	1526	107	4161	27	19	14	60	7153	4321	346	11820
Diabetes	Habit not Known	7	3		10	4	3		7	18	13		31	43	33	3	79	155	132	6	293	271	302	23	596	241	302	15	558	1134	1367	54	2555	9	8	9	26	1882	2163	110	4155
Diabetes	Only Smoking			0			0			0	4		4	17		2	19	28	1		29	17			17	50	2		52		0	116	3	2	121						
Diabetes	Only Chewing Tobacco			0			0	1		1	1		1	4			4	3	4		7	3	2		5	20	25	1	46		0	32	31	1	64						
Diabetes	Smoking and Chewing Tobacco			0			0			0			0			0		1			1	3			3	8	1		9		0	12	1		13						
Diabetes	Only Chewing Areca nut			0			0			0	1		1			0	1			1	1	1		1		4		4		0	2	5		7							
Diabetes	Chewing Tobacco and Areca nut			0			0			0			0			0				0				0	3	1		4		0	3	1		4							
Diabetes	Smoking, Chewing Tobacco and Areca nut			0			0			0			0			0				0				0	1			1		0	1			1							
Diabetes	Only Drinking Alcohol			0			0			0			0	5			5	6			6	2			2	4			4		0	17			17						
Diabetes	Smoking and Drinking Alcohol			0			0			0	3		3	4			4	11	2		13	7			7	10	1	1	12		0	35	3	1	39						
Diabetes	Chewing Tobacco and Drinking Alcohol			0			0			0			0			0				0				0	4			4		0	4			4							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Diabetes	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				1		1		1		2		2			0		3			3			0		7			7			
Diabetes	Cheching Areca Nut and Drinking Alcohol			0			0			0				0		0		0		1		1			0		1			1			0		2			2			
Diabetes	Smoking, Chewing Areca Nut and Drinking Alcohol			0			0			0				0		1		1			0			0			0			0		1			1						
Diabetes	All Habits			0			0			0				0		1		1		1		2			0			0			0		2		1		3				
Diabetes	TOTAL	7	3	10	4	3	7	19	13	32	53	33	3	89	188	132	8	328	325	310	23	658	273	305	15	593	1238	1401	56	2695	9	8	9	26	2116	2208	114	4438			
Anaemia's	Habit not Known	1	1	2	2	1	3	2	2	4	4	1	9	2		1	3	4	5	1	10	8	3		11	20	35	4	59			0	39	52	8	99					
Anaemia's	Only Smoking			0			0			0				0		2		2			0			0			0		3		3		0	5			5				
Anaemia's	Only Chewing Tobacco			0			0			0				0		0		0			0			0			0		1		1		2		0	1	1	2			
Anaemia's	Smoking and Chewing Tobacco			0			0			0				0		0		0		1		1			0			0			0		1		1						
Anaemia's	Only Chewing Areca Nut			0			0			0				0		0		0			0			0			0		1		1		1								
Anaemia's	Only Drinking Alcohol			0			0			0				0		0		0			0			0			0		1		1		0	1			1				
Anaemia's	Smoking and Drinking Alcohol			0			0			0				0		0		0		1		1			0			0			0		1		1						
Anaemia's	TOTAL	1	1	2	2	1	3	2	2	4	4	1	9	4		1	5	5	6	1	12	8	3		11	26	36	4	66			0	48	54	8	110					
Meningitis	Habit not Known	15	11	2	28	3	3	8	3	11	10	6	16	22	10	1	33	21	15	3	39	12	8		20	49	58		107			0	137	114	6	257					
Meningitis	Only Smoking			0			0			0				0		0		0		3		3			0		6		6		0	9			9						
Meningitis	Only Chewing Tobacco			0			0			0				0		1		1		2		2			0		2		2		0	3	2		5						
Meningitis	Smoking and Chewing Tobacco			0			0			0				0		0		0		1		1			0		1		1		0	1	1		2						
Meningitis	Only Chewing Areca Nut			0			0			0				0		0		0		1		1			0		0		0		0	1			1						
Meningitis	Smoking and Drinking Alcohol			0			0	1		1				0	2		2			0	2		2			0			0		5			5							
Meningitis	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				0	1		1			0			0			0			0		0	1			1						

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Meningitis	Chewing Areca nut and Drinking Alcohol					0		0		0	1		1		0		0		0		0		0		0		0		0		0		0		0		0		1		
Meningitis	TOTAL	15	11	2	28	3	3	9	3	12	11	6	17	26	10	1	37	28	15	3	46	14	8	22	55	61		116		0	158	117	6	281							
Heart Attack	Habit not Known	175	134	21	330	131	80	8	219	373	191	19	583	924	365	37	1326	2283	788	110	3181	3647	1416	150	5213	2165	1238	91	3494	7760	6631	456	14847	95	50	56	201	17553	10893	948	29394
Heart Attack	Only Smoking				0	1			1	23	1	1	25	108	4		112	347	13	9	369	495	13	23	531	232	5	7	244	524	25	15	564	6	7	13	1736	61	62	1859	
Heart Attack	Only Chewing Tobacco				0				0	2	2		4	3	1		4	20	6		26	59	33	2	94	27	30		57	148	200	9	357	2	2	4	261	272	13	546	
Heart Attack	Smoking and Chewing Tobacco				0				0	1			1	7			7	13			13	26	1		27	19	3		22	72	6	3	81		0	138	10	3	151		
Heart Attack	Only Chewing Areca nut				0				0				0	1			1	2	2		4	6	1		7	5	6		11	15	20	2	37		0	29	29	2	60		
Heart Attack	Smoking and Chewing Areca nut				0				0				0	3			3				0	2			2				0	3			3	1		1	9		9		
Heart Attack	Chewing Tobacco and Areca nut				0	2	2	1		1			0				0	5	4		9	4	3		7	8	14		22	1	1	18	24		42						
Heart Attack	Smoking, Chewing Tobacco and Areca nut		0	1		1			0				0				1	1	4		4				0	6			6		0	11		1	12						
Heart Attack	Only Drinking Alcohol		0	1		1	2	4		4	17		1	18	40	1	1	42	50	1	1	52	17		1	18	41	3		44		0	170	5	5	180					
Heart Attack	Smoking and Drinking Alcohol		0	1		1	11	1		12	66		66	168	2	6	176	205	2	4	211	75	1	2	78	132	2	3	137	6		6	664	8	15	687					
Heart Attack	Chewing Tobacco and Drinking Alcohol		0			0			0	2			2	7			7	9	2		11	6		1	7	16	3	1	20		0	40	5	2	47						
Heart Attack	Smoking, Chewing Tobacco and Drinking Alcohol		0			0	2		2	6			6	18	1		19	29			29	5			5	41	1	1	43		0	101	2	1	104						
Heart Attack	Chewing Areca nut and Drinking Alcohol		0			0			0	2			2				0	2			2			0	2	1		3		0	6	1		7							
Heart Attack	Smoking, Chewing Areca nut and Drinking Alcohol		0			0	1		1	1			1	2			2	3			3			0	2			2		0	9			9							
Heart Attack	Drinking, Chewing Tobacco and Areca nut		0			0			0				0	3			3	3			3	2			2	2			2		1	1	12		1	13					

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Heart Attack	All Habits			0	1		1	3		3	8		8	7		7	9		9	3		3	5		1	6		0	36		1	37									
Heart Attack	TOTAL	175	134	21	330	136	82	9	227	421	195	20	636	1151	370	38	1559	2910	813	127	3850	4553	1473	180	6206	2560	1286	102	3948	8777	6906	491	16174	110	51	66	227	20793	11310	1054	33157
Pneumonia	Habit not Known	32	34	4	70	7	4		11	7	8		15	12	3	1	16	28	16	1	45	43	17	1	61	36	23	5	64	180	217	7	404	2	2	2	6	347	324	21	692
Pneumonia	Only Smoking			0		0		0		0	1		1	1		1	11		1	12	4		4	14		14		1	1	31		2	33								
Pneumonia	Only Chewing Tobacco			0		0	1		1		0		0		0		0		0		0		0		0	1	4		5		0	2	4		6						
Pneumonia	Only Chewing Areca nut			0		0		0		0		0		0		0		0		0		0		0		0	1	1		0	1		1								
Pneumonia	Smoking and Chewing Areca nut			0		0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1							
Pneumonia	Chewing Tobacco and Areca nut			0		0		0		0		0		0		0		0		0		0		0		0	2	2		0	2		2								
Pneumonia	Only Drinking Alcohol			0		0		0		0		0		0		0		0		1	1		1	1		1	1		1		0	4		4							
Pneumonia	Smoking and Drinking Alcohol			0		0	1		1	2		2	9		9	5		5	5		5	5		5	2		2		0	24		24									
Pneumonia	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0	2		2		0	2		2									
Pneumonia	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0	1		1		1		0	2		2							
Pneumonia	Smoking, Chewing Areca nut and Drinking Alcohol			0		0		0		0		0		0		0		0		1		1		0		0		0	1		1										
Pneumonia	TOTAL	32	34	4	70	7	4		11	9	8		17	15	3	1	19	40	16	1	57	60	17	2	79	47	23	5	75	202	224	7	433	2	2	3	7	414	331	23	768
Influenza	Habit not Known	5	3		8	3	2		5	1	3	2	6	5	5		10	13	6		19	16	6		22	17	17	1	35	163	207	5	375	2	1	3	225	250	8	483	
Influenza	Only Smoking			0		0	1		1		0		0		0		0		1		1		1	2		2	4		4		0	8		8							
Influenza	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0	1	6		7		0	1	6		7							
Influenza	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1									
Influenza	Only Chewing Areca nut			0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1									
Influenza	Chewing Tobacco and Areca nut			0		0		0		0		0		0		0		0		0		0		0	2	1		3		0	2	1		3							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Influenza	Smoking and Drinking Alcohol			0			0			0				0	2			2	2			2				0				0		0		4			4				
Influenza	Chewing Tobacco and Drinking Alcohol			0			0			0				0				0				0				0	1			1		0	1			1					
Influenza	TOTAL	5	3	8	3	2	5	2	3	2	7	5	5	10	15	6		21	19	6		25	19	17	1	37	172	215	5	392	2	1	3	242	258	8	508				
Asthma	Habit not Known	70	55	11	136	21	19	40	60	62	4	126	125	98	5	228	362	222	26	610	1147	585	44	1776	1077	679	54	1810	7291	8013	404	15708	34	43	24	101	10187	9776	572	20535	
Asthma	Only Smoking			0			0	2		2	8	1	1	10	59	2		61	136	2	7	145	138	3	5	146	527	23	9	559	3	2	5	873	31	24	928				
Asthma	Only Chewing Tobacco			0			0	1		1	2	2		4	2	1		3	10	6		16	12	17	2	31	168	211	12	391	1	3	4	196	240	14	450				
Asthma	Smoking and Chewing Tobacco			0			0			0				0	1	1		2	7	1		8	12			12	60	8	1	69			0	80	10	1	91				
Asthma	Only Chewing Arecanut			0			0			0				0				0	5	4		9	2	3		5	17	22		39		0	24	29		53					
Asthma	Smoking and Chewing Arecanut			0			0			0				0				0				0	1			1	6	2		8		0	7	2		9					
Asthma	Chewing Tobacco and Arecanut			0			0			0				0				0	1			1				0	9	11		20	1	1	10	12		22					
Asthma	Smoking, Chewing Tobacco and Arecanut			0			0			0				0				0				0				0	7		1	8							1	8			
Asthma	Only Drinking Alcohol			0			0	1		1	1			1	7			7	8		2	10	9			9	34			34			0	60		2	62				
Asthma	Smoking and Drinking Alcohol			0			0	4		4	8			8	21	1		22	72		3	75	45			45	126	4	2	132			0	276	5	5	286				
Asthma	Chewing Tobacco and Drinking Alcohol			0			0			0				0	2			2	3			3	2			2	18			18			0	25			25				
Asthma	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	1			1	1			1	11			11	8			8	28			28			0	49			49				
Asthma	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0	1			1	2			2	1			1				0	4			4			0	8			8				
Asthma	Drinking, Chewing Tobacco and Arecanut			0			0			0				0				0				0	1			1	1			1			0	2			2				
Asthma	All Habits			0			0	1		1	1			1	1			1	1			1	1			1	2	9			9	1		1	15		1	16			
Asthma	TOTAL	70	55	11	136	21	19	40	69	62	4	135	147	101	6	254	458	227	26	711	1402	598	56	2056	1308	702	62	2072	8305	8294	429	17028	39	47	26	112	11819	10105	620	22544	

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Jaundice	Habit not Known	3		1	4	4	6		10	16	7		23	34	9		43	44	19	1	64	37	14		51	17	15	1	33	47	34	6	87	1	1	2	203	105	9	317	
Jaundice	Only Smoking			0			0	2		2	2		2	3			3	2	1		3	1			1	3			3		0	13	1		14						
Jaundice	Only Chewing Tobacco			0			0	1		1	1		1				0			2		2	1			1	1	1		2		0	3	4		7					
Jaundice	Smoking and Chewing Tobacco			0			0			0	1		1				0	1			1				0	4			4		0	6			6						
Jaundice	Only Chewing Arecanut			0			0			0			0				0			0				0		0	1		1		0	1			1						
Jaundice	Only Drinking Alcohol			0			0	1		1	3		3	1			1	1			1				0		1	1		1	0	6	1		7						
Jaundice	Smoking and Drinking Alcohol			0			0	1		1	2		2	8			8			1	1	1			1	2			2		0	14		1	15						
Jaundice	Chewing Tobacco and Drinking Alcohol			0			0			0			0				0	1			1				0				0		0	1			1						
Jaundice	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0			0				0				0	1			1				0		0	1			1						
Jaundice	Chewing Arecanut and Drinking Alcohol			0			0			0			0	1			1				0				0			0		0	1			1							
Jaundice	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0	1		1				0			0				0			0		0	1			1								
Jaundice	All Habits			0			0			0			0	1			1	1			1				0			0		0	2			2							
Jaundice	TOTAL	3	1	4	4	6	10	21	7	28	43	10	53	58	19	1	78	43	17	1	61	21	15	1	37	58	36	6	100	1	1	2	252	111	10	373					
Liver Disease	Habit not Known	7	6	1	14	3	3	6	15	9	24	52	14	66	114	32	3	149	134	55	6	195	78	38	3	119	184	132	12	328	3	2	5	590	291	25	906				
Liver Disease	Only Smoking			0			0			0	4		4	8		2	10	14		14	7			7	6		2	8	1		1	40		4	44						
Liver Disease	Only Chewing Tobacco			0			0			0			0	3			3	1		1	2			1	2	7		9		0	6	8	1	15							
Liver Disease	Smoking and Chewing Tobacco			0			0			0			0				0			0	1			1	1			1		0	2			2							
Liver Disease	Chewing Tobacco and Arecanut			0			0			0			0				0			0				0		1	1		0		1		1		1						
Liver Disease	Smoking, Chewing Tobacco and Arecanut			0			0	1		1			0				0			0				0			0		0	1			1								

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Liver Disease	Only Drinking Alcohol			0			0	1		1	3		3	19	20		19	20		20	7		7	8		1	9		0	58		1	59								
Liver Disease	Smoking and Drinking Alcohol			0			0			0	8		8	16	1		17	18	1		19	7		7	8		8	1		1	2	58	2	1	61						
Liver Disease	Chewing Tobacco and Drinking Alcohol			0			0			0			0	1		1	2		2			0	2		2			0	4		1		5								
Liver Disease	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	2		2	3		3	2		1	3	2	1		3	1		1		0	10		1	1	12							
Liver Disease	Chewing Arecanut and Drinking Alcohol			0			0	1		1			0			0			0			0			0		0		0	1		1									
Liver Disease	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0			0	1		1			0			0			0	1		1		0	2		2								
Liver Disease	All Habits			0			0			0	1		1	1		1	1		1			0			0		0		0	3		3									
Liver Disease	TOTAL	7	6	1	14	3	3	6	18	9	27	70	14	84	165	34	5	204	192	56	8	256	102	40	3	145	213	140	15	368	5	2	1	8	775	304	33	1112			
Ulcer	Habit not Known			0	2	1	1	4	4	7	11	12	6	18	35	18		53	39	15	2	56	26	24		50	151	161	5	317			0	269	232	8	509				
Ulcer	Only Smoking			0			0			0	2		2	4		4	4		4	5		5	11	1	1	13			0	26	1	1	28								
Ulcer	Only Chewing Tobacco			0			0			0	1		1	2		2	1		1		2	1	2	7	1		8		0	10	4		14								
Ulcer	Smoking and Chewing Tobacco			0			0			0	1		1			0			0			0			0	2		1	3		0	3		1	4						
Ulcer	Only Chewing Arecanut			0			0			0			0			0			0			0			0	1	1		2		0	1	1	2							
Ulcer	Chewing Tobacco and Arecanut			0			0			0	1		1			0			0			0			0			0		0		1		1							
Ulcer	Only Drinking Alcohol			0			0			0	1		1	1		1	1		1	1		1			1	3		3		0	7		7								
Ulcer	Smoking and Drinking Alcohol			0			0	1		1	2		2	5		5	4		4			0	3		1	4		0	15		1	16									
Ulcer	Chewing Tobacco and Drinking Alcohol			0			0			0			0			0			0	1		1			0	1	1	2		0	2	1	3								
Ulcer	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0			0			1			0			0			0	2		2		0	3		3								

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Ulcer	TOTAL			0	2	1	1	4	5	7	12	18	8	26	48	18		66	50	15	2	67	32	26		58	181	165	8	354			0	336	240	11	587				
Appendicitis	Habit not Known	2	1	3		0	1	1	2	1	2	3	3	3	6	5	1		6	1		1	6	7	1	14			0	19	15	1	35								
Appendicitis	Only Smoking			0		0		0		0		0		0		0		0		0		0		0		4			0	4			4								
Appendicitis	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		1							
Appendicitis	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0		0		1		1		0		0		0		1		1							
Appendicitis	Smoking and Drinking Alcohol			0		0		0		0		0		0		1		1		1		1		0		0		0		0		2		2							
Appendicitis	TOTAL	2	1	3		0	1	1	2	1	2	3	4	3	7	6	1	7	1	1	2	10	8	1	19			0	25	17	1	43									
Syphilis and Genitourinary	Habit not Known			0	1		1		0		0		0		0	1	1	2		0		2		2		0	2	3		5											
Syphilis and Genitourinary	TOTAL			0	1		1		0		0		0		0	1	1	2		0		2		2		0	2	3		5											
Abortion	Habit not Known			0		0	1	1	1	1				0		0		0		0				0		0		0		2		2									
Abortion	Only Chewing Tobacco			0		0		0		0		0		0		0	1	1		0		0		0		0		0		1		1									
Abortion	TOTAL			0		0	1	1	1	1				0		0	1	1		0		0		0		0		0		3		3									
Pregnancy child birth	Habit not Known	5	5	2	2	5	5	5	5	0			0		0		0		0		1	1	1	1	1	0		14		14											
Pregnancy child birth	Only Chewing Tobacco			0		0	2	2	2			0		0		0		0		0		0		0		0		2		2											
Pregnancy child birth	TOTAL	5	5	2	2	7	7	0		0			0		0		0		0		1	1	1	1	0		16		16												
Birth injuries	Habit not Known	13	4	17	1	1		0		0			0		0		0		0		0		0		1	1	3	3		18	4	22									
Birth injuries	TOTAL	13	4	17	1	1		0		0			0		0		0		0		0		0		1	1	3	3		18	4	22									
Paralysis	Habit not Known	21	18	2	41	15	15	1	31	24	15	1	40	44	35	2	81	105	90	10	205	347	270	13	630	360	334	14	708	1963	3030	144	5137	11	14	6	31	2890	3821	193	6904
Paralysis	Only Smoking			0		0	1		1	1		1	14	1		15	24	1		25	20	1		21	111	5	2	118	2		2	173	8	2	183						
Paralysis	Only Chewing Tobacco			0		0		0		0		0	3	2		5	3	7		10	6	7		13	39	100	6	145		1	1	51	117	6	174						
Paralysis	Smoking and Chewing Tobacco			0		0	1		1			0		0		0	2		2	3		3	11			11		0	17			17									
Paralysis	Only Chewing Arecanut			0		0		0		0			0		0		0	1		1		0		0	5	8		13		0	6	8		14							

CRS-2006

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Paralysis	Smoking and Chewing Arecanut			0			0			0				0				0				0				0		1	1		2		0	1	1		2				
Paralysis	Chewing Tobacco and Arecanut			0			0			0				0				0				0				0		1	2	6		8		0	3	6		9			
Paralysis	Smoking, Chewing Tobacco and Arecanut			0			0			0				0				0				0				0		2		1	3		0	2		1	3				
Paralysis	Only Drinking Alcohol			0			0			0				0	1			1	1			1	4			4	8	1	1	10	1	1	15	1	1	17					
Paralysis	Smoking and Drinking Alcohol			0			0			0	1			1	7			7	8			8	11			11	26		1	27		0	53		1	54					
Paralysis	Chewing Tobacco and Drinking Alcohol			0			0			0	1			1	1			1				0	2			2	12	1		13		0	16	1		17					
Paralysis	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				0	1			1	2			2	2			2	11		1	12		0	16		1	17					
Paralysis	Chewing Arecanut and Drinking Alcohol			0			0			0				0				0	1			1				0				0		0	1		1						
Paralysis	Drinking, Chewing Tobacco and Arecanut			0			0			0				0				0	1			1				0	2			2		0	3		3						
Paralysis	All Habits			0			0			0				0	1			1				0				0	2			2		0	3		3						
Paralysis	TOTAL	21	18	2	41	15	15	1	31	26	15	1	42	47	35	2	84	133	93	10	236	390	278	13	681	409	342	14	765	2195	3152	156	5503	14	15	6	35	3250	3963	205	7418
Senility	Habit not Known	1			1				0	1			1	1			1	2	5		7	16	9		25	15	18		33	217	306	5	528	1		1	254	338	5	597	
Senility	Only Smoking			0			0			0				0				0	1			1	2			2	12			12		0	15		15						
Senility	Only Chewing Tobacco			0			0			0				0				0				0				0		8	12		20		0	8	12		20				
Senility	Only Chewing Arecanut			0			0			0				0				0				0				0		1	1		0		1		1						
Senility	Chewing Tobacco and Arecanut			0			0			0				0				0				0				0		3	3		0		3		3						
Senility	Only Drinking Alcohol			0			0			0				0				0				0				0	2			2		0	2		2						
Senility	Smoking and Drinking Alcohol			0			0			0				0				0				0				0	4			4		0	4		4						
Senility	Chewing Tobacco and Drinking Alcohol			0			0			0				0				0				0				0	2			2		0	2		2						

CRS-2006

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Senility	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0			0			0			0			0			0			0		1			1	0	1			1			
Senility	All Habits			0			0			0			0			0			0			0			0			0		1			1	0	1			1			
Senility	TOTAL	1		1		0	1	1	1	1	2	5		7	17	9		26	17	18		35	247	322	5	574	1	1	287	354	5	646									
Others	Habit not Known	736	587	81	1404	267	148	12	427	492	331	19	842	752	442	34	1228	1359	710	58	2127	1863	1043	70	2976	1334	968	81	2383	5197	5067	285	10549	48	49	58	155	12048	9345	698	22091
Others	Only Smoking	1		1	3	1	4	16		16	52	2	54	139	6	3	148	258	3	3	264	179	6	3	188	341	30	11	382	5	1	6	994	47	22	1063					
Others	Only Chewing Tobacco			0	2	1		3	5	4	9	2	5	1	8	13	8	1	22	20	23	1	44	18	19	1	38	102	133	11	246	2	1	1	4	164	194	16	374		
Others	Smoking and Chewing Tobacco			0	1		1	3		3	2		2	9	1		10	21			21	17	2		19	50	1	1	52			0	103	4	1	108					
Others	Only Chewing Arecanut			0			0	1	1	2	4	5		5		2	2	2		4	3	4		7	7	18		25			0	18	27	2	47						
Others	Smoking and Chewing Arecanut			0			0	1		1	1		1	1		1	1		1		1		0	4			4			0	8			8							
Others	Chewing Tobacco and Arecanut			0			0	1	1	2	2		2	4	4		8	1	4		5		5	3	5		8			1	1	11	19	1	31						
Others	Smoking, Chewing Tobacco and Arecanut			0			0	1		1	1		1		1		1	2	1		3			0	2	1		3			0	6	3		9						
Others	Only Drinking Alcohol			0	2		2	14		14	34	2	36	48		48	53		53	24	1		25	32	2	2	36	4		4	211	5	2	218							
Others	Smoking and Drinking Alcohol			0	3		3	22		22	76	1	1	78	135	1	2	138	188	3		191	85	4	2	91	121	3	2	126	4		4	634	12	7	653				
Others	Chewing Tobacco and Drinking Alcohol			0			0	2		2	5	1	6	10	1	1	12	13			13	4			4	26	3		29			1	1	60	5	2	67				
Others	Smoking, Chewing Tobacco and Drinking Alcohol			0			0	7		1	8	17	1	18	19		19	41		41	19			19	46	1	1	48			0	149	2	2	153						
Others	Chewing Arecanut and Drinking Alcohol			0			0	1		1	4		4			0	3		3		0			0			0	8			8										
Others	Smoking, Chewing Arecanut and Drinking Alcohol			0			0	3		3	2		2	3		3	1		2	3			0			0			0	9			2	11							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Others	Drinking, Chewing Tobacco and Arecanut					0				0	1		1	2	2		2	1		1					0	1		1	3			3		0	8		1	9			
Others	All Habits					0	1			1	3		3	4		1	5	9		9	10	1		11	2		2	5			5		0	34	1	1	36				
Others	TOTAL	737	587	81	1405	279	149	13	441	573	337	23	933	961	454	37	1452	1750	734	65	2549	2477	1080	76	3633	1686	1009	87	2782	5939	5264	313	11516	63	50	62	175	14465	9664	757	24886
Venomous Animals Bites/	Habit not Known	1	1			0	3			3	1		1	3	1	2	6	3		3	1			1	2	2		4	1		1	14	4	2	20						
Venomous Animals Bites/	Smoking and Drinking Alcohol			0			0			0			0		1		1			0				0			0		0	1			1								
Venomous Animals Bites/	Smoking, Chewing Arecanut and Drinking Alcohol			0			0	1		1			0				0			0				0			0		0	1			1								
Venomous Animals Bites/	TOTAL	1	1			0	4			4	1		1	4	1	2	7	3		3	1			1	2	2		4	1		1	16	4	2	22						
Burns(Accidental)	Habit not Known	4	2	1	7	2	25			27	7	25	1	33	8	18	2	28	5	6		11	10	9	1	20	1	4	5	9	12		21		0	46	101	5	152		
Burns(Accidental)	Only Smoking			0			0	1		1			0				0			0				1			1		0	2		1	3								
Burns(Accidental)	Only Chewing Tobacco			0			0			0			0		1		1			0				0			0		0		1		1								
Burns(Accidental)	Only Drinking Alcohol			0			0	1		1	1		1				0			0				0			0		0	2			2								
Burns(Accidental)	Smoking and Drinking Alcohol			0			0			0			0	1		1	1		1	2			2			0			0		0	4			4						
Burns(Accidental)	TOTAL	4	2	1	7	2	25			27	9	25	1	35	10	18	2	30	6	7		13	12	9	2	23	2	4	6	9	12		21		0	54	102	6	162		
Drowning, Falls	Habit not Known	41	18	1	60	82	15	1	98	105	29	4	138	91	27	4	122	122	27	7	156	63	23	2	88	35	21	56	70	70	3	143	1	1	2	610	231	22	863		
Drowning, Falls	Only Smoking			0			0	1		1	4		4	6			6	1		1	1			1	2		2		0	15			15								
Drowning, Falls	Only Chewing Tobacco			0			0			0			0				0			0				0			0		0		1		5	1	6						
Drowning, Falls	Only Chewing Areca nut			0	1		1			0			0			0			0				0	1		1		1		0	3			3							
Drowning, Falls	Chewing Tobacco and Areca nut			0			0			0			0			0			0				0	1		1		1		0	1		0	1							
Drowning, Falls	Only Drinking Alcohol			0	1		1	4		4	13		1	14	9		9	2		2	1			1			0		0		0	30		1	31						
Drowning, Falls	Smoking and Drinking Alcohol			0			0	3		3	14		14	8			8	4		4			0	2		2		0	31			31									
Drowning, Falls	Chewing Tobacco and Drinking Alcohol			0			0			0			0			0			0				0	1		1		0	1		0	1		1							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Drowning, Falls	Smoking, Chewing Tobacco and Drinking Alcohol					0		0	1		1	1		1	1		1	1		1	1		1		1		1		0		0		0		0		0		4		
Drowning, Falls	Chewing Arecanut and Drinking Alcohol					0		0	1		1	1		1			0		0		0		0		0		0		0		0		0		0		2				
Drowning, Falls	All Habits					0		0			0			0		1		1		1		1		1		1		0		0		0		0		0		2			
Drowning, Falls	TOTAL	41	18	1	60	84	15	1	100	115	29	4	148	124	27	5	156	147	27	7	181	72	24	2	98	39	21		60	76	74	4	154	1	1	2	699	236	24	959	
Poisoning	Habit not Known	9	11		20	18	20		38	46	31	2	79	76	27	1	104	90	18	1	109	61	16	2	79	14	6	1	21	24	9	5	38	1	1	2	339	138	13	490	
Poisoning	Only Smoking				0			0	2		2	5		5	7		7	6		6	3		3	3		3		3		0		26			26						
Poisoning	Only Chewing Tobacco				0			0	1		1		0		1		2	1		1		0		0		0		0		0		3		1		4					
Poisoning	Smoking and Chewing Tobacco				0			0			0		0			0		1		1		0		0		0		0		0		0		1		1					
Poisoning	Chewing Tobacco and Arecanut				0			0			0		0		1		1		0		0		0		0		0		0		0		1		1						
Poisoning	Smoking, Chewing Tobacco and Arecanut				0			0	1		1		0			0		0		0		0		0		0		0		0		0		1							
Poisoning	Only Drinking Alcohol			0	1		1	4		4	11		11	7		7	9		9	5		5	2		2		2		0		39		39								
Poisoning	Smoking and Drinking Alcohol			0	3		3	1		1	10		1	11	16	1	17	12		12	1		1	5		5		0		48	1	1	50								
Poisoning	Chewing Tobacco and Drinking Alcohol			0			0			0			0			0		1		1		0		0		0		0		0		1		1							
Poisoning	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	1		1	3		3	3		3	2		2	1		1		0		0		0		10								
Poisoning	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0	1		1			0	1		1		0		0		0		0		0		0		2								
Poisoning	TOTAL	9	11		20	22	20		42	55	31	2	88	104	27	2	133	125	20	1	146	95	16	2	113	25	6	1	32	35	9	5	49	1	1	2	471	140	14	625	
Accident (Traffic/Vehicles)	Habit not Known	49	38	1	88	123	19	4	146	259	26	15	300	186	38	6	230	185	37	6	228	144	30	5	179	61	25	1	87	100	45	4	149	6	3	3	12	1113	261	45	1419
Accident (Traffic/Vehicles)	Only Smoking			0	1		1	6		6	2		2	2		2	7		7	2		2	1		1		0		21			21									

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total								
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42					
Accident (Traffic/Vehicles)	Only Drinking Alcohol			0			0	3		3	2		2	2		2		0	1		1	2	1		1		1		0	9		1	10													
Accident (Traffic/Vehicles)	Smoking and Drinking Alcohol			0	1		1	1		1	2	3		3	2		2		0		0		0		0		0		0	7		1	8													
Accident (Traffic/Vehicles)	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0	2		2		0		0		0		0		0		0	2		2														
Accident (Traffic/Vehicles)	TOTAL	49	38	1	88	125	19	4	148	269	26	16	311	193	38	6	237	193	37	6	236	151	30	5	186	64	25	2	91	102	45	4	151	6	3	3	12	1152	261	47	1460					
Other Accidents	Habit not Known	68	36	2	106	103	28	3	134	158	49	8	215	160	36	8	204	173	53	6	232	121	37	5	163	24	26	2	50	96	94	10	200	5	4	3	12	908	363	45	1316					
Other Accidents	Only Smoking			0			0	6		6	7		7	6		6	3		3	1		1	5		1	5		5		0	28		28													
Other Accidents	Only Chewing Tobacco			0			0		0	1		1		1		1	1	1	1		2	1		1	3		3		0	6	1	1	8													
Other Accidents	Smoking and Chewing Tobacco			0			0	1		1		0		0		0		0		0		0		0		0		0	1		1															
Other Accidents	Only Chewing ArecaNut			0			0		0	1		1		1		1		0	1		1		0		0		0		0	2		2														
Other Accidents	Smoking and Chewing ArecaNut			0			0	1		1		0		0		0		0		0		0		0		0		0	1		1															
Other Accidents	Smoking, Chewing Tobacco and ArecaNut			0			0		0		0		0		0		0	1		1		0		0		0		0	1		1															
Other Accidents	Only Drinking Alcohol			0			0	4		4	6		6	6	1	1	8	4		4	1		1		1	1	1	1	22	2	1	25														
Other Accidents	Smoking and Drinking Alcohol			0			0	2		2	12		2	14	12		12	5		5	1		1	5		5	1	1	1	38	2	2	40													
Other Accidents	Chewing Tobacco and Drinking Alcohol			0			0		0		0		0	1		1		0		0		0		0		0		0	1		1															
Other Accidents	Smoking, Chewing Tobacco and Drinking Alcohol			0			0		0		0	1		1	1		1		0		0		0		0		0		0	2		2														
Other Accidents	Smoking, Chewing ArecaNut and Drinking Alcohol			0			0		0		0	1		1		0		0		0		0		0		0		0	1		1															
Other Accidents	All Habits			0			0		0		0		0	1		1		0		0		0		0		0		0	1		1															

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total				
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
Other Accidents	TOTAL	68	36	2	106	103	28	3	134	172	49	8	229	189	36	10	235	200	54	8	262	136	38	5	179	28	26		54	109	95	10	214	7	4	3	14	1012	366	49	1427	
Suicide	Habit not Known	23	21		44	235	214	10	459	468	223	25	716	530	178	27	735	563	154	23	740	379	109	20	508	151	46	6	203	246	114	16	376	16	8	3	27	2611	1067	130	3808	
Suicide	Only Smoking				0	4			4	23			23	29	1	3	33	32	1	1	34	21			21	10			10	15		3	18	3		3	137	2	7	146		
Suicide	Only Chewing Tobacco				0	1			1	1			1	2	1		3	5	5		10	3	1		4				0	4	2	1	7		0	16	9	1	26			
Suicide	Smoking and Chewing Tobacco				0				0	1			1				0	3			3	1			1				0	2			2		0	7		7				
Suicide	Only Chewing ArecaNut				0				0				0	1			1				0				0				0	3			3		0	3	1		4			
Suicide	Smoking and Chewing ArecaNut				0				0				0	1			1				1				0				0				0	2			2					
Suicide	Smoking, Chewing Tobacco and ArecaNut				0				0				0				0				0	2			2				0				0	2		2						
Suicide	Only Drinking Alcohol				0	4			4	31			1	32	52	1	2	55	52	2		54	28			28	10			1	11	12			12	1		1	190	3	4	197
Suicide	Smoking and Drinking Alcohol				0	3			3	32			1	33	86	2		88	77	2		79	33			3	36	12			12	7		7	4	1	5	254	2	7	263	
Suicide	Chewing Tobacco and Drinking Alcohol				0	1			1	3			3	2	1		3	4			4	5			5	2			2	3		3	1		1	21	1		22			
Suicide	Smoking, Chewing Tobacco and Drinking Alcohol				0				0	1			1	14			14	5			5	7			7	2			2	4		4		0	33		33					
Suicide	Chewing ArecaNut and Drinking Alcohol				0	2			2	3	1		4				0				0				0				0			0	5	1		6						
Suicide	Smoking, Chewing ArecaNut and Drinking Alcohol				0				0	1			1	2			2	2			1	3	1			1			0			0	6		1	7						
Suicide	Drinking, Chewing Tobacco and ArecaNut				0				0				0	2			2				0				0				0			0	2		2							
Suicide	All Habits				0	1			1	3			3	2			2	2			2				2	2	1		1	1		1	2		0	10		3	13			
Suicide	TOTAL	23	21		44	251	214	10	475	568	224	27	819	722	185	32	939	745	162	27	934	478	112	25	615	188	46	7	241	297	116	21	434	25	8	4	37	3297	1088	153	4538	
Homicide	Habit not Known	7	7		14	2	3		5	12	4	1	17	19	7	1	27	15	7	1	23	7	3		10	1	2		3	7	11		18		0	70	44	3	117			
Homicide	Only Smoking				0				0	2			2	1			1	1			1	3			3	1			1	1		1		0	9		9					

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Homicide	Only Chewing Tobacco			0			0			0			0			0			0			0			0			0		1		1		0		1		1			
Homicide	Only Drinking Alcohol			0			0	1		1	3		3			0			0			0			0			0		0		0		4							
Homicide	Smoking and Drinking Alcohol			0			0	2		2	1		1	3		3			0			0			0			0		0		6									
Homicide	Chewing Tobacco and Drinking Alcohol			0			0			0	1		1			0			0			0			0			0		0		1			1						
Homicide	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0			0			0	1		1			0			0			0		0		1			1						
Homicide	Drinking, Chewing Tobacco and Arecanut			0			0	1		1			0			0			0			0			0			0		0		1			1						
Homicide	TOTAL	7	7	14	2	3	5	18	4	1	23	25	7	1	33	19	7	1	27	11	3		14	2	2	4	8	12		20		0	92	45	3	140					
AIDS	Habit not Known	2	2	4			0	10	8	1	18	25	7	2	34	7	3	2	12	2	1		3	1		1	2		2		3	3	47	23	7	77					
AIDS	Only Smoking			0			0	1		1			0		1			1	1			1			0			0		1	1	3		1	4						
AIDS	Only Drinking Alcohol			0			0			0	1		1			0			0			0			0			0		0		1			1						
AIDS	Smoking and Drinking Alcohol			0			0	1		1			0			0			0			0			0			0		0		1			1						
AIDS	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	1		1			0			0			0			0			0		0		1			1						
AIDS	Drinking, Chewing Tobacco and Arecanut			0			0			1	1		0			0			0			0			0			0		0		0		1	1						
AIDS	TOTAL	2	2	4			0	12	8	1	21	27	7	2	36	8	3	2	13	3	1		4	1		1	2		2		4	4	53	23	9	85					
Old Age	Habit not Known			0			0			0			0		33	27	5	65	239	219	15	473	359	389	18	766	6227	8401	401	15029	16	27	19	62	6874	9063	458	16395			
Old Age	Only Smoking			0			0			0			0		1		1	29		1	30	36	3	1	40	364	22	12	398	1		1	430	26	14	470					
Old Age	Only Chewing Tobacco			0			0			0			0		1	1		2	2	2		4	2	7		9	138	211	14	363	1	2	3	143	222	16	381				
Old Age	Smoking and Chewing Tobacco			0			0			0			0			0	1		1	1		1	1		1	50	1	2	53		0	52	1	2	55						
Old Age	Only Chewing Areca nut			0			0			0			0			0			0			0			0	9	19		28		0	9	19		28						
Old Age	Chewing Tobacco and Areca nut			0			0			0			0			0	1		1		2	2	13	24	1	38		0	14	26	1	41									

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Old Age	Smoking, Chewing Tobacco and Areca nut			0			0			0			0	1			1				0			0			0	1	1		2		0	2	1		3				
Old Age	Only Drinking Alcohol			0			0			0			0				0				0			0	4			4	46	1	2	49		0	50	1	2	53			
Old Age	Smoking and Drinking Alcohol			0			0			0			0				0	13			13	10			10	90	1	4	95	1		1	114	1	4	119					
Old Age	Chewing Tobacco and Drinking Alcohol			0			0			0			0				0				0	2			2	23			23		0	25			25						
Old Age	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0			0				0				1	1	2			2	15		1	16		0	17		2	19					
Old Age	Chewing Areca nut and Drinking Alcohol			0			0			0			0				0				0			0			0	1	1		0	1	1	1		1					
Old Age	Smoking, Chewing Areca nut and Drinking Alcohol			0			0			0			0				0				0			0			0	2			2	0	2			2					
Old Age	All Habits			0			0			0			0				0				0			0			0	6		2	8		0	6		2	8				
Old Age	TOTAL			0			0			0			0				0	35	29	5	69	285	221	17	523	416	401	19	836	6984	8682	439	16105	18	28	21	67	7738	9361	501	17600
Hysteria	Habit not Known	5	2	7	3	3	2	8	7	2	1	10	6	3	2	11	4	3		7	5	6	1	12		2		2	13	14	1	28	1	2	1	44	35	7	86		
Hysteria	Only Smoking			0			0	2		2			0				1	1			0			1			0			0	2	1	1	4							
Hysteria	Smoking and Chewing Tobacco			0			0			0			0				0				0			0			0	1			1	0	1		1						
Hysteria	TOTAL	5	2	7	3	3	2	8	9	2	1	12	6	3	2	11	4	3	1	8	5	6	1	12		3		3	14	14	1	29	1	1	47	36	8	91			
Premature	Habit not Known	26	26	6	58			0			0			0			0			0			0			0			0	26	26	6	58								
Premature	TOTAL	26	26	6	58			0			0			0			0			0			0			0			0	26	26	6	58								
Blood Pressure	Habit not Known	7	8	15	3	6	9	10	11	1	22	23	25	1	49	72	85	1	158	221	206	18	445	202	275	13	490	1117	1789	83	2989	7	5	5	17	1662	2410	122	4194		
Blood Pressure	Only Smoking			0			0	1		1	2		2	5			5	26	2	2	30	23	2		25	69	3		72		0	126	7	2	135						
Blood Pressure	Only Chewing Tobacco			0			0			0			0				0	3	4		7	4	5	1	10	2	12		14	28	77	2	107	1	1	2	38	99	3	140	
Blood Pressure	Smoking and Chewing Tobacco			0			0			0			0	1			1	5			5	2			2	11			11		0	19			19						
Blood Pressure	Only Chewing Areca nut			0			0			0			0				0	1	1		2	1			1	3	6		9		0	5	7		12						

CRS-2006

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total				
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
Blood Pressure	Smoking and Chewing Arecanut			0			0			0			0				0				0		1			1			0		0	1						1				
Blood Pressure	Chewing Tobacco and Arecanut			0			0			0			0				0				0		0			0		3		3		0		3		3		3				
Blood Pressure	Smoking, Chewing Tobacco and Arecanut			0			0			0			0				0				0		0			0		1		1		0		1		1		1				
Blood Pressure	Only Drinking Alcohol		0		0		0			0		1		1	4			4	1			1	10			10			0	16			16									
Blood Pressure	Smoking and Drinking Alcohol		0		0		0	2		2	6		1	7	10		1	11	8			8	23			23			0	49		2	51									
Blood Pressure	Chewing Tobacco and Drinking Alcohol		0		0		0			0		0		0			0		1			1	8			8			0	9			9									
Blood Pressure	Smoking, Chewing Tobacco and Drinking Alcohol		0		0		0			0		0		0			0	1			1	1			1	4		2	6		0	6		2	8							
Blood Pressure	Smoking, Chewing Arecanut and Drinking Alcohol		0		0		0			0		0		0			0	1			1				0			0		0	1			1								
Blood Pressure	All Habits		0		0		0			0		0		1		1	1			1				0	1		1		0	3			3									
Blood Pressure	TOTAL	7	8	15	3	6	9	11	11	1	23	27	25	1	53	89	89	2	180	274	214	22	510	242	289	13	544	1275	1878	87	3240	8	6	5	19	1936	2526	131	4593			
Kidney Trouble	Habit not Known	7	7	4	18	9	6	15	42	27	4	73	61	46	3	110	130	90	4	224	194	132	11	337	131	84	5	220	501	299	22	822	5	4	3	12	1080	695	56	1831		
Kidney Trouble	Only Smoking		0		0	1		1	3		3	13		1	14	17			17	10			10	27	1		28			0	71	1	1	73								
Kidney Trouble	Only Chewing Tobacco		0		0		0			0		0		0			0	2	2		4	3	1		4	11	9	1	21			0	16	12	1	29						
Kidney Trouble	Smoking and Chewing Tobacco		0		0		0			0		0		0			0				0	1			1	1		1	2		0	2		1	3							
Kidney Trouble	Only Chewing Areca nut		0		0		0			0		0		0			1			0				0		1		1		0	1	1		0	1	1	2					
Kidney Trouble	Chewing Tobacco and Areca nut		0		0		0			0		0		0			0				0				0	3	3	6		0	3	3		6		6						
Kidney Trouble	Only Drinking Alcohol		0		0		0			0	2		2	1		1	2			2	2			2	6		6		0	13			13									
Kidney Trouble	Smoking and Drinking Alcohol		0		0		0			0	1		1	8		1	9	5	1	6	4			4	12		1	13		0	30	1	2	33								

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total						
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42			
Kidney Trouble	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		1						
Kidney Trouble	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		1								
Kidney Trouble	All Habits			0		0		0		0		0		0		3		3		1		1		1		0		1		1		0		5		5								
Kidney Trouble	TOTAL	7	7	4	18	9	6	15	43	27	4	74	67	46	3	116	156	90	6	252	221	135	11	367	151	85	5	241	564	313	25	902	5	4	3	12	1223	713	61	1997				
Not Stated	Habit not Known	45	30	6	81	21	12	33	50	15	1	66	59	27	3	89	107	46	3	156	146	65	6	217	88	79	10	177	357	417	27	801	4	4	4	12	877	695	60	1632				
Not Stated	Only Smoking			0		0		2		2		4		4		3		1		4		10		1		11		4		4		25		1		26		0		48		1		51
Not Stated	Only Chewing Tobacco			0		0		0		0		0		0		0		0		2		1		3		2		2		7		6		13		0		9		9		18		
Not Stated	Smoking and Chewing Tobacco			0		0		0		0		0		0		1		1		1		1		0		2		0		2		2		0		4		4		4				
Not Stated	Only Chewing ArecaNut			0		0		0		0		0		0		0		0		0		0		0		0		2		0		2		3		0		2		3		5		
Not Stated	Smoking and Chewing ArecaNut			0		0		0		0		0		0		0		1		1		1		0		0		0		0		0		1		0		1		1				
Not Stated	Chewing Tobacco and ArecaNut			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0		0		1		1						
Not Stated	Only Drinking Alcohol			0		0		0		3		3		3		3		6		6		1		7		0		2		2		2		1		1		14		2		16		
Not Stated	Smoking and Drinking Alcohol			0		0		2		2		2		6		14		14		2		2		8		1		9		0		34		1		35								
Not Stated	Chewing Tobacco and Drinking Alcohol			0		0		0		0		1		1		1		2		2		0		1		1		0		3		1		4										
Not Stated	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		2		2		2		1		1		3		1		4		0		6		1		7				
Not Stated	Chewing ArecaNut and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		0		1		1						
Not Stated	Drinking, Chewing Tobacco and ArecaNut			0		0		1		1		0		0		0		0		0		0		0		0		0		0		0		0		1								
Not Stated	All Habits			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		1								
Not Stated	TOTAL	45	30	6	81	21	12	33	55	15	1	71	68	27	3	98	121	46	4	171	183	67	8	258	95	81	10	186	409	428	29	866	4	4	5	13	1001	710	66	1777				

TABLE 34-b
Deaths by Selected Cause of Death, Age, Sex and Habit (Urban)

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Cholera	Habit not Known	1	1			0		0		0		0		0	1		1		0		0		0		2		2	1		1		0	2	3		5					
Cholera	Only Smoking			0		0		0		0		0		0		0		0	1		1		1		0		0		0	1		1		0	1		1				
Cholera	Chewing Tobacco and Drinking Alcohol			0		0		0		0	1		1		0		0		0		0		0		0		0		0		0	1		1		0	1		1		
Cholera	TOTAL	1	1			0		0		0	1		1	1		1	1		1	1		1		2		2	1		1		0	4	3		7						
Typhoid	Habit not Known			0		0		0		0		0		0	2	1	3	1	1	2		2		2	3	6		9		0	6	10		16							
Typhoid	Only Smoking			0		0		0		0		0		0		0		0	1		1		0		0		0	1		1		0	1		1		1				
Typhoid	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1		0	1		1				
Typhoid	TOTAL			0		0		0		0		0		0	2	1	3	2	1	3		2		2	4	6		10		0	8	10		18							
Food Poisoning	Habit not Known	1		1	1	1	1	1		2	2	1		3	3	2		5	2		2		1	1	2	1		3		0	11	7		18							
Food Poisoning	Only Smoking			0		0		0		0		0		0		0		0	1		1		0		0		0	1		1		0	1		1		1				
Food Poisoning	Smoking and Drinking Alcohol			0		0	1		1		0		0	1		1	2		2	1		1		0		0	5		5		0	5		5		5					
Food Poisoning	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0	1		1		0		0		0	1		1		0	1		1		1				
Food Poisoning	TOTAL	1		1	1	1	2	1		3	2	1		3	4	2		6	6		6	1	1	2	2	1		3		0	18	7		25							
Dysentery	Habit not Known	4	1	5	1	1	1	1		1	1	4		4		1	1	4	2		6	1		1	5	7		12		0	18	13		31							
Dysentery	Only Smoking			0		0		0		0		0		0		0		0	1		1		0	2		2		0	3		3		0	3		3					
Dysentery	TOTAL	4	1	5	1	1	1	1		1	1	4		4		1	1	5	2		7	1		1	7	7		14		0	21	13		34							
Tuberculosis	Habit not Known	2	1	3	1	1	2	8		10	9	3		12	19	7		26	17	7		24	9	5		14	30	4		34	1		1	89	36		125				
Tuberculosis	Only Smoking			0		0	1		1		0		0	4		4	4		4	7		7	9	1		10		0	25	1		26		0	25	1	26				
Tuberculosis	Only Chewing Tobacco			0		0	1	1		2		0		0		0		1	1		0		0		0		0	1	2		3		0	1	2		3				
Tuberculosis	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0	1	1		2	1		1	1		1		0	3	1		4		4					
Tuberculosis	Only Drinking Alcohol			0		0	1		1		0		0	2		2	1		1		0	1		0	1		1		0	5		5		5							
Tuberculosis	Smoking and Drinking Alcohol	1		1		0	1		1	5		5	12		12	7		7	1		1		0		0	1		0	27		27		27								
Tuberculosis	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1		1							
Tuberculosis	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0	2		2		0	3		3	1		1		0		0	6		6		6		6		6							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Tuberculosis	Chewing Areca nut and Drinking Alcohol			0			0			0				0				0				0	1			1				0		0	1			1					
Tuberculosis	All Habits			0			0			0	1			1	1			1	2			2				0			0	0	4			4							
Tuberculosis	TOTAL	3	1	4		1	1	6	9	15	17	3		20	38	7		45	35	9		44	20	5		25	42	5		47	1		1	162	40		202				
Leprosy	Habit not Known			0			0			0				0				0	1			1				0	1			1		0	2		2						
Leprosy	TOTAL			0			0			0				0				0	1			1				0	1			1		0	2		2						
Diphtheria	Habit not Known			0	1	1				0				0				0	5	1		6				0	2	5		7		0	7	7		14					
Diphtheria	TOTAL			0	1	1				0				0				0	5	1		6				0	2	5		7		0	7	7		14					
Whooping cough	Habit not Known			0			0			0				0				0				0				0	2	2			0	2		2							
Whooping cough	TOTAL			0			0			0				0				0				0				0	2	2			0	2		2							
Tetanus	Habit not Known	1	1	1	1					0				0				1	1	3	1	4		1	1	1		1	1	1		0	3	6		9					
Tetanus	TOTAL	1	1	1	1					0				0				1	1	3	1	4		1	1	1		1	1	1		0	3	6		9					
Poliomyelitis	Habit not Known			0			0			0				0				0		1		1				0	1	3		4		0	1	4		5					
Poliomyelitis	TOTAL			0			0			0				0				0		1		1				0	1	3		4		0	1	4		5					
Measles	Habit not Known	3	1	4			0			0	3			3	1			1				0	1	1		2		2		0	8	4		12							
Measles	TOTAL	3	1	4			0			0	3			3	1			1				0	1	1		2		2		0	8	4		12							
Rabies	Habit not Known			0			0	1		1	1	1		2		1	1	1			1	3			3	1			1		0	7	2		9						
Rabies	Smoking and Drinking Alcohol			0			0			0	1			1	1			1				0				0		0		0	2		2								
Rabies	TOTAL			0			0	1		1	2	1		3	1	1		2	1			1	3			3	1			1		0	9	2		11					
Malaria	Habit not Known		0	1		1	1			1		1		1	3			3	2			2		1	1	1		1		0	8	2		10							
Malaria	TOTAL		0	1		1	1			1		1		1	3			3	2			2		1	1	1		1		0	8	2		10							
Cancer	Habit not Known	40	33		73	31	21		52	48	51		99	98	154		252	221	208		429	337	261		598	205	141		346	397	313		710	2	2		4	1379	1184		2563
Cancer	Only Smoking			0			0	1		1	8			8	50			50	89			89	48			48	73			73		0	269			269					
Cancer	Only Chewing Tobacco			0			0			0	1			1	6	2		8	2	5		7	5	6		11	4	19		23		0	18	32		50					
Cancer	Smoking and Chewing Tobacco			0			0			0				0	3			3	4			4	5	1		6	7			7		0	19	1		20					
Cancer	Only Chewing Areca nut			0			0			0				0	1			1	2			2		2		2		0		0	5		5								
Cancer	Smoking and Chewing Areca nut			0			0			0				0				0	1			1				0		0		0	1		1								
Cancer	Chewing Tobacco and Areca nut			0			0			0				0				0	1	1	2		0		1	1		0	1	2		3									
Cancer	Smoking, Chewing Tobacco and Areca nut			0			0			0				0				0	1		1		0		1		0		0	1		1									

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Cancer	Only Drinking Alcohol			0			0			0	4			4	5			5	10			10	4			4	5			5			0	28			28				
Cancer	Smoking and Drinking Alcohol			0			0			0	8			8	41			41	63			63	13			13	30			30		0	155			155					
Cancer	Chewing Tobacco and Drinking Alcohol			0			0			0				0	1			1	2			2				0			0	0	3			3							
Cancer	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				0	2			2	5			5				0	6			6		0	13			13					
Cancer	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0				0	2			2				0				0			0	0	2			2							
Cancer	Drinking, Chewing Tobacco and Arecanut			0			0			0	1			1	1			1	1			1				0			0	0	3			3							
Cancer	All Habits			0			0	1		1	1			1	2			2	2			2	2			2	2			2		0	10			10					
Cancer	TOTAL	40	33	73	31	21	52	50	51	101	121	154		275	335	210		545	520	267		787	284	148		432	524	333		857	2	2	4	1907	1219	3126					
Diabetes	Habit not Known	3	3	2	2	4	5	6	11	11	6	17	62	56	118	137	116	253	78	97	175	217	283	500			0	512	569	1081											
Diabetes	Only Smoking			0			0			0	1			1	7			7	16			16	11	1		12	21			21		0	56	1	57						
Diabetes	Only Chewing Tobacco			0			0			0				0				0		2		2	1	1		2	4	4	8		0	5	7	12							
Diabetes	Only Chewing Arecanut			0			0			0				0	2			2				0				0	1	3	4		0	3	3	6							
Diabetes	Chewing Tobacco and Arecanut			0			0			0				0				0				0				0	1	1		0	1	1	1								
Diabetes	Only Drinking Alcohol			0			0	1		1				0				0	1			1				0	3		3		0	5		5							
Diabetes	Smoking and Drinking Alcohol			0			0	1		1	2			2	4			4	10			10	10			10			0	37			37								
Diabetes	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				0				0	1			1				0			0	1		1									
Diabetes	All Habits			0			0			0				0	1			1				0				0			0	1		1									
Diabetes	TOTAL	3	3	2	2	4	7	6	13	14	6	20	76	56	132	165	118	283	100	99	199	256	291	547			0	620	581	1201											
Anaemia's	Habit not Known	4	7	11			0	2		2	5	1	6	6	2	8	6	2	1	9	3	4	7	12	22	34			0	38	38	1	77								
Anaemia's	Only Smoking			0			0	1		1			0			0			0			0	1			1		0	2		2										
Anaemia's	Only Chewing Tobacco			0			0			0				0			0				0	1			1	2	2	4		0	3	2	5								
Anaemia's	Only Chewing Arecanut			0			0			0				0			0	1			1				0			0	1		1										

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Anaemia's	Smoking and Drinking Alcohol			0			0			0				0				0				0				0				0				0				1			
Anaemia's	TOTAL	4	7		11			0	3		3	5	1	6	6	2	8	7	2	1	10	4	4	8	16	24		40			0	45	40	1	86						
Meningitis	Habit not Known	7	7		14		2	2	4	4	8	3	2	5	5	6	11	3	9	12	4	3	7	5	11	16		0	31	44		75									
Meningitis	Only Smoking			0			0			0	1		1	3			3			0			0			0			0	4			4								
Meningitis	Smoking and Chewing Tobacco			0			0			0				0			0				0			0	1		1		0	1			1								
Meningitis	Chewing Tobacco and Drinking Alcohol			0			0			0				0	1		1			0			0			0			0	1			1								
Meningitis	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				0			0	1		1			0			0			0	1			1								
Meningitis	All Habits			0			0			0	1		1	1		1			0			0			0			0	2			2									
Meningitis	TOTAL	7	7		14		2	2	4	4	8	5	2	7	10	6	16	4	9	13	4	3	7	6	11	17		0	40	44		84									
Heart Attack	Habit not Known	470	391	8	869	134	104	238	256	214	470	516	326	842	1350	758	2108	2478	1340	1	3819	1649	1109	1	2759	5293	4476	9769	3	3	6	12149	8721	10	20880						
Heart Attack	Only Smoking			0	2		2	21		21	86		86	266	2	268	432	3	435	251	4	255	563	8	571			0	1621	17		1638									
Heart Attack	Only Chewing Tobacco			0			0	2	1	3	2	2	4	8	5	13	20	19	39	20	28	48	89	133	222		0	141	188		329										
Heart Attack	Smoking and Chewing Tobacco			0			0			0	4		4	10		10	24		24	23	2	25	41	2	43			0	102	4		106									
Heart Attack	Only Chewing Areca nut			0			0			0	1		1	2		2	5	1	6	4	2	6	11	17	28		0	23	20		43										
Heart Attack	Smoking and Chewing Areca nut			0			0			0			0	1		1	4		4	1		1	10	1	11		0	15	2		17										
Heart Attack	Chewing Tobacco and Areca nut			0			0	1		1	1		1	1	1	1	3	1	4	2	2	9	8	17		0	14	12		26											
Heart Attack	Smoking, Chewing Tobacco and Areca nut			0			0			0	1		1	3		3	2		2	1		1	5		5		0	12			12										
Heart Attack	Only Drinking Alcohol			0			0	6		6	27	1	28	48	1	49	69		69	21		21	47	1	48		0	218	3		221										
Heart Attack	Smoking and Drinking Alcohol			0	1		1	14		14	90		90	189	1	190	281		281	111		111	156	1	157		0	842	2		844										
Heart Attack	Chewing Tobacco and Drinking Alcohol			0			0	1		1	1		1	7	1	8	14		14	1		1	9	2	11		0	33	3		36										

CRS-2006

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Heart Attack	Smoking, Chewing Tobacco and Drinking Alcohol			0			0	2		2	7		7	26		26	28		28	15		15	44		44			0	122			122									
Heart Attack	Chewing Areca nut and Drinking Alcohol			0			0	2		2			0	1		1	3		3	2		2	1		1			0	9			9									
Heart Attack	Smoking, Chewing Areca nut and Drinking Alcohol			0			0			0			0	3		3	7		7	4		4			0		0	14			14										
Heart Attack	Drinking, Chewing Tobacco and Areca nut	1		1		0	1		1	3		3	2		2	3		3	1		1	1	2		3			0	12	2		14									
Heart Attack	All Habits			0		0	1		1	4		4	11		11	7		7	2		2	13	1		14			0	38	1		39									
Heart Attack	TOTAL	471	391	8	870	137	104	241	307	215	522	743	329	1072	1927	769	2696	3380	1364	1	4745	2105	1148	1	3254	6292	4652	10944	3	3	6	15365	8975	10	24350						
Pneumonia	Habit not Known	60	48	108	13	12	25	18	14	32	29	21	50	41	35	76	60	56	116	33	24	57	163	130	293			0	417	340		757									
Pneumonia	Only Smoking			0			0			0	5		5	10		10	26		26	7		7	19		19			0	67			67									
Pneumonia	Only Chewing Tobacco			0			0			0			0	1		1	3		3	1	2		3		3			0	5	5		10									
Pneumonia	Smoking and Chewing Tobacco			0			0			0			0			0	3		3	2		2	2		2			0	7			7									
Pneumonia	Only Chewing Areca nut			0			0			0			0	1	1	2			0	1	1			0			0	1	2		3										
Pneumonia	Smoking and Chewing Areca nut			0			0			0	1		1		0			0	1	1			0			0	1	1		2											
Pneumonia	Chewing Tobacco and Areca nut			0			0			0			0	1		1		0			0	2	1		3			0	3	1		4									
Pneumonia	Only Drinking Alcohol			0			0	2		2	4		4	3	1	4	1		1	3	1		4	2		2			0	15	2		17								
Pneumonia	Smoking and Drinking Alcohol			0			0	2		2	1		1	10		10	10		10	3		3	6		6			0	32			32									
Pneumonia	Chewing Tobacco and Drinking Alcohol			0			0			0	1		1		0			0			0			0			0	1			1										
Pneumonia	Smoking, Chewing Tobacco and Drinking Alcohol			0			0	1		1			0			0			0			0			0			0	1			1									
Pneumonia	Chewing Areca nut and Drinking Alcohol			0			0			0			0			0	1		1		0	1		1			0	2			2										

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Pneumonia	Smoking, Chewing Arecanut and Drinking Alcohol			0		0		0		0		0		0	1		1		0		0		0		0		0		0		0		0	1		1					
Pneumonia	All Habits			0		0		0		0	1		1		0	1		0		0		0		0		0		0	1		1		0	3		3					
Pneumonia	TOTAL	60	48	108	13	12	25	23	14	37	42	21	63	68	37	105	105	56	161	49	29	78	196	134	330				0	556	351		907								
Influenza	Habit not Known			0	1	1	2	1	3	4		4	3		3	4	2	6		3	3	4	10		14			0	17	17		34									
Influenza	Only Smoking			0		0		0	2		2	2		2	1		1		0		0		0		0		0	5		5											
Influenza	TOTAL			0	1	1	2	1	3	6		6	5		5	5	2	7		3	3	4	10		14			0	22	17		39									
Asthma	Habit not Known	114	97	1	212	27	18	45	35	35	70	64	58	122	211	128	339	400	249	649	336	226	562	1318	1349	2667	1	1	2505	2161	1	4667									
Asthma	Only Smoking			0		0	1		1	11		11	37		37	86		86	70	2	72	146	1	147			0	351	3	354											
Asthma	Only Chewing Tobacco			0		0		0		0	1	1		2	1	2	3	1	4		5	5	6	11	16	24	40		0	24	37		61								
Asthma	Smoking and Chewing Tobacco			0		0		0		0		0		0	1		1	4		4	2		2	15		15		0	22		22										
Asthma	Only Chewing ArecaNut			0		0		0		0		0		0		0		0	2		2	1		1	2		0	1	4		5										
Asthma	Smoking and Chewing ArecaNut			0		0		0		0		0		0	2		2		0		0		0		0		0	2		2											
Asthma	Chewing Tobacco and ArecaNut			0		0		0		0		0		0		0	1		1		0		1		1		0	1	1		2										
Asthma	Smoking, Chewing Tobacco and ArecaNut			0		0		0		0		0		0		0		0	3		3		0		0		0	3		3											
Asthma	Only Drinking Alcohol			0		0		0	2		2	5		5	6		6	5		5	8	1	9			0	26	1	27												
Asthma	Smoking and Drinking Alcohol			0		0	1		1	10		10	29		29	47		47	26	1	27	28		28			0	141	1	142											
Asthma	Chewing Tobacco and Drinking Alcohol			0		0		0	1		1	4		4	1		1		0	4	1	5			0	10	1	11													
Asthma	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0	1		1	7		7	3		3	2		2	9		9			0	22		22												
Asthma	Smoking, Chewing Arecanut and Drinking Alcohol			0	1		1		0	1		1	1		1	2		2		0			0		0	5		5													
Asthma	Drinking, Chewing Tobacco and Arecanut			0		0		0		0		0		0	2		2		0		0		0		0	2		2													
Asthma	All Habits			0		0	1		1	1		1		0	2		2	2		2	5		5			0	11		11												

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Asthma	TOTAL	114	97	1	212	28	18	46	38	35	73	92	59	151	298	130	428	555	255	810	452	235	687	1549	1379	2928	1	1	3126	2209	1	5336									
Jaundis	Habit not Known	3	10		13	3	3	8	3	11	8	5	13	19	2	21	18	4	22	8	3	11	9	18	27			0	73	48		121									
Jaundis	Only Smoking			0		0		0		0	2		2	1		1	2		2	3		3	1		1		0	9		9											
Jaundis	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		2		0	2		2										
Jaundis	Smoking and Chewing Tobacco			0		0	1		1		0		0		0		0		0		0		0		0		0	1		1											
Jaundis	Only Chewing Areca nut			0		0	1		1		0		1		1		1		0		0		0		0		0	1		1											
Jaundis	Only Drinking Alcohol			0		0	2		2	1		1	1		1		0		0		0		0		1		0	5		5											
Jaundis	Smoking and Drinking Alcohol			0		0		0		0	2		2	5		5	1		1	1		1		0		0	9		9												
Jaundis	Smoking, Chewing Areca nut and Drinking Alcohol			0		0		0		0		0		0		0	1		1		0		0		0	1		1													
Jaundis	All Habits			0		0		0		0	1		1	1		1		0		0		0		0		0	2		2												
Jaundis	TOTAL	3	10	13	3	3	3	12	3	15	14	5	19	27	3	30	22	4	26	12	3	15	13	18	31		0	103	49	152											
Liver Disease	Habit not Known	36	26	62	3	11	14	25	22	47	55	19	74	195	62	257	219	113	332	139	58	197	304	227	531		0	976	538	1514											
Liver Disease	Only Smoking			0		0	4		4	7		7	15		15	31		31	13		13	20		20		0	90		90												
Liver Disease	Only Chewing Tobacco			0		0		0		0		0	2	2		4		0	3	1		4	3	5		8		0	8		16										
Liver Disease	Smoking and Chewing Tobacco			0		0		0		0		0		0		0	1		1	1		1	1		1		0	3		3											
Liver Disease	Smoking and Chewing Areca nut			0		0		0		0		0		0		0		0	1		1		0		0	1		1													
Liver Disease	Smoking, Chewing Tobacco and Areca nut			0		0		0		0		0	2		2		0		0		0		0		0	2		2													
Liver Disease	Only Drinking Alcohol			0		0	2		2	17		17	31		31	40		40	11		11	8		8		0	109		109												
Liver Disease	Smoking and Drinking Alcohol			0		0	2		2	20		20	56		56	46		46	13		13	16		16		0	153		153												
Liver Disease	Chewing Tobacco and Drinking Alcohol			0		0		0		0	2		2	1		1	1		1		0	3		3		0	7		7												
Liver Disease	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0	1		1	7		7	7		7		0	3		3		0	18		18												

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Liver Disease	Chewing Arecanut and Drinking Alcohol			0			0	1		1				0	3			3	1			1				0				0		5				0	5		5		
Liver Disease	Drinking, Chewing Tobacco and Arecanut			0			0			0				0				0				0				0	1		1			0	1		1						
Liver Disease	All Habits			0			0	1		1	3			3	2			2	1			1	1			1			0			0	8		8						
Liver Disease	TOTAL	36	26		62	3	11		14	35	22		57	105	19		124	314	64		378	347	113		460	182	59		241	359	232		591			0	1381	546	1927		
Ulcer	Habit not Known	3			3	2		2		2	2	2		4	6	3		9	14	4		18	9	2		11	21	20		41			0	57	33	90					
Ulcer	Only Smoking			0			0			0				0	1			1	1			1	2			2	2		2			0	6		6						
Ulcer	Only Chewing Tobacco			0			0			0				0				0				0				0	1	1	2			0	1	1	2						
Ulcer	Smoking, Chewing Tobacco and Arecanut			0			0	1		1				0				0				0				0			0			0	1		1						
Ulcer	Only Drinking Alcohol			0			0			0	1			1				0				0				0			0			0	1		1						
Ulcer	Smoking and Drinking Alcohol			0			0			0	1			1				0				0				0			0			0	1		1						
Ulcer	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0				0				0				0	1		1			0			0	1		1							
Ulcer	TOTAL	3			3	2		2	1	2	3	4	2	6	7	3		10	15	4		19	12	2		14	24	21		45			0	68	34	102					
Appendicitis	Habit not Known			0		2		2	4	2	6	4	3	7	8	1		9	16	6		22	9	4		13	36	33		69			0	77	51	128					
Appendicitis	Drinking, Chewing Tobacco and Arecanut			0			0			0				0				0	1			1				0			0			0	1		1						
Appendicitis	TOTAL			0		2		2	4	2	6	4	3	7	8	1		9	17	6		23	9	4		13	36	33		69			0	78	51	129					
Syphilis and Genitourinary	Habit not Known	2			2			0			0	1	1	2	3	4		7	2	3		5	3	2		5	18	8	26			0	29	18	47						
Syphilis and Genitourinary	Only Smoking			0			0			0				0				0				0				0	1		1			0	1		1						
Syphilis and Genitourinary	Only Chewing Tobacco			0			0			0				0				0				0				0			2			0	2		2						
Syphilis and Genitourinary	TOTAL	2			2			0			0	1	1	2	3	4		7	2	3		5	3	2		5	19	10	29			0	30	20	50						

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Abortion	Habit not Known			0			0			2	2			0				0				0				0				0				0		2		2			
Abortion	TOTAL			0			0			2	2			0				0				0				0				0				0		2		2			
Pregnancy child birth	Habit not Known	194	1	195		4	4		10	10	1	1					0		3		3	1	1		6		6				0		219	1	220						
Pregnancy child birth	TOTAL	194	1	195		4	4		10	10	1	1					0		3		3	1	1		6		6				0		219	1	220						
Birth injuries	Habit not Known	54	38		92	1		1		1	1			0	2	2		4	2	4		6	2	3		5	6	6		12		0	67	54		121					
Birth injuries	Only Drinking Alcohol			0			0			0				0				0	1			1				0				0		1			1						
Birth injuries	TOTAL	54	38		92	1		1		1	1			0	2	2		4	3	4		7	2	3		5	6	6		12		0	68	54		122					
Paralysis	Habit not Known	10	6		16	6	4		10	10	8		18	23	9		32	40	24		64	102	55		157	70	54		124	287	334		621	1	1	548	495		1043		
Paralysis	Only Smoking			0			0		0	1		1	4			4	4			4	10	1		11	4			4	10			10		0	33	1		34			
Paralysis	Only Chewing Tobacco			0			0			0				0				0	2	2		4		3		3	6	5		11		0	8	10		18					
Paralysis	Smoking and Chewing Tobacco			0			0			0				0				0	1			1				0	1			1		0	2			2					
Paralysis	Only Chewing Areca nut			0			0			0				0	1			1				0				0	1			1		0	2			2					
Paralysis	Smoking and Chewing Areca nut			0			0			0				0				0				0				0	1			1		0	1			1					
Paralysis	Smoking, Chewing Tobacco and Areca nut			0			0			0				0				0				0				0	1			1		0	1			1					
Paralysis	Only Drinking Alcohol			0			0			0	2			2				0	2			2	1			1	2			2		0	7			7					
Paralysis	Smoking and Drinking Alcohol			0			0			0	1			1	11			11	6			6	4			4	14			14		0	36			36					
Paralysis	Chewing Tobacco and Drinking Alcohol			0			0			0				0				0	1			1				0	2			2		0	3			3					
Paralysis	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	1			1	3			3	2			2	1			1	1			1		0	8			8					
Paralysis	Smoking, Chewing Areca nut and Drinking Alcohol			0			0			0				0				0				0	1			1				0		0	1			1					
Paralysis	All Habits			0			0			0				0	1			1				0				0	1			1		0	2			2					
Paralysis	TOTAL	10	6		16	6	4		10	11	8		19	32	9		41	59	24		83	126	58		184	81	57		138	327	339		666	1	1	652	506		1158		
Senility	Habit not Known	1	2		3	1		1	1		1	2	3		5	21	14		35	101	106		207	174	206		380	1978	3164		5142	2	2	4	2281	3497		5778			
Senility	Only Smoking			0			0			0				0	1			1	15			15	20	1		21	88	3		91		0	124	4		128					

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Senility	Only Chewing Tobacco			0		0		0		0		0		0	1	1		0	1	3		4	19	43		62			0	20	47		67								
Senility	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		0		0	6	2		8									
Senility	Only Chewing Arecanut			0		0		0		0		0		0		0		0		1		1	4	6		10			0	4	7		11								
Senility	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		1		1	7	7		0		8		8											
Senility	Only Drinking Alcohol			0		0		0		0		0		0		0	1		1	6		6	8		8			0	15		15										
Senility	Smoking and Drinking Alcohol			0		0		0		0		0		0		0	10		10	8		8	19		19			0	37		37										
Senility	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		4			0	4		4											
Senility	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		2		2	3		3			0	5		5										
Senility	All Habits			0		0		0		0		0		0		0		0		0		0		0			0	2	1		3										
Senility	TOTAL	1	2	3	1	1	1	1	1	1	2	3	5	22	15	37	127	106	233	211	212	423	2131	3226	5357	2	2	4	2498	3566	6064										
Others	Habit not Known	661	504	8	1173	120	87	207	186	149	335	274	217	491	558	347	905	824	495	1319	524	368	892	1359	1190	2549			0	4506	3357	8	7871								
Others	Only Smoking			0	1	1	9		9	36		36	140	2	142	210		210	116		116	194	4	198			0	706	6		712										
Others	Only Chewing Tobacco			0		0	2		2	6	1	7	7	7	14	12	15	27	10	15	25	34	34	68			0	71	72		143										
Others	Smoking and Chewing Tobacco			0		0	2		2	4		4	9		9	18		18	12	2	14	27	1	28			0	72	3		75										
Others	Only Chewing Arecanut			0	1	1	1		1	1		1	1	1	1	1	3	3	4	2	6	4	4	8			0	11	10		21										
Others	Smoking and Chewing Arecanut			0		0	1		1	1		1	3		3		0		0	1		1			0	6		6													
Others	Chewing Tobacco and Arecanut			0		0		0	2	1	3	2		2	3	1	4	1	1	2	3	3	6			0	11	6		17											
Others	Smoking, Chewing Tobacco and Arecanut			0		0		0		0		0		0		0	1		1	2		2	6	6			0	9		9											
Others	Only Drinking Alcohol			0		0	4		4	10		10	22		22	25		25	8		8	26		26			0	95		95											
Others	Smoking and Drinking Alcohol			0		0	16		16	45		45	122	1	123	115		115	47		47	50		50			0	395	1		396										
Others	Chewing Tobacco and Drinking Alcohol			0		0	5		5	8		8	3		3	7		7	3		3	7		7			0	33		33											

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Others	Smoking, Chewing Tobacco and Drinking Alcohol			0			0	1		1	2		2	16			16	15			15	8			8	15			15			0	57			57					
Others	Chewing Arecanut and Drinking Alcohol			0			0	1		1	2		2	2		2			0			0			0		0		0		0	5			5						
Others	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0			0	5			5	5			5			0	1		1		0	11			11								
Others	Drinking, Chewing Tobacco and Arecanut			0			0	1		1			0	2		2			0			0			0	1		1		0	4			4							
Others	All Habits			0			0	3		3	3	1		4	8		8	3			3	4			4	3			3		0	24	1		25						
Others	TOTAL	661	504	8	1173	122	87		209	232	149		381	394	220		614	899	358		1257	1238	514		1752	739	388		1127	1731	1236		2967		0	6016	3456	8	9480		
Venomous Animals Bites/	Habit not Known	1	1	6		6	3	2		5	2		2	1	4		5	2	1		3	1			1	1	1		0	13	11		24								
Venomous Animals Bites/	Only Smoking			0			0			0			0	1		1			0			0	1		1		0	2		2		2									
Venomous Animals Bites/	Smoking and Drinking Alcohol			0			0			0			0	1		1			0			0			0		0	1		1		1									
Venomous Animals Bites/	All Habits			0			0			0			0			0			0	1		1			0		0	1		1		1									
Venomous Animals Bites/	TOTAL	1	1	6		6	3	2		5	2		2	3	4		7	2	1		3	2		2	1	1	2		0	17	11		28								
Burns(Accidental)	Habit not Known	8	12		20	14	55	69	15	79	94	10	40	50	12	28	40	6	11	17	3	9	12	12	24	36		0	80	258		338									
Burns(Accidental)	Only Smoking			0			0	1		1	1		1	1		1	3			3			0			0		0	6		6										
Burns(Accidental)	Only Chewing Tobacco			0			0			0			0			0			0			0			0	1	1		0	1	1										
Burns(Accidental)	Smoking and Chewing Tobacco			0			0			0	1		1			0			0			0			0	1	1		0	2	2										
Burns(Accidental)	Only Chewing Arecanut			0			0			0			0			0			0	1		0			0		0	1		1											
Burns(Accidental)	Only Drinking Alcohol			0			0	2		2	1		1			0			0			0			0		0	3		3											
Burns(Accidental)	Smoking and Drinking Alcohol			0			0			0	3		3	4		4	2			2			0			0		0	9		9										
Burns(Accidental)	Chewing Tobacco and Drinking Alcohol			0			0			0	1		1			0			0			0			0		0	1		1											

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Burns(Accidental)	Smoking, Chewing Tobacco and Drinking Alcohol					0		0		0		0		0		0		0	1		1		0		0		0		0		0		0		0		1				
Burns(Accidental)	TOTAL	8	12	20	14	55	69	18	79	97	17	40	57	17	28	45	12	12	24	3	9	12	13	25	38				0	102	260	362									
Drowning,Falls	Habit not Known	17	6	23	28	4	32	32	6	38	44	5	49	47	5	52	32	7	39	13	4	17	24	21	45				0	237	58	295									
Drowning,Falls	Only Smoking			0		0	1		1	2		2	1		1	2		2	1		1	1		1			0		0	8			8								
Drowning,Falls	Only Chewing Tobacco			0		0		0		0		1		1		0		0		0		1		0		0		0		0		0	2		2						
Drowning,Falls	Smoking and Chewing Tobacco			0		0		0		0		1		1		0		0		0		0		0		0		0		0		0	1		1						
Drowning,Falls	Only Chewing Arecanut			0		0		0		0		0		0		0		0		0		1		0		0		0		0		0	1		1						
Drowning,Falls	Only Drinking Alcohol			0		0	1		1	4		4	4		4	1		1		0	1		1		0	1		1		0		0	11		11						
Drowning,Falls	Smoking and Drinking Alcohol			0		0	1		1	5		5	8		8		0	1		1		0		0		0		0		0	15		15								
Drowning,Falls	Drinking, Chewing Tobacco and Arecanut			0		0		0		0		1		1		0		0		0		0		0		0		0		0	1		1								
Drowning,Falls	All Habits			0		0	1		1		0		0		0		0		0		0		0		0		0		0	1		1									
Drowning,Falls	TOTAL	17	6	23	28	4	32	36	6	42	58	5	63	60	5	65	35	7	42	17	4	21	26	21	47				0	277	58	335									
Poisoning	Habit not Known	2	1	3	4	3	7	6	2	8	12	1	13	10	2	12	3	2	5	1	2	3	3	3	6				0	41	16	57									
Poisoning	Only Smoking			0		0	1		1	2		2		0	1		1		0	1		1		0	1		1		0	5		5									
Poisoning	Only Chewing Tobacco			0		0	1		1		0		0		0		0		0		0		0		0		0		0	1		1									
Poisoning	Only Drinking Alcohol			0	1		1		0	2		2		0	2		2	1		1		0		0		0		0	6		6										
Poisoning	Smoking and Drinking Alcohol			0		0	2		2	1		1	7		7	1		1	1		1		0		0		0	12		12											
Poisoning	Chewing Tobacco and Drinking Alcohol			0		0		0		0		2		2		0		0		0		0		0		0		0	2		2										
Poisoning	Smoking, Chewing Tobacco and Drinking Alcohol			0		0	1		1		0	1		1	1		1		0		0		0		0		0	3		3											
Poisoning	All Habits			0		0		0		0		0	1		1		0		0		0		0		0		0	1		1											
Poisoning	TOTAL	2	1	3	5	3	8	11	2	13	19	1	20	19	2	21	8	2	10	3	2	5	4	3	7				0	71	16	87									
Accident(Traffic/Vehicles)	Habit not Known	32	10	42	136	6	142	214	13	227	151	19	170	141	24	165	117	29	146	53	13	66	77	24	101				0	921	138	1059									

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total							
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42				
Accident(Traffic/Vehicles)	Only Smoking			0		0	7		7	10		10	12		12	11		11	1		1	3		3			0	44			44														
Accident(Traffic/Vehicles)	Only Chewing Tobacco			0		0		0		0		0		0		0	1	1		2		0		1	1		0	1	2		3														
Accident(Traffic/Vehicles)	Smoking and Chewing Tobacco			0		0		0		0		0		0		0	1		1		0		0		0		0	1		1															
Accident(Traffic/Vehicles)	Chewing Tobacco and Arecanut			0	1		1		0		0		0		0	1	1		1		0		0		1		0	3	1		4														
Accident(Traffic/Vehicles)	Only Drinking Alcohol			0		0		0	2		2		0		0		0		0		0		0		0		0		0	2		2													
Accident(Traffic/Vehicles)	Smoking and Drinking Alcohol			0		0	3		3		3	7		7	1		1		0		0		0		0		0	14		14															
Accident(Traffic/Vehicles)	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0	1		1		0		0		0		0		0	1		1															
Accident(Traffic/Vehicles)	Drinking, Chewing Tobacco and Arecanut			0	1		1		0		0		0		0		0		0		0		0		0		0	0	1		1														
Accident(Traffic/Vehicles)	TOTAL	32	10	42	138	6	144	224	13	237	166	19	185	161	25	186	132	30	162	54	13	67	81	25	106			0	988	141		1129													
Other Accidents	Habit not Known	8	5	13	28	8	36	81	8	89	61	4	65	56	13	69	33	11	44	16	7	23	28	10	38			0	311	66		377													
Other Accidents	Only Smoking			0		0	2		2	4		4	5		5	4		4	1		1	5		5		0	21		21																
Other Accidents	Only Chewing Tobacco			0		0		0		0		0	1		1	1		1		0		0		1		0	3		3																
Other Accidents	Smoking and Chewing Tobacco			0		0		0	1		1		1		0		0		0		0		0		0		0	1		1															
Other Accidents	Only Chewing Arecanut			0		0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1		0	1		1						
Other Accidents	Only Drinking Alcohol			0		0		0	5		5	1	1	2	1		1	1		1	1		1		0		0	8	1		9														
Other Accidents	Smoking and Drinking Alcohol			0		0	1		1	1		1	5		5	2		2		0		0		0		0		0	9		9														
Other Accidents	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0	1		1		0		0		0		0	1		1															
Other Accidents	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0	2		2	1		1		0		0		0		0		0	3		3														
Other Accidents	All Habits			0		0		0		0		0		0	1		1		0		0		0		0		0	1		1															

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Other Accidents	TOTAL	8	5		13	28	8		36	84	8		92	72	4		76	71	14		85	43	11		54	18	7		25	34	11		45			0	358	68		426	
Suicide	Habit not Known	5	1		6	51	61		112	96	50		146	111	38		149	126	33		159	69	30		99	24	4		28	55	18		73			0	537	235		772	
Suicide	Only Smoking			0			0	6		6	9			9	9			9	13			13	2			2	4			4			0	43			43				
Suicide	Only Chewing Tobacco			0			0	2		2	2			2	1	1		2				0				0				0			0	5	1		6				
Suicide	Smoking and Chewing Tobacco			0			0			0				0				0				0	1			1	1			1			0	2			2				
Suicide	Only Chewing Arecanut			0			0			0	1			1				0	1	1		2				0				0			0	2	1		3				
Suicide	Only Drinking Alcohol			0	3		3	10		10	15			15	10			10	10			10				0	2			2			0	50			50				
Suicide	Smoking and Drinking Alcohol			0	3		3	11		11	14			14	19			19	9			9	1			1	2			2			0	59			59				
Suicide	Chewing Tobacco and Drinking Alcohol			0			0			0	2			2	3			3				0				0	2			2			0	7			7				
Suicide	Smoking, Chewing Tobacco and Drinking Alcohol			0			0	1		1	1			1	1			1	4			4	1			1				0			0	8			8				
Suicide	Chewing Arecanut and Drinking Alcohol			0			0	3		3				0	1			1				0				0				0			0	4			4				
Suicide	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0	1			1	1			1	1			1				0				0			0	3			3				
Suicide	Drinking, Chewing Tobacco and Arecanut			0			0	2		2				0				0				0				0				0			0	2			2				
Suicide	All Habits			0			0	2		2	2			2				0	1			1				0				0			0	5			5				
Suicide	TOTAL	5	1		6	57	61		118	133	50		183	158	38		196	171	34		205	108	31		139	29	4		33	66	18		84			0	727	237		964	
Homicide	Habit not Known	1	1		2	4		4	13	1		14	5	2		7	1	1		2	1			1	1			1	3			3			0	29	5		34		
Homicide	Only Smoking			0			0	2		2	1			1				0				0				0				0			0	3			3				
Homicide	Only Drinking Alcohol			0			0	1		1				0				0				0				0				0			0	1			1				
Homicide	Smoking and Drinking Alcohol			0			0			0				0	2			2				0				0				0			0	2			2				
Homicide	TOTAL	1	1		2	4		4	16	1		17	6	2		8	3	1		4	1			1	1			1	3			3			0	35	5		40		
AIDS	Habit not Known			0			0	1	1		2	2	2		4	3			3		1		1	2	1		3	2			2			0	10	5		15			
AIDS	Only Smoking			0			0	1		1				0				0				0				0				1			0	1	1		2				

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total					
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42		
AIDS	Smoking and Drinking Alcohol			0			0	1		1				0				0				0				0				0		1			0	1		1					
AIDS	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0						0	1		1				0				0				0		1			0	1		1						
AIDS	TOTAL			0		0	3	1	4	2	2	4	4		4		1	1	2	1	3	2	1	3			0	13	6		19												
Old Age	Habit not Known			0		0		0		0		0		0	1		1	1	1	2	1	1	3	2	5			0	6	2	1	9											
Old Age	Only Smoking			0		0		0		0		0		0		0		0	1		1		0		0		0		1			0	1		1								
Old Age	Only Drinking Alcohol			0		0		0		0		0		0		0		0	1		1		0		0		0		1			0	1		1								
Old Age	Smoking and Drinking Alcohol			0		0		0		0		0		0		0		0	1		1		0		0		0		1			0	1		1								
Old Age	TOTAL			0		0		0		0		0		0	1		1	1	1	2	4		4	3	2	5			0	9	2	1	12										
Hysteria	Habit not Known	1		1		0		0		0	1	1	1	1		0		0		0		0		0		0		0	1	2		3											
Hysteria	TOTAL	1		1		0		0		0	1	1	1	1		0		0		0		0		0		0		0	1	2		3											
Premature	Habit not Known	170	113	283		0		0		0		0		0		0		0		0		0		0		0		0		170	113		283										
Premature	TOTAL	170	113	283		0		0		0		0		0		0		0		0		0		0		0		0		170	113		283										
Blood Pressure	Habit not Known	11	7	18	4	3	7	8	9	17	21	33	54	69	46		115	122	79	201	76	96	172	308	346	654			0	619	619		1238										
Blood Pressure	Only Smoking	1		1		0	1		1	1		1	6		6	15		15	7		7	26		26		0	57			57													
Blood Pressure	Only Chewing Tobacco			0		0		0		0		0	3		3	1		1	1	1	3	7		10		0	7	8		15													
Blood Pressure	Smoking and Chewing Tobacco			0		0		0		0	1		1		0		0		0		0		0		2		2	0	3		3												
Blood Pressure	Only Chewing Arecanut			0		0		0		0		0		0		0		0	1		1		0		0		0		0	1		1											
Blood Pressure	Smoking and Chewing Arecanut			0		0		0		0	1		1		0		0		0		0		0		0		1		0	2		2											
Blood Pressure	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0		0		2		2	0	2		2											
Blood Pressure	Only Drinking Alcohol			0		0		0	2		2	3		3	3		3		3		0		0		5		5		0	13		13											
Blood Pressure	Smoking and Drinking Alcohol			0		0	1		1	1		1	4		4	7		7	4		4	6	1	7		0	23	1		24													
Blood Pressure	Chewing Tobacco and Drinking Alcohol			0		0	1		1		0	2		2		0		0		0		0		1		1	0	4		4													
Blood Pressure	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0	1		1	1		1		0		0		0		0	2		2												

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Blood Pressure	Chewing Arecanut and Drinking Alcohol					0		0		0		0		0	1		1	1		1		1	1		1		1		0		0	2	1		3						
Blood Pressure	All Habits					0		0		0		0		0	1		1	2		2		0		0		0		0	3		3										
Blood Pressure	TOTAL	12	7			19	4	3		7	11	9		20	27	33		60	90	46		136	153	79		232	87	98		185	352	356		708			0	736	631		1367
Kidney Trouble	Habit not Known	17	8			25	12	15		27	17	23		40	41	22		63	93	70		163	135	80		215	52	57		109	182	104		286			0	549	379		928
Kidney Trouble	Only Smoking					0	1			1		0		0	4		4	9		9	15	1		16	3		3	18		18		0	50	1		51					
Kidney Trouble	Only Chewing Tobacco					0		0		0		0		0		0		0	1	1		2		0	1	5		6		0	2	6		8							
Kidney Trouble	Smoking and Chewing Tobacco					0		0		0		0		0		0		0	1		1		0	1		1		0	2		2										
Kidney Trouble	Only Chewing Arecanut					0		0		0		0		0		0		0	1		1		0		0		0		0	1		1									
Kidney Trouble	Only Drinking Alcohol					0		0		0		0		0		0		0	3		3	2		2	1		1	2		2		0	8		8						
Kidney Trouble	Smoking and Drinking Alcohol					0		0		0		0		0	3		3	5		5	7		7	3		3	3		3		0	21		21							
Kidney Trouble	Chewing Tobacco and Drinking Alcohol					0		0		0		0		0	1		1	1		1	2		2	1		1		0	5		5										
Kidney Trouble	Smoking, Chewing Tobacco and Drinking Alcohol					0		0		0		0		0		0		0	1		1		0		0		0		0	1		1									
Kidney Trouble	TOTAL	17	8			25	13	15		28	17	23		40	48	22		70	112	70		182	163	82		245	61	57		118	208	109		317			0	639	386		1025
Not Stated	Habit not Known	720	509	13	1242	169	118		287	383	205		588	399	238		637	652	325	1	978	859	499		1358	488	427		915	1586	1585		3171	3	2	5	5259	3908	14	9181	
Not Stated	Only Smoking					0	3			3	20			20	37			37	128	2		130	163			163	73	2		75	199	3		202			0	623	7		630
Not Stated	Only Chewing Tobacco					0		0		0	1			1	5			5	3	3		6	8	11		19	11	14		25	20	51		71			0	48	79		127
Not Stated	Smoking and Chewing Tobacco					0		0		0		0		0	3			3	2	1		3	10			10	3		3	23		23		0	41	1		42			
Not Stated	Only Chewing Arecanut					0	1			1		0		0	2			2	2			2	1	2		3	1	1		2	4	6		10			0	11	9		20
Not Stated	Smoking and Chewing Arecanut					0		0		0		0		0	2			2	1			1	1			1		0		0		0	4		4						
Not Stated	Chewing Tobacco and Arecanut					0		0		0		0		0		0		0		2		2		0	1	4		5			0	1	6		7						
Not Stated	Smoking, Chewing Tobacco and Arecanut					0	1			1		0		0	1			1	1			1				0	1		1		0	5		5							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Not Stated	Only Drinking Alcohol			0	1		1	19		19	24	1	25	45	2		47	33	1		34	17		17	7		7		0	146	4		150								
Not Stated	Smoking and Drinking Alcohol			0	1		1	21		21	51		51	117		117	109		109	40		40	59		59		0	398			398										
Not Stated	Chewing Tobacco and Drinking Alcohol			0		0	2	1		3	3		3	8		8	6		6	4		4	4		4		0	27	1		28										
Not Stated	Smoking, Chewing Tobacco and Drinking Alcohol			0		0	1		1	11		11	14		14	15		15	4		4	13		13		0	58			58											
Not Stated	Chewing Arecanut and Drinking Alcohol			0		0	2		2	1		1	3		3	2		2	2		2	1		1		0	11			11											
Not Stated	Smoking, Chewing Arecanut and Drinking Alcohol			0	1		1	1		1	1		1	3		3	3		3			0	2		2		0	11			11										
Not Stated	Drinking, Chewing Tobacco and Arecanut			0		0		0		0	1		1	4		4	2		2			0	3		3		0	10			10										
Not Stated	All Habits			0		0	2		2	7		7	5	1		6	6		6	4		4	6	1		7		0	30	2		32									
Not Stated	TOTAL	720	509	13	1242	177	118	295	452	206	658	548	239	787	988	334	1	1323	1219	515	1734	647	444	1091	1929	1650	3579	3	2	5	6683	4017	14	10714							

Table 34-c
Deaths by Selected Cause of Death, Age, Sex and Habit (All Areas)

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Cholera	Habit not Known	2	4	1	7	1	1	1	1	1	5	3	8	4	6	10	6	7	1	14	8	6	1	15	33	31	2	66	2	2	58	59	7	124							
Cholera	Only Smoking			0		0		0		0		0	0		0		0	3			0		0		0	3		0	6	1		7									
Cholera	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		0	1	2		3		0	1	2		3					
Cholera	Only Drinking Alcohole			0		0		0		0	1		1		0		0		1	1		1		0		0		0		0	1		1		1						
Cholera	Smoking and Drinking Alcohole			0		0		0		0		0		0	1		1	1		1	1		1		1		1		1		0	4		4		4					
Cholera	Chewing Tobacco and Drinking Alcohole			0		0		0		0	1		1	1		1	1		1	1		1		0		0		0		0	2	1		3		3					
Cholera	TOTAL	2	4	1	7	1	1	1	1	1	7	3	10	6	6	12	10	9	1	20	9	6	1	16	38	33	2	73	2	2	72	63	7	142							
Typhoid	Habit not Known	5	6	1	12	6	6	12	14	9	23	13	9	2	24	28	12	3	43	49	37	2	88	25	37	2	64	191	295	5	491	2	2	331	411	17	759				
Typhoid	Only Smoking			0		0		0		0		0		0	4		4	4	1		5	2	1	3	13	2	15		0	23	4		27								
Typhoid	Only Chewing Tobacco			0		0		0		0		0		0	1		1	1		1	2	1	3	10	7	1	18		0	14	8	1	23								
Typhoid	Smoking and Chewing Tobacco			0		0		0		0		0		0	1		0	1		1	1		1	4	1	5		0	5	2		7									
Typhoid	Only Chewing Areanut			0		0		0		0		0		0	1		1		0		0		0	1		1		0	2		2										
Typhoid	Chewing Tobacco and Areanut			0		0		0		0		0		0	2		2		0		0		0	1	1	2		0	3	1		4									
Typhoid	Smoking, Chewing Tobaccoa and Areanut			0		0		0		0		0		0	0		0		0		0		0	1		1		0	1		1										
Typhoid	Only Drinking Alcohole			0		0		1	1		0		0		0	2		2		2		0		0	1		1		0	3		1	4								
Typhoid	Smoking and Drinking Alcohole			0		0		0	1		1	2	1		3	1		1	1		1	4		4	1	1	10	1		11											
Typhoid	Chewing Tobacco and Drinking Alcohole			0		0		0		0		0		0	0		0		0		0		0	1		1		0	1		1										
Typhoid	Smoking, Chewing Tobaccoa and Drinking Alcohole			0		0		0		0		0		0	1		1		1		1		1	1		1		0	3		3										
Typhoid	All Habits			0		0		0		0		0		0	2		2		0		0		0		0		0		0	2		2									
Typhoid	TOTAL	5	6	1	12	6	6	12	14	9	1	24	14	9	2	25	40	13	3	56	58	39	2	99	32	39	2	73	228	306	6	540	1	2	3	398	427	19	844		
Food Poisoning	Habit not Known	3		3	2	1	1	4	2	1	3	4	1	5	6	4	10	5	1		6	2	3	1	6	8	10		18		0	32	21	2	55						
Food Poisoning	Only Smoking			0		0	1		1		0	1		0	1		1	2		2		0		0		0		0	4		4										
Food Poisoning	Chewing Tobacco and Areanut			0		0		0		0	1		1		0		0		0		0		0		0		0		0	1		1									
Food Poisoning	Only Drinking Alcohole			0		0	1		1		0		0		0		0		0		0		0		0	1	1		0	1	1		2								
Food Poisoning	Smoking and Drinking Alcohole			0		0	1		1		0	1		0	1		1	2		2		2		2		0		0	6		6										
Food Poisoning	Chewing Tobacco and Drinking Alcohole			0		0		0		0		0		0		0		0		0		0		0		0		0	1		1										
Food Poisoning	Smoking, Chewing Tobaccoa and Drinking Alcohole			0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1									
Food Poisoning	TOTAL	3		3	2	1	1	4	5	1	6	4	2	6	8	4	12	10	1	11	4	3	1	8	9	11		20		0	45	23	2	70							
Dysentery	Habit not Known	4	4	8	2	2	4	4	1	5	11	3	14	5	6	11																									

CRS-2006

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Tuberculosis	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0	1	1		2	2		2	12		12		0	15	1		16							
Tuberculosis	Only Chewing Arecanut			0		0	1			1	1		1		1		1		0		0		0		0		0	0	2		0	2		1	3						
Tuberculosis	Smoking and Chewing Arecanut			0		0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1							
Tuberculosis	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0	1	1		2		0		0	1	1		2							
Tuberculosis	Smoking, Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0	2		2	1		1		0	3		3								
Tuberculosis	Only Drinking Alcohol			0		0	3			3	3		3	6	1		7	3		3		0		0		0	4		4		0	19	1		20						
Tuberculosis	Smoking and Drinking Alcohol	1		1		0	4			4	14		14	37		37	20		20	6		6	11		1	12		0	93		1	94									
Tuberculosis	Chewing Tobacco and Drinking Alcohol			0		0		0		0	2		2		0		0		0		0		0		0	1		1		0	3		3								
Tuberculosis	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0	3		3	3		3	6		6	1		1	3		3		0	16		16											
Tuberculosis	Chewing Arecanut and Drinking Alcohol			0		0		0		0		0		0	1		1	1		1		0	1		1		0	1	1		2										
Tuberculosis	Smoking, Chewing Arecanut and Drinking Alcohol			0		0		0		0	1		1	1		1	1		1		0		0		0	0	3		3												
Tuberculosis	All Habits			0		0	1			1	3		3	1		1	4		4		0		0		1	5		0	13		1	14									
Tuberculosis	TOTAL	7	3	10	8	2	10	34	22	6	62	94	26	1	121	183	41	7	231	215	52	1	268	118	47	1	166	290	70	8	368	6	1	2	9	955	264	26	1245		
Leprosy	Habit not Known	1	1	2		2	1	1		2	1	1	2	1	1	2	5	3		8	3	1	1	5	4	3		7		0	15	13	1	29							
Leprosy	Only Smoking		0			0		0		0		0		0		0		0		0		0	1		1		0	0	1		1										
Leprosy	Only Drinking Alcohol		0			0		0		0		0		0		0		0		0		0	1		0		0	0	1		1										
Leprosy	Smoking and Drinking Alcohol		0			0	1			1		0		0		0		0		0		0		0		0		0	1		1										
Leprosy	TOTAL	1	1	2		2	2	1		3	1	1	2	1	1	2	6	3		9	4	1	1	6	4	3		7		0	18	13	1	32							
Diphtheria	Habit not Known	4	2	6	4	2	6	7	5	12	7	10	17	8	7	15	35	26	1	62	32	24		56	184	252	1	437		0	281	328	2	611							
Diphtheria	Only Smoking		0			0	1		1		0		0	1		1	3		3	1		1	8		8		0	14		14											
Diphtheria	Only Chewing Tobacco		0			0		0		0	1		0		0		0		0		0	1		1	3	1	4		0	3	3	6									
Diphtheria	Smoking and Chewing Tobacco		0			0		0		0		0		0		0		0		0		0		0	2		2		0	2		2									
Diphtheria	Only Chewing Arecanut		0			0		0		0		0		0		0		0		0		0		1	1		0		0	1		1									
Diphtheria	Chewing Tobacco and Arecanut		0			0		0		0		0		0		0		0		0		0		0	1		1		0	1		1									
Diphtheria	Smoking and Drinking Alcohol		0			0		0	1		1	1		1	2		2			0		0	3		3		0	7		7											
Diphtheria	Smoking, Chewing Tobacco and Drinking Alcohol		0			0		0		0	1		0	1		1		0		0		0		0	0		0	1		1											
Diphtheria	Smoking, Chewing Arecanut and Drinking Alcohol		0			0		0		0		0		0		0		0		0		0		0	0		0	0		0	1										
Diphtheria	TOTAL	4	2	6	4	2	6	8	5	13	8	11	19	11	7	18	41	26	1	68	33	25	1	59	200	254	1	455		0	309	332	3	644							
Whooping cough	Habit not Known		2	2	1	1	1	1		1		0	2		2	6	4		10	6	3		9	29	23	1	53		0	44	31	3	78								
Whooping cough	Only Smoking		0			0		0		0		0		0		0	2		2		0		0	4		4		0	6		6										
Whooping cough	Smoking and Chewing Tobacco		0			0		0		0		0		0		0		0		0		0	1		1		0	1		1											
Whooping cough	Only Drinking Alcohol		0			0		0		0		0		0		0		0		0		0	2		2		0	2		2											
Whooping cough	Smoking and Drinking Alcohol		0			0		0		0		0		0		0		0		0		0	1		1		0	1		1											
Whooping cough	TOTAL		2	2	1	1	1	1		1		0	2		2	8	4		12	6	3		9	37	23	1	61		0	54	31	3	88								
Tetanus	Habit not Known	2	2	2	6	1	1	2	1	1	3	2	5	2	4	2	8	11	6	2	19	5	5	10	24	13	4	41	2	1	3	51	34	10	95						
Tetanus	Only Smoking	0		0		0		0		0		0		0		0		0		1	1		0		0	0	1		1												
Tetanus	Only Chewing Tobacco	0		0		0		0		0		0		0	1		1		0		1		1		2		2		0	1	3	4									
Tetanus	Smoking and Chewing Tobacco	0		0		0		0		0		0		0		0		0		0		0		0	1		1		0	1		1									
Tetanus	Smoking and Drinking Alcohol	0		0		0		0		0		0		0	1		1		0		0		0		0	1															

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Poliomyelitus	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0	1		1		0		0		0		0		0		0	1		1		1			
Poliomyelitus	Smoking and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		0		2		0		2		2					
Poliomyelitus	TOTAL	1		1		1		1		0	1		1	1	1	1	2		3							0	8	5		13		0	11	9		20					
Measles	Habit not Known	3	2	5		0		0		0	3		3	1		1	1		1	1	2		1	1	2		3	5	4		9		0	14	8		22				
Measles	TOTAL	3	2	5		0		0		0	3		3	1		1	1		1	1	2		1	1	2		3	5	4		9		0	14	8		22				
Rabies	Habit not Known	4		4		0	2			2	2	2	4		1	1	2	5	1		6	6			6	4		1	5		0	23	4	2	29						
Rabies	Chewing Tobacco and Areca nut			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		1					
Rabies	Smoking and Drinking Alcohol			0		0		0		0	1		1	1		1	1		0						0		0		0		0		0		2		2				
Rabies	TOTAL	4		4		0	2			2	3	2	5	1	1	1	3	5	1		6	6			6	4		1	1	6		0	25	5	2	32					
Malaria	Habit not Known			0	1		1	1		1	1	1	2	4		4	3		3		2		2	4	2		6		0	14	5		19								
Malaria	TOTAL			0	1		1	1		1	1	1	2	4		4	3		3		2		2	4	2		6		0	14	5		19								
Cancer	Habit not Known	90	62	8	160	77	45	2	124	135	159	4	298	374	464	18	856	964	928	41	1933	1693	1120	70	2883	1055	726	39	1820	2299	1715	84	4098	23	21	11	55	6710	5240	277	12227
Cancer	Only Smoking			0		0	4		4	40	1	41	194	7	5	206	337	9	9	355	208	4	7	219	384	7	13	404	4	2	6	1171	28	36	1235						
Cancer	Only Chewing Tobacco	1		1		0	1		1	3	2	5	13	14	2	29	26	43		69	27	45	2	74	87	116	4	207		0	157	221	8	386							
Cancer	Smoking and Chewing Tobacco			0		0	1	1	2	3		3	10		10	18		18	19	2		21	47	2	3	52		0	98	5	3	106									
Cancer	Only Chewing Areca nut			0		0		0		0		0	1		1	2	1	1	1		6	2	1	9	6	10		16		0	21	16	2	39							
Cancer	Smoking and Chewing Areca nut			0		0		0		0		0	1		1	2	1	3	5		8	2	2	4	2	5		7		0	9	14		23							
Cancer	Chewing Tobacco and Areca nut			0		0		0		0		0		0		0		0		2		1	3		3		0	6		6		6									
Cancer	Smoking, Chewing Tobacco and Areca nut			0		0		0		0		0		0		0		0		2		1	3		3		0	6		6		6									
Cancer	Only Drinking Alcohol			0		0		0		0	11		11	23	1	24	33		33	20	1		21	27		1	28	1		1	115	2	1	118							
Cancer	Smoking and Drinking Alcohol			0		0	2		2	30		30	141	4	3	148	202	3	6	211	85	1	4	90	140	3	2	145	1	1	2	601	11	16	628						
Cancer	Chewing Tobacco and Drinking Alcohol			0		0		0		0	1		1	5		5	9		9	6		1	7	8		8		0	29		1	30									
Cancer	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		1	1	4	4	11		11	25		25	17		1	18	36	1		37		0	93	1	2	96								
Cancer	Chewing Areca nut and Drinking Alcohol			0		0		0		0		0		0		0		0		1		1	4		4		0	5	1		6										
Cancer	Smoking, Chewing Areca nut and Drinking Alcohol			0		0		0		0		0		0		0		0		0		1		1		1		0	5		5										
Cancer	Drinking, Chewing Tobacco and Areca nut			0		0		0		0	1		1	3		3	1	1		2	2		2	2		2		0	9	1		10									
Cancer	All Habits			0		0	1		1	3		3	9		9	7		7	3		3	5		5		0	28		28												
Cancer	TOTAL	91	62	8	161	77	45	2	124	143	161	5	309	471	468	18	957	1381	955	51	2387	2363	1186	86	3635	1453	783	55	2291	3052	1859	107	5018	29	21	14	64	9060	5540	346	14946
Diabetes	Habit not Known	7	6	13	6																																				

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Diabetes	TOTAL	7	6			13	6	5		11	26	19	45	67	39	3	109	264	188	8	460	490	428	23	941	373	404	15	792	1494	1692	56	3242	9	8	9	26	2736	2789	114	5639
Anaemia's	Habit not Known	5	8			13	2	1	3	2	2	4	9	5	1	15	8	2	1	11	10	7	2	19	11	7		18	32	57	4	93		0	77	90	9	176			
Anaemia's	Only Smoking			0			0	1		1				0	2			2				0				0	4			4		0	7			7					
Anaemia's	Only Chewing Tobacco			0			0			0			0		0			0			0		0		0	1		1		1		0	4	3		7					
Anaemia's	Smoking and Chewing Tobacco			0			0			0			0		0			0			0	1		1			0		0		0		1		1		1				
Anaemia's	Only Chewing Areca nut			0			0			0			0		0			0			0	1		1			0	1		1		0	2		2		2				
Anaemia's	Only Drinking Alcohol			0			0			0			0		0			0			0			0		0	1		1		0	1		1		1					
Anaemia's	Smoking and Drinking Alcohol			0			0			0			0		0			0			0	1		1			0	1		1		0	2		2		2				
Anaemia's	TOTAL	5	8			13	2	1	3	3	2	5	9	5	1	15	10	2	1	13	12	8	2	22	12	7		19	42	60	4	106		0	93	94	9	196			
Meningitis	Habit not Known	22	18	2	42	5	5	12	7		19	13	8		21	27	16	1	44	24	24	3	51	16	11		27	54	69		123		0	168	158	6	332				
Meningitis	Only Smoking			0			0			0	1		1	3			3	3			3				0	6			6		0	13			13						
Meningitis	Only Chewing Tobacco			0			0			0		0		0		0		1		1	2		2			0	2	2		0	3	2		5		5					
Meningitis	Smoking and Chewing Tobacco			0			0			0		0		0		0		0		0	1		1			0	1	1		0	2	1		3		3					
Meningitis	Only Chewing Areca nut			0			0			0		0		0		0		0		0	1		1			0		0		0	1		1		1						
Meningitis	Smoking and Drinking Alcohol			0			0	1		1		0	2		0	2		2		2		0	2		2		0		0	5		5		5							
Meningitis	Chewing Tobacco and Drinking Alcohol			0			0			0		0		0		0		0		0	1		1			0		0		0	1		1		1						
Meningitis	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0		0		0		0		0		0	1		1			0		0		0	1		2		2						
Meningitis	Chewing Areca nut and Drinking Alcohol			0			0			0		0		0		0		0		0	1		1			0		0		0	1		1		1						
Meningitis	All Habits			0			0			0		0		0		0		1		1		1			0		0		0	2		2		2							
Meningitis	TOTAL	22	18	2	42	5	5	13	7		20	16	8		24	36	16	1	53	32	24	3	59	18	11		29	61	72		133		0	198	161	6	365				
Heart Attack	Habit not Known	645	525	29	1199	265	184	8	457	629	405	19	1053	1440	691	37	2168	3633	1546	110	5289	6125	2756	151	9032	3814	2347	92	6253	13053	11107	456	24616	98	53	56	207	29702	19614	958	50274
Heart Attack	Only Smoking			0	3		3	44	1	1	46	194	4		198	613	15	9	637	927	16	23	966	483	9	7	499	1087	33	15	1135	6	7	13	3357	78	62	3497			
Heart Attack	Only Chewing Tobacco			0			0	4	3	7	5	3		8	28	11		39	79	52	2	133	47	58		105	237	333	9	579	2	2	4	402	460	13	875				
Heart Attack	Smoking and Chewing Tobacco			0			0	1		1	11			11	23			23	50	1		51	42	5		47	113	8	3	124		0	240	14	3	257					
Heart Attack	Only Chewing Areca nut			0			0			0		0		0		0		0	2	2		6	11	2	13	1	1	14	1	1	24		0	52	49	2	103				
Heart Attack	Smoking and Chewing Areca nut			0			0			0		0		0		0		2	1	1		6	1	1		9	17	22		39	1	1	32	36	68						
Heart Attack	Chewing Tobacco and Areca nut			0	1		1			0	1		1	3		1	4	6			6	1			1	11			11		0	23		1	24						
Heart Attack	Smoking, Chewing Tobacco and Areca nut</																																								

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Pneumonia	Smoking and Chewing Arecanut			0		0		0		0	1		1					0				0				1		1		1			0	2	1		3				
Pneumonia	Chewing Tobacco and Arecanut			0		0		0		0				0	1		1				0				0	2	3	5		0	3	3		6							
Pneumonia	Only Drinking Alcohol			0		0	2			2	4			4	4	1		5	2			2	4	1		5	3		3		0	19	2		21						
Pneumonia	Smoking and Drinking Alcohol			0		0	3			3	3			3	19			19	15			15	8			8	8		8		0	56			56						
Pneumonia	Chewing Tobacco and Drinking Alcohol			0		0		0		0	1		1				0				0				0	2		2		0	3			3							
Pneumonia	Smoking, Chewing Tobacco and Drinking Alcohol			0		0	1			1				0			0				0	1			1	1		1		0	3			3							
Pneumonia	Chewing Arecanut and Drinking Alcohol			0		0		0		0				0			0	1			1				0	1		1		0	2			2							
Pneumonia	Smoking, Chewing Arecanut and Drinking Alcohol			0		0		0		0				0	2			2				0				0			0	2			2								
Pneumonia	All Habits			0		0		0		0	1		1			0	1			1				0	1		1		0	3			3								
Pneumonia	TOTAL	92	82	4	178	20	16	36	32	22	54	57	24	1	82	108	53	1	162	165	73	2	240	96	52	5	153	398	358	7	763	2	2	3	7	970	682	23	1675		
Influenza	Habit not Known	5	3		8	3	3	6	3	4	2	9	9	5	14	16	6	1	22	20	8	2	28	17	20	1	38	167	217	5	389	2	1	3	242	267	8	517			
Influenza	Only Smoking			0		0	1		1	2		2	2		2	2		2	2		2			2	4		4		0	13			13								
Influenza	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0	1	6	7	0	1	6	7		0	1		1					
Influenza	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0	1		1		0	1			1								
Influenza	Only Chewing Arecanut			0		0		0		0		0		0		0		0		0		0		0	1	1	1	0	1	1		1									
Influenza	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0		0	2	1	3	0	2	1	3		0	4		4					
Influenza	Smoking and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0	1		1	0	1	1		1									
Influenza	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0	1		1	0	1	1		1									
Influenza	TOTAL	5	3		8	3	3	6	4	4	2	10	11	5	16	20	6	26	24	8	32	19	20	1	40	176	225	5	406	2	1	3	264	275	8	547					
Asthma	Habit not Known	184	152	12	348	48	37	85	95	97	4	196	189	156	5	350	573	350	26	949	1547	834	44	2425	1413	905	54	2372	8609	9362	404	18375	34	44	24	102	12692	11937	573	25202	
Asthma	Only Smoking			0		0	3		3	19	1	1	21	96	2		98	222	2	7	231	208	5	5	218	673	24	9	706	3	2	5	1224	34	24	1282					
Asthma	Only Chewing Tobacco			0		0	1		1	3	3	6	3	3	6	11	10		21	17	23	2	42	184	235	12	431	1	3	4	220	277	14	511							
Asthma	Smoking and Chewing Tobacco			0		0		0		0		0	2	1	3	11	1		12	14		14	75	8	1	84		0	102	10	1	113									
Asthma	Only Chewing Arecanut			0		0		0		0		0		0		0	5	6		11	3	3	6	17	24	41		0	25	33		58									
Asthma	Smoking and Chewing Arecanut			0		0		0		0		0		0		0	2		2		0	1		1	6	2	8	0	9	2		11									
Asthma	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0	9	12		21	1	1	11	13		24									
Asthma	Smoking, Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0	3	7	1	8		0	10		1	11									
Asthma	Only Drinking Alcohol			0		0	1		1	3		3	12			12	14		2	16	14		14	42	1	43		0	86	1	2	89									
Asthma	Smoking and Drinking Alcohol			0		0	5		5	18		18	50	1	51	119		3	122	71	1		7																		

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Jaundis	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0	1		1					0		0		0		0		0	1			1			
Jaundis	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		0		0		0	1			1					
Jaundis	Chewing Arecanut and Drinking Alcohol			0		0		0		0		0		0	1		1		1		0		0		0		0		0		0	1			1						
Jaundis	Smoking, Chewing Arecanut and Drinking Alcohol			0		0		0		0	1		1		0	1		1		0		0		0		0		0		0	2			2							
Jaundis	All Habits			0		0		0		0	1		1	2		2	1		1						0		0		0	4			4								
Jaundis	TOTAL	6	10	1	17	4	9	13	33	10	43	57	15	72	85	22	1	108	65	21	1	87	33	18	1	52	71	54	6	131	1	1	2	355	160	10	525				
Liver Disease	Habit not Known	43	32	1	76	6	14	20	40	31	71	107	33	140	309	94	3	406	353	168	6	527	217	96	3	316	488	359	12	859	3	2	5	1566	829	25	2420				
Liver Disease	Only Smoking			0		0	4		4	11		11	23		2	25	45		45	20		20	26		2	28	1		1	130		4	134								
Liver Disease	Only Chewing Tobacco			0		0		0		0		0		0	5	2		7	1		1	2	3	2		5	5	12		0	14	16	1	31							
Liver Disease	Smoking and Chewing Tobacco			0		0		0		0		0		0		0	1		1	2		2	2		2		0	5		5											
Liver Disease	Smoking and Chewing Arecanut			0		0		0		0		0		0		0		0		0		0		0		0	1		1												
Liver Disease	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0		0		0	1		1												
Liver Disease	Smoking, Chewing Tobacco and Arecanut			0		0	1		1		0	2		2			0				0			0		0	3		3												
Liver Disease	Only Drinking Alcohol			0		0	3		3	20		20	50		50	60		60	18		18	16		1	17		0	167		1	168										
Liver Disease	Smoking and Drinking Alcohol			0		0	2		2	28		28	72	1	73	64	1	65	20		20	24		24	1	1	2	211	2	1	214										
Liver Disease	Chewing Tobacco and Drinking Alcohol			0		0		0		0	2		2	1	1	2	3		3			0	5		5		0	11	1		12										
Liver Disease	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0	3		3	10		10	9	1	10	2	1	3	4		4		0	28	1	1	30										
Liver Disease	Chewing Arecanut and Drinking Alcohol			0		0	2		2		0	3		3	1		1		0			0		0		0	6		6												
Liver Disease	Smoking, Chewing Arecanut and Drinking Alcohol			0		0		0		0	1		1	0		1		0		0		0		0		0	2		2												
Liver Disease	Drinking, Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0		0		0	1		1												
Liver Disease	All Habits			0		0	1		1	4		4	3		3	2		2	1		1			0		0		0	11			11									
Liver Disease	TOTAL	43	32	1	76	6	14	20	53	31	84	175	33	208	479	98	5	582	539	169	8	716	284	99	3	386	572	372	15	959	5	2	1	8	2156	850	33	3039			
Ulcer	Habit not Known	3		3	4	1	1	6	4	9	13	14	8	22	41	21	62	53	19	2	74	35	26	61	172	181	5	358		0	326	265	8	599							
Ulcer	Only Smoking			0		0		0		0	2		2	2	5		5	5		5	7		7	13	1	1	15		0	32	1	1	34								
Ulcer	Only Chewing Tobacco			0		0		0		0	1		1	1	2		2	1		1	2		2	8	2		10		0	11	5		16								
Ulcer	Smoking and Chewing Tobacco			0		0		0		0	1		1	0		0		0		0		0		0	2	1		0	3		1	4									
Ulcer	Only Chewing Arecanut			0		0		0		0		0		0		0		0		0		0		0	1	1		0	1		2										
Ulcer	Chewing Tobacco and Arecanut			0		0		0		0	1		1		0		0		0		0		0		0		0		0	1		1									
Ulcer	Smoking, Chewing Tobacco and Arecanut			0		0	1		1		0		0		0		0		0		0		0		0		0	1		1											
Ulcer	Only Drinking Alcohol			0		0		0		0	2		2	1		1	1		1	1		1		1	3		3		0	8		8									
Ulcer	Smoking and Drinking Alcohol			0		0	1		1	3		3	5		5																										

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total																	
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T														
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42														
Syphilis and Genitourinary	Habit not Known	2		2	1		1			0	1	1		2	3	4		7	3	4		7	3	2		5	18	10		28			0	31	21		52																		
Syphilis and Genitourinary	Only Smoking		0		0		0			0		0		0		0		0		0		0		0		0	1		1		0	1		1																					
Syphilis and Genitourinary	Only Chewing Tobacco		0		0		0			0		0		0		0		0		0		0		0		0	2		2		0	2		2																					
Syphilis and Genitourinary	TOTAL	2		2	1		1			0	1	1		2	3	4		7	3	4		7	3	2		5	19	12		31			0	32	23		55																		
Abortion	Habit not Known		0		0		3		3	1	1		1		0		0		0		0		0		0		0		0		0	0		0	4		4																		
Abortion	Only Chewing Tobacco		0		0		0			0		0		0		0		0		1		1		0		0		0		0	0		0	1		1																			
Abortion	TOTAL		0		0		3		3	1	1		1		0		1		0		1		1		0		0		0		0	0		0	5		5																		
Pregnancy child birth	Habit not Known	199	1	200	6	6	15	15		1	1			0		3		3		2		2		7		7		0		0		233	1	234																					
Pregnancy child birth	Only Chewing Tobacco		0		0		2		2		0			0		0		0		0		0		0		0		0		0		0	2		2																				
Pregnancy child birth	TOTAL	199	1	200	6	6	17	17		1	1			0		3		3		2		2		7		7		0		0		235	1	236																					
Birth injuries	Habit not Known	54	51	4	109	1	1	2	1	1			0	2	2		4	2	4		6	2	3		5	6	7		13	3	3	67	72	4	143																				
Birth injuries	Only Drinking Alcohole		0		0		0			0			0		0		0		1		1		0		0		0	0	1		1		1																						
Birth injuries	TOTAL	54	51	4	109	1	1	2	1	1			0	2	2		4	3	4		7	2	3		5	6	7		13	3	3	68	72	4	144																				
Paralysis	Habit not Known	31	24	2	57	21	19	1	41	34	23	1	58	67	44	2	113	145	114	10	269	449	325	13	787	430	388	14	832	2250	3364	144	5758	11	15	6	32	3438	4316	193	7947														
Paralysis	Only Smoking		0		0		2		2	5			5	18	1		19	34	2		36	24	1		25	121	5	2	128	2		2	206	9	2	217																			
Paralysis	Only Chewing Tobacco		0		0		0			0			0	3	2		5	5	9		14	6	10		16	45	105	6	156	1	1	59	127	6	192																				
Paralysis	Smoking and Chewing Tobacco		0		0	1		1		0			0		0		0	3			3	3			3	12		12		0	19		19																						
Paralysis	Only Chewing Areanut		0		0		0			0			0		0		0	1			1				0	6	8		14		0	8	8		16																				
Paralysis	Smoking and Chewing Areanut		0		0		0			0			0		0		0	1			0				0	2	1		3		0	2	1		3																				
Paralysis	Chewing Tobacco and Areanut		0		0		0			0			0		0		0	1			0				1	2	6		8		0	3	6		9																				
Paralysis	Smoking, Chewing Tobaccoa and Areanut		0		0		0			0			0		0		0	1			0				0	3	1	4		0	3		1	4																					
Paralysis	Only Drinking Alcohole		0		0		0			0	2		2	1		1	3		3	5		5	10	1	1	12	1		1	22	1	1	24																						
Paralysis	Smoking and Drinking Alcohole		0		0		0			0	2		2	18		18	14		14	15		15	40		1	41		0	89		1	90																							
Paralysis	Chewing Tobacco and Drinking Alcohole		0		0		0			0	1		1	1		1	1		1	2		2	14	1		15		0	19	1	20																								
Paralysis	Smoking, Chewing Tobaccoa and Drinking Alcohole		0		0		0			0			0		0		0	1		1	4		4	3		3	12	1	13		0	24		1	25																				
Paralysis	Chewing Areanut and Drinking Alcohole		0		0		0			0			0		0		0	1		1	4		4	3		3	12	1	13		0	24		1	25																				
Paralysis	Smoking, Chewing Areanut and Drinking Alcohole		0		0		0			0			0		0	</																																							

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Senility	TOTAL	2	2	4	1		1	2		2	3	3		6	24	20		44	144	115		259	228	230		458	2378	3548	5	5931	3	2	5	2785	3920	5	6710				
Others	Habit not Known	1397	1091	89	2577	387	235	12	634	678	480	19	1177	1026	659	34	1719	1917	1057	58	3032	2687	1538	70	4295	1858	1336	81	3275	6556	6257	285	13098	48	49	58	155	16554	12702	706	29962
Others	Only Smoking	1		1	4		1	5	25		25	88	2		90	279	8	3	290	468	3	3	474	295	6	3	304	535	34	11	580	5	1	6	1700	53	22	1775			
Others	Only Chewing Tobacco			0	2	1	3	7	4	11	8	6	1	15	20	15	1	36	32	38	1	71	28	34	1	63	136	167	11	314	2	1	1	4	235	266	16	517			
Others	Smoking and Chewing Tobacco			0	1		1	5		5	6		6	18	1		19	39			39	29	4		33	77	2	1	80		0	175	7	1	183						
Others	Only Chewing Areca nut			0	1		1	2	1	2	5	6		6	3		3	2	5		7	7	6		13	11	22		33		0	29	37	2	68						
Others	Smoking and Chewing Areca nut			0			0	2		2	2		2	4			4	1			1				0	5		5		0	14			14							
Others	Chewing Tobacco and Areca nut			0			0	1	1	2	4	1		5	6	4		10	4	5		9	1	6		7	6	8		14		1	1	22	25	1	48				
Others	Smoking, Chewing Tobacco and Areca nut			0			0	1		1	1		1	1		1	1	3	1		4	2			2	8	1		9		0	15	3		18						
Others	Only Drinking Alcohol			0	2		2	18		18	44	2		46	70			70	78		78	32	1		33	58	2	2	62	4		4	306	5	2	313					
Others	Smoking and Drinking Alcohol			0	3		3	38		38	121	1	1	123	257	2	2	261	303	3	306	132	4	2	138	171	3	2	176	4		4	1029	13	7	1049					
Others	Chewing Tobacco and Drinking Alcohol			0			0	7		7	13	1		14	13	1	1	15	20		20	7			7	33	3		36		1	1	93	5	2	100					
Others	Smoking, Chewing Tobacco and Drinking Alcohol			0			0	8	1	9	19	1		20	35			35	56		56	27			27	61	1	1	63		0	206	2	2	210						
Others	Chewing Areca nut and Drinking Alcohol			0			0	2		2	6		6	2			2	3		3				0		0		0		0	13			13							
Others	Smoking, Chewing Areca nut and Drinking Alcohol			0			0	3		3	2		2	8			8	6		2	8			0	1		1		0	20		2	22								
Others	Drinking, Chewing Tobacco and Areca nut			0			0	2	1	3	2		2	3			3			0	1			1	4		4		0	12		1	13								
Others	All Habits			0	1		1	6		6	7	1	1	9	17			17	13	1		14	6		6	8		8		0	58	2	1	61							
Others	TOTAL	1398	1091	89	2578	401	236	13	650	805	486	23	1314	1355	674	37	2066	2649	1092	65	3806	3715	1594	76	5385	2425	1397	87	3909	7670	6500	313	14483	63	50	62	175	20481	13120	765	34366
Venomous Animals Bites/	Habit not Known	2	2	6		6	6	2		8	1	2		3	4	5	2	11	5	1		6	2		2	2	3		5	1		1	27	15	2	44					
Venomous Animals Bites/	Only Smoking			0			0			0			0	1			1				0			0	1		1		0	2			2								
Venomous Animals Bites/	Smoking and Drinking Alcohol			0			0			0			0	2			2			0			0			0		0		0	2		2								
Venomous Animals Bites/	Smoking, Chewing Areca nut and Drinking Alcohol			0			0	1		1			0			0			0			0			0		0		0	1		1									
Venomous Animals Bites/	All Habits			0			0			0			0			0			0			0	1		1		0		0	1		1									
Venomous Animals Bites/	TOTAL	2	2	6		6	7	2		9	1	2		3	7	5	2	14	5	1		6	3		3	3	3		6	1		1	33	15	2	50					
Burns(Accidental)	Habit not Known	12	14	1	27	16	80	96	22	104	1	127	18	58	2	78	17	34	51	16	20	1	37	4	13		17	21	36		57		0	126	359	5	490				
Burns(Accidental)	Only Smoking	0			0	2		2	1		1	1		1	3		1	4	1		1			0		0	1		0	8		1	9								
Burns(Accidental)	Only Chewing Tobacco	0			0		0			0		1																													

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total			
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Other Accidents	Smoking, Chewing Tobacco and Drinking Alcohol			0			0			0	1		1	3			3	1			1					0			0		0		0	5			5				
Other Accidents	Smoking, Chewing Arecanut and Drinking Alcohol			0			0			0	1		1				0				0				0			0		0	1		1								
Other Accidents	All Habits			0			0			0			0	2			2				0				0			0			0		0	2			2				
Other Accidents	TOTAL	76	41	2	119	131	36	3	170	256	57	8	321	261	40	10	311	271	68	8	347	179	49	5	233	46	33		79	143	106	10	259	7	4	3	14	1370	434	49	1853
Suicide	Habit not Known	28	22		50	286	275	10	571	564	273	25	862	641	216	27	884	689	187	23	899	448	139	20	607	175	50	6	231	301	132	16	449	16	8	3	27	3148	1302	130	4580
Suicide	Only Smoking			0	4		4	29		29	38	1	3	42	41	1	1	43	34		34	12			12	19		3	22	3		3	180	2	7	189					
Suicide	Only Chewing Tobacco			0	1		1	3		3	4	1		5	6	6		12	3	1		4			0	4	2	1	7		0	21	10	1	32						
Suicide	Smoking and Chewing Tobacco			0		0	1		1		0	3			3	1		1	1		2			0	1		3		0	9		9									
Suicide	Only Chewing Arecanut			0		0		0	1		0	1	1		2			0	1	1		2			0	3		3		0	5	2		7							
Suicide	Smoking and Chewing Arecanut			0		0	1		1	1		1			0			0			0			0		0		0	2			2									
Suicide	Smoking, Chewing Tobacco and Arecanut			0		0		0		0		0			0			0		2	2		2			0		0		0	2		2								
Suicide	Only Drinking Alcohol			0	7		7	41		1	42	67	1	2	70	62	2	64	38		38	10		1	11	14		14	1	1	1	240	3	4	247						
Suicide	Smoking and Drinking Alcohol			0	6		6	43		1	44	100	2		102	96		2	98	42		3	45	13		13	9		9	4	1	5	313	2	7	322					
Suicide	Chewing Tobacco and Drinking Alcohol			0	1		1	3		3	4	1		5	7		7	5		5	2		2	5		5	1	1	1	28	1		29								
Suicide	Smoking, Chewing Tobacco and Drinking Alcohol			0		0	2		2	15		15	6			6	11		11	3		3	4		4		0	41			41										
Suicide	Chewing Arecanut and Drinking Alcohol			0		0	2		2	6	1	7		0	1		1		0			0		0		0	9	1		10											
Suicide	Smoking, Chewing Arecanut and Drinking Alcohol			0		0	1		1	3		3	3		1	4	2		2		0			0		0	0	9		1	10										
Suicide	Drinking, Chewing Tobacco and Arecanut			0		0	2		2	2		2			0			0			0			0		0		0	4			4									
Suicide	All Habits			0	1		1	5		5	4		4	2			2	1		2	3	1		1	1		1	2		0	15		3	18							
Suicide	TOTAL	28	22		50	308	275	10	593	701	274	27	1002	880	223	32	1135	916	196	27	1139	586	143	25	754	217	50	7	274	363	134	21	518	25	8	4	37	4024	1325	153	5502
Homicide	Habit not Known	8	8	16	6	3	9	25	5	1	31	24	9	1	34	16	8	1	25	8	3		11	2	2	4	10	11		21		0	99	49	3	151					
Homicide	Only Smoking			0		0	4		4	2		2	1		1	3		1	3		3	1		1	1		1		0	12			12								
Homicide	Only Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		1		0	1		1										
Homicide	Only Drinking Alcohol			0		0	2		2	3		3		0		0		0		0		0		0		0	0	5			5										
Homicide	Smoking and Drinking Alcohol			0		0	2		2	1		1	5			5		0		0		0		0		0		0	0	8			8								
Homicide	Chewing Tobacco and Drinking Alcohol			0		0		0		0	1		1		0		0		0		0		0		0		0		0	0	1		1								
Homicide	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		1		1		0		0		0	0	1		1									
Homicide	Drinking, Chewing Tobacco and Arecanut			0		0	1	1		0		0		0		0		0		0		0		0		0		0	0	1		1									
Homicide	TOTAL	8	8	16	6	3	9	34	5	1	40	31	9	1	41	22	8	1	31	12	3																				

Cause of Death	Habit	Below 15					15-24					25-34					35-44					45-54					55-64					65-69					70 and Above					Age not known					Total				
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42										
Old Age	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0	1		1		1		1		2		2		13		24	1	38		0	14	26	1	41										
Old Age	Smoking, Chewing Tobacco and Arecanut			0		0		0		0		0		0		1		1		1		0		0		0		0		1		2		0	2	1		3													
Old Age	Only Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		5		46	1	2	49		0	51	1	2	54												
Old Age	Smoking and Drinking Alcohol			0		0		0		0		0		0		0		0		13		11		13		11		90	1	4	95	1		1	115	1	4	120													
Old Age	Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		2		23		23		0	25			25															
Old Age	Smoking, Chewing Tobacco and Drinking Alcohol			0		0		0		0		0		0		0		0		1		1		2		2		15		1		16		0	17		2	19													
Old Age	Chewing Arecanut and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0		1		1															
Old Age	Smoking, Chewing Arecanut and Drinking Alcohol			0		0		0		0		0		0		0		0		0		0		0		0		2		2		0	2			2															
Old Age	All Habits			0		0		0		0		0		0		0		0		0		0		0		0		6		2		8		0	6		2	8													
Old Age	TOTAL			0		0		0		0		0		0		36	29	5	70	286	221	18	525	420	401	19	840	6987	8684	439	16110	18	28	21	67	7747	9363	502	17612												
Hysteria	Habit not Known	6	2	8	3	3	2	8	7	2	1	10	6	4	2	12	4	4	8	5	6	1	12		2		2	13	14	1	28	1		1	45	37	7	89													
Hysteria	Only Smoking			0		0	2		2		0		0		1	1			0		1		1			0		0	2	1	1	4																			
Hysteria	Smoking and Chewing Tobacco			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0	1			1															
Hysteria	TOTAL	6	2	8	3	3	2	8	9	2	1	12	6	4	2	12	4	4	1	9	5	6	1	12		3		3	14	14	1	29	1		1	48	38	8	94												
Premature	Habit not Known	196	139	6	341			0		0		0		0		0		0		0		0		0		0		0		0		0		0	196	139	6	341													
Premature	TOTAL	196	139	6	341			0		0		0		0		0		0		0		0		0		0		0		0		0	196	139	6	341															
Blood Pressure	Habit not Known	18	15	33	7	9	16	18	20	1	39	44	58	1	103	141	131	1	273	343	285	18	646	278	371	13	662	1425	2135	83	3643	7	5	5	17	2281	3029	122	5432												
Blood Pressure	Only Smoking	1		1		0	2		2		3		3		11		11	41	2	2	45		30	2		32	95	3	98		0	183	7	2	192																
Blood Pressure	Only Chewing Tobacco			0		0		0		0		0		0		6	4		10	5	5	1	11	2	13		15	31	84	2	117	1	1	2	45	107	3	155													
Blood Pressure	Smoking and Chewing Tobacco			0		0		0		0		0		1		1		1		5		2		2		13		0	22			22																			
Blood Pressure	Only Chewing Arecanut			0		0		0		0		0		0		0		0		0		0		0		1		1		0	6	7		13																	
Blood Pressure	Smoking and Chewing Arecanut			0		0		0		0		0		1		1		0		0		0		0		1		1		0	3			3																	
Blood Pressure	Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0		0		0		5		5		0	5			5															
Blood Pressure	Smoking, Chewing Tobacco and Arecanut			0		0		0		0		0		0		0		0		0		0		0		0		1		1		0	1			1															
Blood Pressure	Only Drinking Alcohol			0		0		0		2		2		4			4	7			7	1			1	15		15		0	29			29																	
Blood Pressure	Smoking and Drinking Alcohol			0		0	1		1		3		3		10		11	17		1	18	12			12	29	1	30		0	72	1	2	75																	
Blood Pressure	Chewing Tobacco and Drinking Alcohol			0		0	1		1		1		0		2			2			0		0		1	9		9		0	13			13																	
Blood Pressure	Smoking, Chewing Tobacco and Drinking Alcohol																																																		

Cause of Death	Habit	Below 15				15-24				25-34				35-44				45-54				55-64				65-69				70 and Above				Age not known				Total				
		M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T	M	F	N	T					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
	Drinking Alcohol																																									
Kidney Trouble	All Habits					0				0				0				0	3			3	1			1				0	1			1			0	5			5	
Kidney Trouble	TOTAL	24	15	4	43	22	21			43	60	50	4	114	115	68	3	186	268	160	6	434	384	217	11	612	212	142	5	359	772	422	25	1219	5	4	3	12	1862	1099	61	3022
Not Stated	Habit not Known	765	539	19	1323	190	130			320	433	220	1	654	458	265	3	726	759	371	4	1134	1005	564	6	1575	576	506	10	1092	1943	2002	27	3972	7	6	4	17	6136	4603	74	10813
Not Stated	Only Smoking					0	3			3	22			22	41			41	131	2	1	134	173			1	174	77	2		79	224	4		228			0	671	8	2	681
Not Stated	Only Chewing Tobacco					0				0	1			1	5			5	3	3		6	10	12		22	11	16		27	27	57		84			0	57	88		145	
Not Stated	Smoking and Chewing Tobacco					0				0				0	3			3	3	1		4	11			11	3			3	25			25		0	45	1		46		
Not Stated	Only Chewing Arecanut					0	1			1				0	2			2	2			2	1	2		3	1	1		2	6	9		15		0	13	12		25		
Not Stated	Smoking and Chewing Arecanut					0				0				0	2			2	1			1	2			2				0			0	5			5					
Not Stated	Chewing Tobacco and Arecanut					0				0				0				0				0	2			2				0	1	5		6		0	1	7		8		
Not Stated	Smoking, Chewing Tobacco and Arecanut					0	1			1				0	1			1	1			1	1			1				0	1		1	0		0	5			5		
Not Stated	Only Drinking Alcohol					0	1			1	19			19	27	1		28	48	2		50	39	1	1	41	17			17	9			9		1	1	160	4	2	166	
Not Stated	Smoking and Drinking Alcohol					0	1			1	23			23	53			53	123			123	123			123	42			42	67		1	68			0	432		1	433	
Not Stated	Chewing Tobacco and Drinking Alcohol					0				0	2	1		3	3			3	9			9	7	1		8	4			4	5			5		0	30	2		32		
Not Stated	Smoking, Chewing Tobacco and Drinking Alcohol					0				0	1			1	11			11	14			14	17			17	5			5	16			1	17		0	64		1	65	
Not Stated	Chewing Arecanut and Drinking Alcohol					0				0	2			2	1			1	3			3	2			2	2			2	2			2		0	12			12		
Not Stated	Smoking, Chewing Arecanut and Drinking Alcohol					0	1			1	1			1	1			1	3			3	3			3				0	2			2		0	11			11		
Not Stated	Drinking, Chewing Tobacco and Arecanut					0				0	1			1	1			1	4			4	2			2				0	3			3		0	11			11		
Not Stated	All Habits					0				0	2			2	7			7	5	1		6	6			6	4			4	7	1		8		0	31	2		33		
Not Stated	TOTAL	765	539	19	1323	198	130			328	507	221	1	729	616	266	3	885	1109	380	5	1494	1402	582	8	1992	742	525	10	1277	2338	2078	29	4445	7	6	5	18	7684	4727	80	12491

TABLE 35
Still Birth by Place of Occurrence in District (Rural & Urban)

SINo	District	R /U	Sex				Stillbirth Rate
			Male	Female	Not Stated	Total	
1	Kasaragod	R	12	6		18	2.01
		U	41	33	1	75	6.02
		T	53	39	1	93	4.34
2	Kannoor	R	57	54		111	12.03
		U	127	87	4	218	5.72
		T	184	141	4	329	6.95
3	Wayanad	R	67	23	1	91	8.26
		U	11	9		20	5.06
		T	78	32	1	111	7.42
4	Kozhikkode	R	17	13		30	2.04
		U	237	230	9	476	11.17
		T	254	243	9	506	8.82
5	Malappuram	R	105	81	1	187	4.04
		U	121	88	3	212	5.34
		T	226	169	4	399	4.64
6	Palakkad	R	33	21		54	2.70
		U	25	32		57	2.65
		T	58	53	0	111	2.67
7	Thrissur	R	96	60	3	159	8.56
		U	26	19		45	1.25
		T	122	79	3	204	3.74
8	Eranakulam	R	27	30	1	58	6.48
		U	47	41	1	89	2.16
		T	74	71	2	147	2.93
9	Idukki	R	17	12		29	2.60
		U	7	3		10	1.93
		T	24	15	0	39	2.39
10	Kottayam	R	124	87	2	213	9.32
		U	21	14		35	3.48
		T	145	101	2	248	7.53
11	Alappuzha	R	6	2		8	2.28
		U	61	54	2	117	5.17
		T	67	56	2	125	4.78
12	Pathanamthitta	R	1	1		2	0.20
		U	21	20		41	4.67
		T	22	21	0	43	2.30
13	Kollam	R	42	32		74	3.54
		U	29	27		56	3.18
		T	71	59	0	130	3.37
14	Thiruvananthapuram	R	9	8		17	1.65
		U	303	292	11	606	14.09
		T	312	300	11	623	11.69
15	State	R	613	430	8	1051	4.85
		U	1077	949	31	2057	6.00
		T	1690	1379	39	3108	5.56

TABLE 36
Stillbirth by Sex and Age of Mother (Rural & Urban)

Age of Mother	Rural				Urban				All Areas			
	M	F	NR	T	M	F	NR	T	M	F	NR	T
Below 15	0	0	0	0	0	1	0	1	0	1	0	1
15 - 19	39	30	2	71	63	67	2	132	102	97	4	203
20 - 24	212	114	3	329	377	364	15	756	589	478	18	1085
25 - 29	202	156	1	359	362	310	9	681	564	466	10	1040
30 - 34	100	70	2	172	175	128	4	307	275	198	6	479
35 - 39	28	29	0	57	61	51	0	112	89	80	0	169
40 - 44	2	5	0	7	5	5	0	10	7	10	0	17
45 & Above	0	0	0	0	3	1	0	4	3	1	0	4
Age not Stated	30	26	0	56	31	22	1	54	61	48	1	110
State Total	613	430	8	1051	1077	949	31	2057	1690	1379	39	3108

TABLE 37
Stillbirth by Sex and Duration of Pregnancy (Rural & Urban)

Duration of Pregnancy in Weeks	Rural				Urban				All Areas			
	M	F	NR	T	M	F	NR	T	M	F	NR	T
< 32	199	138	4	341	341	350	13	704	540	488	17	1045
32-36	139	102	1	242	266	214	7	487	405	316	8	729
37-39	177	120	3	300	340	283	7	630	517	403	10	930
40	36	34	0	70	55	58	3	116	91	92	3	186
41+	40	23	0	63	75	43	1	119	115	66	1	182
Not Reported	22	13	0	35	0	1	0	1	22	14	0	36
Total	613	430	8	1051	1077	949	31	2057	1690	1379	39	3108

TABLE 38
Stillbirth by Sex and Type of Medical Attention Received at Delivery (Rural & Urban)

Rural / Urban		Type of Attention at Delivery						
		Government Institutions	Institution/Private/Non. Govt.	Physician, Nurses & Midwives	Unqualified Midwife	Others	Not Stated	Total
1	2	3	4	5	6	7	8	9
Rural		437	460	131	2	3	18	1051
Urban	I) Town with Population 1 Lakh & above							
1	Alappuzha (M)	92						92
2	Kochi (C)	5	1					6
3	Kollam (C)	42	3					45
4	Kozhikkodu (C)	440	23					463
5	Palakkad (M)		28					28
6	Thalassery(M)	40	21	2				63
7	Thiruvananthapuram(C)	577	23					600
8	Thrissur (C)	2	1					3
	(I) Total	1198	100	2	0	0	0	1300
	II) All Other Urban Areas							
1	Adoor (M)	5						5
2	Aluva(M)	1	16					17
3	Angamaly (M)	1	9					10
4	Attingal (M)		1					1
5	Chalakkudy (M)	2	6					8
6	Changanassery (M)	4	1					5
7	Chengannur (M)	2	3					5
8	Cherthala (M)	5	1					6
9	Guruvayoor (M)		1					1
10	Iringalakuda (M)	1	2					3
11	Kalamassery (M)		7					7
12	Kalpetta (M)	3	17					20
13	Kanjagad (M)	5	9					14
14	Kannur (M)	1	3	15				19
15	Kasargod (M)	2	59					61
16	Kayamkulam (M)		10	3			1	14

Rural / Urban		Type of Attention at Delivery						
		Government Institutions	Institution/Private/Non. Govt.	Physician, Nurses & Midwives	Unqualified Midwife	Others	Not Stated	Total
1	2	3	4	5	6	7	8	9
17	Knnur Cantonment	17	5	1				23
18	Kodungallur (M)	12	6					18
19	Kothamangalam (M)		24					24
20	Kottayam (M)	3	3					6
21	Kunnamkulam (M)	8	4					12
22	Kuthuparambu(M)	2	13					15
23	Malappuram (M)	13	39	1				53
24	Manjeri (M)	20	39	37		1		97
25	Mattannur (M)		7					7
26	Moovattupuzha (M)	2	7					9
27	Nedumangad (M)	3	2					5
28	North Parur (M)	3	5	1				9
29	Ottappalam M)		29					29
30	Pala (M)	2	19					21
31	Pathanamthitta (M)		5					5
32	Payyannur(M)	19	15	7			2	43
33	Perinthalmanna (M)	13	15					28
34	Perumbavoor (M)	1	3					4
35	Ponnani (M)	15	3					18
36	Punalur (M)	11						11
37	Thaliparambu(M)	18	26	2			2	48
38	Thiruvalla (M)	2	29					31
39	Thodupuzha (M)	4	6					10
40	Thrippunithura (M)	1	2					3
41	Tirur (M)	4	12					16
42	Vadakara (M)	4	9					13
43	Vaikom (M)	3						3
(II) Total		212	472	67	0	1	5	757
Urban Total		1410	572	69	0	1	5	2057
State Total		1847	1032	200	2	4	23	3108

TABLE 39
Stillbirths by Cause of stillbirths and Age of Mother (Rural & Urban)

Cause of Stillbirth	Age of Mother										Total
	Below 15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & Above	Age not Stated	11	
1	2	3	4	5	6	7	8	9	10	11	
Rural											
Cholera				1							1
Food Poisoning					1						1
Dysentery					2						2
Leprosy			1	1							2
Tetanus		2		3							5
Diabetes						1					1
Anaemia's		2									2
Heart Attack			2	2	1						5
Influenza				2							2
Asthma		2									2
Jaundice		2			2						2
Liver Disease				2							2
Ulcer			2								2
Abortion			4	2	2				2	10	
Pregnancy child birth	1	24	20	13	1				1	60	
Birth injuries	5	14	12	5	4				3	43	
Paralysis				1							1
Others	24	119	143	63	26				17	392	
Poisoning				3							3
Other Accidents		1				1					2
Homicide				1							1
Premature	1	7	11	4					2	25	
Blood Pressure		3	2	1							6
Not Stated		34	149	152	82	24	7		31	479	
Total (Rural)	0	71	329	359	172	57	7	0	56	1051	
Urban											
Cholera				1			1				2
Typhoid					1						1
Food Poisoning					1						1
Dysentery		2									2
Leprosy				3	3						6
Tetanus		2	1	1	1						5
Diabetes			1	1	1						3
Anaemia's		2									2
Heart Attack			2	4							6
Influenza		1	1	1		1					4
Asthma		1	1								2
Jaundice		1	1	2							4
Liver Disease		1	1								2
Ulcer			3	1							4
Abortion			2	6	3						11
Pregnancy child birth		12	48	60	12	7			4	143	
Birth injuries		6	30	24	8	3	1				72
Paralysis			2								2

Cause of Stillbirth	Age of Mother										Total
	Below 15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & Above	Age not Stated		
1	2	3	4	5	6	7	8	9	10	11	
Others		47	335	311	147	52	4	2	31	929	
Poisoning			3	2					1	6	
Other Accidents			1			1				2	
Homicide			1	1						2	
Premature		11	36	47	22	12			1	129	
Blood Pressure			1	2	4					7	
Not Stated	1	50	281	213	106	35	5	2	17	710	
Total(Urban)	1	132	756	681	307	112	10	4	54	2057	
All Areas											
Cholera			2			1				3	
Typhoid				1						1	
Food Poisoning				2						2	
Dysentery			2	2						4	
Leprosy			1	4	3					8	
Tetanus		4	1	4	1					10	
Diabetes			1	1	1	1				4	
Anaemia's		2	2							4	
Heart Attack			4	6	1					11	
Influenza		1	1	3		1				6	
Asthma		1	3							4	
Jaundice		3	1	2						6	
Liver Disease		1	1	2						4	
Ulcer			5	1						6	
Abortion			6	8	5				2	21	
Pregnancy child birth		13	72	80	25	8			5	203	
Birth injuries		11	44	36	13	7	1		3	115	
Paralysis			2		1					3	
Others		71	454	454	210	78	4	2	48	1321	
Poisoning			3	5					1	9	
Other Accidents			2			2				4	
Homicide			1	2						3	
Premature		12	43	58	26	12			3	154	
Blood Pressure			4	4	5					13	
Not Stated	1	84	430	365	188	59	12	2	48	1189	
Total (State)	1	203	1085	1040	479	169	17	4	110	3108	

TABLE 40
Stillbirths by Duration of Pregnancy and Age of Mother

Age of Mother	Duration of Pregnancy							TOTAL
	< 32	32-36	37-39	40	41+	NR		
Rural								
Below 15	0	0	0	0	0	4		4
15 - 19	12	11	31	9	4	15		82
20 - 24	100	86	87	23	18	6		320
25 - 29	131	81	100	18	23	3		356
30 - 34	55	49	45	9	11	4		173
35 - 39	19	8	19	2	5			53
40 - 44	3		4			3		10
45 & Above	0	0	0	0	0	0		0
Age not Stated	21	7	14	9	2			53
Total	341	242	300	70	63	35		1051
Urban								
Below 15			1					1
15 - 19	43	29	40	9	11	1		133
20 - 24	259	179	223	52	42			755
25 - 29	230	157	230	31	33			681
30 - 34	105	83	84	14	21			307
35 - 39	41	27	29	6	9			112
40 - 44	3	2	1	2	2			10
45 & Above			4					4
Age not Stated	23	10	18	2	1	0		54
Total	704	487	630	116	119	1		2057
All Areas								
Below 15			1					1
15 - 19	55	40	71	18	15	4		203
20 - 24	359	265	310	75	60	16		1085
25 - 29	361	238	330	49	56	6		1040
30 - 34	160	132	129	23	32	3		479
35 - 39	60	35	48	8	14	4		169
40 - 44	6	2	5	2	2			17
45 & Above			4					4
Age not Stated	44	17	32	11	3	3		110
State Total	1045	729	930	186	182	36		3108